

**MAX TUSSIN MUCUS AND CHEST CONGESTION SUGAR FREE-
guaifenesin liquid
Akron Pharma Inc.**

**Max Tussin Mucus and Chest Congestion
Guaifenesin 200mg per 10ml Oral Solution
Sugar free
Alcohol free
Cherry flavor**

Active ingredients (in each 10 mL)

Guaifenesin 200 mg

Purposes

Expectorant

Uses

- helps loosen phlegm (mucus) and thin bronchial secretions to make coughs more productive

Warnings

Ask a doctor before use if you have

- cough that occurs with too much phlegm (mucus)
- cough that lasts or is chronic such as occurs with smoking, asthma, chronic bronchitis or emphysema

Stop use and ask a doctor if

cough lasts more than 7 days, comes back, or is accompanied by fever, rash, or persistent headache. These could be signs of a serious condition.

If pregnant or breast-feeding,

ask a health professional before use.

Keep out of reach of children.

In case of overdose, get medical help or contact a Poison Control Center right away (1-800-222-1222).

Directions

- do not take more than 6 doses in any 24-hour period
- mL= milliliter

- this adult product is not intended for use in children under 12 years of age

age

adults and children 12 years and over
 children under 12 years

dose

10 - 20 mL every 4 hours
 do not use

Other information

- Phenylketonurics: contains Phenylalanine 30 mg per 10 mL
- store between 20-25°C(68-77°F). Do not refrigerate

Inactive ingredients

anhydrous citric acid, flavor cherry, glycerin, menthol, purified water, saccharin sodium, sodium benzoate, sorbitol solution, sucralose.

Questions or comments?

toll-free 1-877-225-6999

Manufactured for:

Akron Pharma, Inc.

Fairfield, NJ 07004

www.akronpharma.com

NDC 71399-0024-4

MAXTussin™
MUCUS
& Chest Congestion
 Expectorant (Guaifenesin, USP 200 mg)

SUGAR-FREE

Expectorant

Relieves:

- ✓ Chest Congestion
- ✓ Mucus
- Cherry Flavored
- Alcohol Free
- Gluten Free
- Dye Free
- Non-Drowsy

Ages 12+

Akron Pharma



4 FL OZ. (118 mL)

Drug Facts	Purpose				
Active ingredient (in each 10 mL)	Guaifenesin, USP 200 mg	Expectorant			
Uses	■ helps loosen phlegm (mucus) and thin bronchial secretions to make coughs more productive				
Warnings	<p>Ask a doctor before use if you have ■ cough that occurs with too much phlegm (mucus) ■ cough that lasts or is chronic such as occurs with smoking, asthma, chronic bronchitis, or emphysema Stop use and ask a doctor if cough lasts for more than 7 days, comes back, or is accompanied by fever, rash, or persistent headache. These could be signs of a serious condition.</p> <p>If pregnant or breast-feeding, ask a health professional before use.</p> <p>Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center right away (1-800-222-1222)</p>				
Directions	<p>■ do not take more than 6 doses in any 24-hour period</p> <p>■ measure only with dosing cup provided ■ keep dosing cup with product ■ mL = milliliter ■ this adult product is not intended for use in children under 12 years of age</p>				
	age	dose			
	adults and children 12 years and over	10 - 20 mL every 4 hours			
	children under 12 years	do not use			
Other information	<p>■ Each 10mL contains : Sodium 3.2mg.</p> <p>■ store at 20°-25°C (68°-77°F). Do not refrigerate.</p>				
Inactive ingredients	anhydrous citric acid, flavor cherry, glycerin, menthol, propylene glycol, purified water, sodium benzoate, sorbitol solution, sucralose.				
Questions or comments?	toll-free 1-877-225-6999				

*This Product is not manufactured or distributed by Pizer, distributor of Robitussin® Mucus+ Chest Congestion.

Tamper Evident: Do Not Use if Printed Safety Seal Around Bottle or Under Cap is Broken or Missing

Akron Pharma

Manufactured for:
 Akron Pharma, Inc.
 Fairfield, NJ 07004
 www.akronpharma.com

LOT No.: Un Warnish Area

EXPDate:

REV:06/25



N 3 71399-0024-4 0

SUGAR-FREE

Expectorant (Guaifenesin, USP 200 mg)

MAXTussin™

MUCUS

& Chest Congestion

NDC 71399-0024-4

MAXTussin™

MUCUS

& Chest Congestion

Expectorant (Guaifenesin, USP 200 mg)

SUGAR-FREE

Expectorant


Relieves:

- ✓ Chest Congestion
- ✓ Mucus

- Cherry Flavored
- Alcohol Free
- Gluten Free
- Dye Free
- Non-Drowsy

Ages 12+

Akron Pharma 4 FL OZ . (118 mL)



Drug Facts

Active ingredient (in each 10 mL)	Purpose
Guaifenesin, USP 200 mg	Expectorant

Uses ■ helps loosen phlegm (mucus) and thin bronchial secretions to make coughs more productive

Warnings

Ask a doctor before use if you have

- cough that occurs with too much phlegm (mucus)
- cough that lasts or is chronic such as occurs with smoking, asthma, chronic bronchitis, or emphysema

Stop use and ask a doctor if cough lasts for more than 7 days, comes back, or is accompanied by fever, rash, or persistent headache. These could be signs of a serious condition.

If pregnant or breast-feeding, ask a health professional before use.

Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center right away (1-800-222-1222)

Directions ■ do not take more than 6 doses in any 24-hour period

- measure only with dosing cup provided
- keep dosing cup with product
- mL = milliliter ■ this adult product is not intended for use in children under 12 years of age

age	dose
adults and children 12 years and over	10 - 20 mL every 4 hours
children under 12 years	do not use

Other information ■ Each 10mL contains : Sodium 3.2mg. ■ store at 20°-25°C (68°-77°F). Do not refrigerate.

NDC 71399-0024-4

MAXTussin™

MUCUS

& Chest Congestion

Expectorant (Guaifenesin, USP 200 mg)

SUGAR-FREE

Expectorant

Relieves:

- ✓ Chest Congestion
- ✓ Mucus

- Cherry Flavored
- Alcohol Free
- Gluten Free
- Dye Free
- Non-Drowsy

Ages 12+

Akron Pharma 4 FL OZ . (118 mL)

Drug Facts (continued)

Inactive ingredients anhydrous citric acid, flavor cherry, glycerin, menthol, propylene glycol, purified water, sodium benzoate, sorbitol solution, sucralose.

Questions or comments? toll-free 1-877-225-6999

*This Product is not manufactured or distributed by Pfizer, distributor of Robitussin® Mucus + Chest Congestion.

Tamper Evident: Do Not Use If Printed Safety Seal Around Bottle or Under Cap is Broken or Missing

Akron Pharma
Manufactured for:
Akron Pharma, Inc.
Fairfield, NJ 07004
www.akronpharma.com

REV 06/05

Size : 50x130x50mm Lock Bottom

NDC 71399-0024-8

MAXTussin™

MUCUS

& Chest Congestion

Expectorant (Guaifenesin, USP 200 mg)

SUGAR-FREE

Expectorant

Relieves:

- ✓ Chest Congestion
- ✓ Mucus

- Cherry Flavored
- Alcohol Free
- Gluten Free
- Dye Free
- Non-Drowsy

Ages 12+

Akron Pharma 8 FL OZ . (236 mL)

Drug Facts

Active ingredient (in each 10 mL)	Purpose
Guaifenesin, USP 200 mg	Expectorant

Uses ■ helps loosen phlegm (mucus) and thin bronchial secretions to make coughs more productive

Warnings

Ask a doctor before use if you have

- cough that occurs with too much phlegm (mucus)
- cough that lasts or is chronic such as occurs with smoking, asthma, chronic bronchitis, or emphysema

Stop use and ask a doctor if cough lasts for more than 7 days, comes back, or is accompanied by fever, rash, or persistent headache. These could be signs of a serious condition.

If pregnant or breast-feeding, ask a health professional before use.

Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center right away (1-800-222-1222)

Directions ■ do not take more than 6 doses in any 24-hour period ■ measure only with dosing cup provided ■ keep dosing cup with product

Drug Facts (continued)

- mL = milliliter ■ this adult product is not intended for use in children under 12 years of age

age	dose
adults and children 12 years and over	10 - 20 mL every 4 hours
children under 12 years	do not use

Other information ■ Each 10mL contains : Sodium 3.2mg. ■ store at 20°-25°C (68°-77°F). Do not refrigerate.

Inactive ingredients anhydrous citric acid, flavor cherry, glycerin, menthol, propylene glycol, purified water, sodium benzoate, sorbitol solution, sucralose.

Questions or comments? toll-free 1-877-225-6999

*This Product is not manufactured or distributed by Pfizer, distributor of Robitussin® Mucus + Chest Congestion.

Tamper Evident: Do Not Use If Printed Safety Seal Around Bottle or Under Cap is Broken or Missing

Un Warnish Area

Akron Pharma
Manufactured for:
Akron Pharma, Inc.
Fairfield, NJ 07004
www.akronpharma.com

REV 06/25

Size : 58x163x58mm Lock Bottom

NDC 71399-0024-8

MAXTussin™

MUCUS & Chest Congestion

Expectorant (Guaifenesin, USP 200 mg)

SUGAR-FREE

Expectorant

Relieves:

- ✓ Chest Congestion
- ✓ Mucus

Ages 12+

Akron Pharma

8 FL OZ . (236 mL)



- Cherry Flavored
- Alcohol Free
- Gluten Free
- Dye Free
- Non-Drowsy

Drug Facts

Active ingredient (in each 10 mL) Purpose

Guaifenesin, USP 200 mg Expectorant

Uses ■ helps loosen phlegm (mucus) and thin bronchial secretions to make coughs more productive

Warnings

Ask a doctor before use if you have

- cough that occurs with too much phlegm (mucus)
- cough that lasts or is chronic such as occurs with smoking, asthma, chronic bronchitis, or emphysema

Stop use and ask a doctor if cough lasts for more than 7 days, comes back, or is accompanied by fever, rash, or persistent headache. These could be signs of a serious condition.

If pregnant or breast-feeding, ask a health professional before use.

Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center right away (1-800-222-1222)

Directions ■ do not take more than 6 doses in any 24-hour period
 ■ measure only with dosing cup provided
 ■ keep dosing cup with product
 ■ mL = milliliter
 ■ this adult product is not intended for use in children under 12 years of age

age	dose
adults and children 12 years and over	10 - 20 mL every 4 hours
children under 12 years	do not use

Other information ■ Each 10mL contains : Sodium 3.2mg. ■ store at 20°-25°C (68°-77°F). Do not refrigerate.

NDC 71399-0024-8

MAXTussin™

MUCUS & Chest Congestion

Expectorant (Guaifenesin, USP 200 mg)

SUGAR-FREE

Expectorant

Relieves:

- ✓ Chest Congestion
- ✓ Mucus

Ages 12+

Akron Pharma

8 FL OZ . (236 mL)



- Cherry Flavored
- Alcohol Free
- Gluten Free
- Dye Free
- Non-Drowsy

Drug Facts (continued)

Inactive ingredients anhydrous citric acid, flavor cherry, glycerin, menthol, propylene glycol, purified water, sodium benzoate, sorbitol solution, sucralose.

Questions or comments? toll-free 1-877-225-6999

*This Product is not manufactured or distributed by Pfizer, distributor of Robitussin® Mucus + Chest Congestion.

Tamper Evident: Do Not Use If Printed Safety Seal Around Bottle or Under Cap is Broken or Missing

Akron Pharma
 Manufactured for:
 Akron Pharma, Inc.
 Fairfield, NJ 07004
 www.akronpharma.com

REV.06/25



NDC 71399-0024-6

MAXTussin™

MUCUS & Chest Congestion

Expectorant (Guaifenesin, USP 200 mg)

SUGAR-FREE

Expectorant

Relieves:

- ✓ Chest Congestion
- ✓ Mucus

Ages 12+

Akron Pharma

16 FL OZ . (473 mL)



- Cherry Flavored
- Alcohol Free
- Gluten Free
- Dye Free
- Non-Drowsy

Drug Facts

Active ingredient (in each 10 mL) Purpose

Guaifenesin, USP 200 mg Expectorant

Uses ■ helps loosen phlegm (mucus) and thin bronchial secretions to make coughs more productive

Warnings

Ask a doctor before use if you have

- cough that occurs with too much phlegm (mucus)
- cough that lasts or is chronic such as occurs with smoking, asthma, chronic bronchitis, or emphysema

Stop use and ask a doctor if cough lasts for more than 7 days, comes back, or is accompanied by fever, rash, or persistent headache. These could be signs of a serious condition.

If pregnant or breast-feeding, ask a health professional before use.

Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center right away (1-800-222-1222).

Directions

■ do not take more than 6 doses in any 24-hour period
 ■ mL = milliliter
 ■ this adult product is not intended for use in children under 12 years of age

age	dose
adults and children 12 years and over	10 - 20 mL every 4 hours
children under 12 years	do not use

Drug Facts (continued)

Other information ■ Each 10mL contains : Sodium 3.2mg. ■ store at 20°-25°C (68°-77°F). Do not refrigerate.

Inactive ingredients anhydrous citric acid, flavor cherry, glycerin, menthol, propylene glycol, purified water, sodium benzoate, sorbitol solution, sucralose.

Questions or comments? toll-free 1-877-225-6999

*This Product is not manufactured or distributed by Pfizer, distributor of Robitussin® Mucus + Chest Congestion.

Tamper Evident: Do Not Use if foil seal over bottle opening is torn broken or missing.

Un Warnish Area

Akron Pharma
 Manufactured for:
 Akron Pharma, Inc.
 Fairfield, NJ 07004
 www.akronpharma.com

REV.06/25



MAX TUSSIN MUCUS AND CHEST CONGESTION SUGAR FREE

guaifenesin liquid

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:71399-0024
Route of Administration	ORAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
GUAIFENESIN (UNII: 495W7451VQ) (GUAIFENESIN - UNII:495W7451VQ)	GUAIFENESIN	200 mg in 10 mL

Inactive Ingredients

Ingredient Name	Strength
ANHYDROUS CITRIC ACID (UNII: XF417D3PSL)	
GLYCERIN (UNII: PDC6A3C0OX)	
MENTHOL (UNII: L7T10EIP3A)	
WATER (UNII: 059QF0KO0R)	
SACCHARIN SODIUM (UNII: SB8ZUX40TY)	
SODIUM BENZOATE (UNII: OJ245FE5EU)	
SORBITOL SOLUTION (UNII: 8KW3E207O2)	
SUCRALOSE (UNII: 96K6UQ3ZD4)	

Product Characteristics

Color		Score	
Shape		Size	
Flavor	CHERRY	Imprint Code	
Contains			

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:71399-0024-4	1 in 1 PACKAGE	05/15/2023	
1		118 mL in 1 BOTTLE, PLASTIC; Type 0: Not a Combination Product		
2	NDC:71399-0024-8	1 in 1 PACKAGE	05/15/2023	
2		236 mL in 1 BOTTLE, PLASTIC; Type 0: Not a Combination Product		
3	NDC:71399-0024-6	473 mL in 1 BOTTLE, PLASTIC; Type 0: Not a Combination Product	05/15/2023	

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M012	05/15/2023	

Labeler - Akron Pharma Inc. (067878881)

Establishment

Name	Address	ID/FEI	Business Operations
KJD PHARMA PRIVATE LIMITED		877256314	manufacture(71399-0024)

Revised: 10/2025

Akron Pharma Inc.