

**CHILDRENS PAIN AND FEVER- acetaminophen suspension**  
**HyVee Inc**

-----  
**Hy-Vee, Inc. Children's Pain & Fever Drug Facts**

**Active ingredient (in each 5 mL)**

Acetaminophen 160 mg

**Purpose**

Pain reliever/fever reducer

**Uses**

temporarily:

- reduces fever
- relieves minor aches and pains due to:
  - the common cold
  - flu
  - headache
  - sore throat
  - toothache

**Warnings**

**Liver warning:** This product contains acetaminophen. Severe liver damage may occur if your child takes

- more than 5 doses in 24 hours, which is the maximum daily amount
- with other drugs containing acetaminophen

**Allergy alert:** Acetaminophen may cause severe skin reactions. Symptoms may include:

- skin reddening
- blisters
- rash

If a skin reaction occurs, stop use and seek medical help right away.

**Sore throat warning:** If sore throat is severe, persists for more than 2 days, is accompanied or followed by fever, headache, rash, nausea, or vomiting, consult a doctor promptly.

**Do not use**

- with any other drug containing acetaminophen (prescription or nonprescription). If you are not sure whether a drug contains acetaminophen, ask a doctor or pharmacist.
- if your child has ever had an allergic reaction to this product or any of its ingredients

**Ask a doctor before use if your child has**

liver disease

**Ask a doctor or pharmacist before use if your child is**

taking the blood thinning drug warfarin

**When using this product**

**do not exceed recommended dose (see overdose warning)**

**Stop use and ask a doctor if**

- pain gets worse or lasts more than 5 days
- fever gets worse or lasts more than 3 days
- new symptoms occur
- redness or swelling is present

These could be signs of a serious condition.

**Keep out of reach of children.**

**Directions**

- **this product does not contain directions or complete warnings for adult use**
- **do not give more than directed (see overdose warning)**
- **shake well before using**
- mL = milliliter
- find right dose on chart below. If possible, use weight to dose; otherwise, use age.
- remove the child protective cap and squeeze your child’s dose into the dosing cup
- repeat dose every 4 hours while symptoms last
- do not give more than 5 times in 24 hours

| <b>Weight (lb)</b> | <b>Age (yr)</b> | <b>Dose (mL)*</b> |
|--------------------|-----------------|-------------------|
| under 24           | under 2 years   | ask a doctor      |
| 24-35              | 2-3 years       | 5 mL              |
| 36-47              | 4-5 years       | 7.5 mL            |
| 48-59              | 6-8 years       | 10 mL             |
| 60-71              | 9-10 years      | 12.5 mL           |
| 72-95              | 11 years        | 15 mL             |

\*or as directed by a doctor

**Attention:** use only enclosed dosing cup specifically designed for use with this product. Do not use any other dosing device.

### **Other information**

- **each 5 mL contains:** sodium 3 mg
- store at 20-25°C (68-77°F)
- **do not use if printed neckband is broken or missing**

### **Inactive ingredients**

anhydrous citric acid, calcium sulfate, carrageenan, D&C red #33, FD&C red #40, flavor, glycerin, high fructose corn syrup, hydroxyethyl cellulose, microcrystalline cellulose and carboxymethylcellulose sodium, propylene glycol, purified water, sodium benzoate, sorbitol solution, tribasic sodium phosphate

### **Questions or comments?**

**1-800-289-8343**

### **Principal Display Panel**

Compare To Children's Tylenol® Oral Suspension Active Ingredient

HyVee®

For Ages 2 to 11 Years

Children's Pain & Fever

Pain Reliever/Fever Reducer

Acetaminophen

160 mg per 5 mL

Oral Suspension

Bubble Gum Flavor

- Fast, effective relief of children's fever and pain
- Aspirin Free
- Alcohol Free
- Ibuprofen Free

4 FL OZ (118 mL)



**Drug Facts**

**Active ingredient** (in each 5 mL)  
Acetaminophen 160 mg.....Pain reliever/fever reducer

**Purpose**

**Uses temporarily:**

- reduces fever
- relieves minor aches and pains due to:
  - the common cold
  - flu
  - headache
  - sore throat
  - toothache

**Warnings**

**Liver warning:** This product contains acetaminophen. Severe liver damage may occur if your child takes more than 5 doses in 24 hours, which is the maximum daily amount

- with other drugs containing acetaminophen

**Allergy alert:** Acetaminophen may cause severe skin reactions. Symptoms may include:

- skin reddening
- blisters
- rash

If a skin reaction occurs, stop use and seek medical help right away.

**Sore throat warning:** If sore throat is severe, persists for more than 2 days, is accompanied or followed by fever, headache, rash, nausea, or vomiting, consult a doctor promptly.

**Do not use**

- with any other drug containing acetaminophen (prescription or nonprescription). If you are not sure whether a drug contains acetaminophen, ask a doctor or pharmacist.
- if your child has ever had an allergic reaction to this product or any of its ingredients

**Ask a doctor before use if your child has liver disease**

**Ask a doctor or pharmacist before use if your child is taking the blood thinning drug warfarin**

**When using this product do not exceed recommended dose (see overdose warning)**

**Stop use and ask a doctor if**

- pain gets worse or lasts more than 5 days
- fever gets worse or lasts more than 3 days
- new symptoms occur
- redness or swelling is present

These could be signs of a serious condition.

**Keep out of reach of children.**

**Overdose warning:** In case of overdose, get medical help or contact a Poison Control Center right away (1-800-222-1222). Quick medical attention is critical even if you do not notice any signs or symptoms.

**Drug Facts (continued)**

**Directions**

- this product does not contain directions or complete warnings for adult use
- do not give more than directed (see overdose warning)
- shake well before using
- mL = milliliter
- find right dose on chart below. If possible, use weight to dose; otherwise, use age.
- remove the child protective cap and squeeze your child's dose into the dosing cup
- repeat dose every 4 hours while symptoms last
- do not give more than 5 times in 24 hours

| Weight (lb) | Age (yr)      | Dose (mL)*   |
|-------------|---------------|--------------|
| under 24    | under 2 years | ask a doctor |
| 24-35       | 2-3 years     | 5 mL         |
| 36-47       | 4-5 years     | 7.5 mL       |
| 48-59       | 6-8 years     | 10 mL        |
| 60-71       | 9-10 years    | 12.5 mL      |
| 72-95       | 11 years      | 15 mL        |

\*or as directed by a doctor

**Attention:** use only enclosed dosing cup specifically designed for use with this product. Do not use any other dosing device.

**Other information**

- each 5 mL contains: sodium 3 mg
- store at 20-25°C (68-77°F)
- do not use if printed neckband is broken or missing

**Inactive ingredients**

anhydrous citric acid, calcium sulfate, carrageenan, D&C red #33, FD&C red #40, flavor, glycerin, high fructose corn syrup, hydroxyethyl cellulose, microcrystalline cellulose and carboxymethylcellulose sodium, propylene glycol, purified water, sodium benzoate, sorbitol solution, tribasic sodium phosphate

**Questions or comments?** 1-800-289-8343

\*\*This product is not manufactured or distributed by Kenvue Inc., owner of the registered trademark Tylenol®.

**GLUTEN FREE**

**Hy-Vee**

For Ages 2 to 11 Years

**Children's Pain & Fever**

Pain Reliever/  
Fever Reducer

**Hy-Vee**

\*\*Compare To Children's Tylenol® Oral Suspension Active Ingredient

NDC 42507-148-26

For Ages 2 to 11 Years

**Children's Pain & Fever**

Pain Reliever/  
Fever Reducer

Acetaminophen  
160 mg per 5 mL

Oral Suspension

Bubble Gum Flavor

- Fast, effective relief of children's fever and pain
- Aspirin Free
- Alcohol Free
- Ibuprofen Free

4 FL OZ (118 mL)

10526 2H C10



**IMPORTANT:**

Please see dosing chart or ask a doctor for your child's correct dose.

DISTRIBUTED BY HY-VEE, INC.  
5820 WESTOWN PARKWAY  
WEST DES MOINES, IA 50266 PERA1025



SATISFACTION GUARANTEED  
OR PURCHASE PRICE REFUNDED  
FOR INFORMATION CALL  
1-800-289-8343  
www.hy-vee.com

**CHILDRENS PAIN AND FEVER**  
acetaminophen suspension

**Product Information**

|                                |                |                           |               |
|--------------------------------|----------------|---------------------------|---------------|
| <b>Product Type</b>            | HUMAN OTC DRUG | <b>Item Code (Source)</b> | NDC:42507-148 |
| <b>Route of Administration</b> | ORAL           |                           |               |

**Active Ingredient/Active Moiety**

| Ingredient Name  | Basis of Strength | Strength       |
|--|-------------------|----------------|
| ACETAMINOPHEN (UNII: 362O9ITL9D) (ACETAMINOPHEN - UNII:362O9ITL9D) | ACETAMINOPHEN     | 160 mg in 5 mL |

### Inactive Ingredients

| Ingredient Name   | Strength |
|---|----------|
| ANHYDROUS CITRIC ACID (UNII: XF417D3PSL)                      |          |
| CALCIUM SULFATE, UNSPECIFIED FORM (UNII: WAT0DDB505)          |          |
| CARRAGEENAN (UNII: 5C69YCD2YJ)                                |          |
| D&C RED NO. 33 (UNII: 9DBA0SBB0L)                             |          |
| FD&C RED NO. 40 (UNII: WZB9127XOA)                            |          |
| GLYCERIN (UNII: PDC6A3C0OX)                                   |          |
| HIGH FRUCTOSE CORN SYRUP (UNII: XY6UN3QB6S)                   |          |
| HYDROXYETHYL CELLULOSE, UNSPECIFIED (UNII: T4V6TWG28D)        |          |
| MICROCRYSTALLINE CELLULOSE (UNII: OP1R32D61U)                 |          |
| CARBOXYMETHYLCELLULOSE SODIUM, UNSPECIFIED (UNII: K679OBS311) |          |
| PROPYLENE GLYCOL (UNII: 6DC9Q167V3)                           |          |
| WATER (UNII: 059QF0KO0R)                                      |          |
| SODIUM BENZOATE (UNII: OJ245FE5EU)                            |          |
| SORBITOL SOLUTION (UNII: 8KW3E207O2)                          |          |
| SODIUM PHOSPHATE, TRIBASIC (UNII: A752Q30A6X)                 |          |

### Product Characteristics

|          |              |              |  |
|----------|--------------|--------------|--|
| Color    | RED (opaque) | Score        |  |
| Shape    |              | Size         |  |
| Flavor   | BUBBLE GUM   | Imprint Code |  |
| Contains |              |              |  |

### Packaging

| # | Item Code        | Package Description                                   | Marketing Start Date | Marketing End Date |
|---|------------------|---|----------------------|--------------------|
| 1 | NDC:42507-148-26 | 1 in 1 CARTON   | 03/18/2026           |                    |
| 1 | NDC:42507-148-00 | 118 mL in 1 BOTTLE; Type 0: Not a Combination Product |                      |                    |

### Marketing Information

| Marketing Category | Application Number or Monograph Citation | Marketing Start Date | Marketing End Date |
|--------------------|--|----------------------|--------------------|
| OTC Monograph Drug | M013                                     | 03/18/2026           |                    |

**Labeler** - HyVee Inc (006925671)