SOLAR SHIELD PRIMER SPF 40- zinc oxide cream BRIGHT SKINCARE, LLC

Active Ingredients:

Zinc Oxide 16%

Purpose:

Sunscreen

Uses:

Helps Prevent Sunburn. If used as directed with other sun protection measures (see "Directions"), decreases the risk of skin cancer and early skin aging caused by the sun.

Warnings:

For external use only. Do not use on broken or damaged skin. Stop use and ask a doctor if rash occurs. When using this product, keep out of eyes. Rinse with water to remove. Keep out of reach of children. If swallowed, get medical help or contact a poison control center right away.

Warnings:

Keep out of reach of children

Directions:

Apply liberally 15 minutes before sun exposure. Use a water-resistant product if swimming or sweating. Reapply at least every 2 hours. Children under 6 months: Ask a doctor. Sun Protection Measures: Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad-Spectrum SPF value of 15 or higher and other sun protection measures including: Limit time in the sun, especially from 10 a.m. - 2 p.m. Wear long-sleeved shirts, pants, hats and sunglasses.

Inactive Ingredients:

Capric/Caprylic Triglyceride, Ceramide 3, Cyclohexasiloxane, Cyclopentasiloxane, Dimethicone, Dimethicone Crosspolymer, Dimethicone/Vinyl Dimethicone Crosspolymer, Dimethiconol, Iron Oxide, Hydrogen Dimethicone, PEG-10 Dimethicone, Polyhydroxystearic Acid, Tetrahexyldecyl Ascorbate, Tocopheryl Acetate, Vinyl Dimethicone/Methicone Silsesquioxane Crosspolymer

Other Information:

- Protect this product from excessive heat and direct sun
- May stain some fabrics

DRUG FACTS

ACTIVE INGREDIENT: Zinc Oxide 16% PURPOSE: Sunscreen

USES:

Helps prevent sunburn. If used as directed with other sun protection measures (see directions), decreases the risk of skin cancer and early aging caused by the sun.

WARNINGS:

For external use only. Do not use on damaged or broken skin. Stop use and ask a doctor if rash occurs. When using this product, keep out of eyes. Rinse with water to remove. Keep out of reach of children. If swallowed, get medical help or contact a poison control center right away.

DIRECTIONS:

- · Apply liberally 15 minutes before sun exposure
- · Use a water resistant product if swimming or sweating.
- Reapply at least every 2 hours
- · Children under 6 months: Ask a doctor
- Sun Protection Measures: Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a broad spectrum SPF value of 15 or higher and other sun protection measures including:
 - Limit time in the sun, especially from 10 am- 2 pm
 - · Wear long sleeve shirts and hats and sunglasses

INACTIVE INGREDIENTS:

Capric/Caprylic Triglyceride, Ceramide 3, Cyclohexasiloxane, Cyclopentasiloxane, Dimethicone, Dimethicone Crosspolymer, Dimethicone/Vinyl Dimethicone Crosspolymer, Dimethiconol, Hydrogen Dimethicone, Iron Oxide, PEG-10 Dimethicone, Polyhydroxystearic Acid, Tetrahexyldecyl Ascorbate, Tocopheryl Acetate, Vinyl Dimethicone/Hydrogen Dimethicone Silsesquioxane Crosspolymer

OTHER INFORMATION:

- Protect this product from excessive heat and direct sun
- May stain some fabrics.

Bright Skincare, LLC Greenville, SC 29617 www.thebrightskincare.com



reef friendly · cruelty free · non-comedogenic suitable for all skin types



SOLAR SHIELD PRIMER SPF 40

SPF 40 Broad Spectrum Sunscreen with ceramides, zinc oxide & antioxidants C & E

net wt. 1.75 oz | 50 g

SOLAR SHIELD PRIMER SPF 40

zinc oxide cream

Product Information						
	Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:85944-208(NDC:58892-208)		

Route of Administration TOPICAL

Active Ingredient/Active Moiety				
Ingredient Name	Basis of Strength	Strength		
ZINC OXIDE (UNII: SOI2LOH54Z) (ZINC OXIDE - UNII:SOI2LOH54Z)	ZINC OXIDE	160 mg in 1 g		

Inactive Ingredients	
Ingredient Name	Strength

VINYL DIMETHICONE/METHICONE SILSESQUIOXANE CROSSPOLYMER (UNII: 9NH1UDD2RR)	
DIMETHICONE CROSSPOLYMER (UNII: UF7620L1W6)	
DIMETHICONOL (2000 CST) (UNII: T74O12AN6Y)	
HYDROGEN DIMETHICONE (20 CST) (UNII: 12Z59IF64N)	
PEG-10 DIMETHICONE (600 CST) (UNII: 8PR7V1SVM0)	
CI 77491 (UNII: 1K09F3G675)	
TETRAHEXYLDECYL ASCORBATE (UNII: 9LBV3F07AZ)	
CAPRYLIC/CAPRIC TRIGLYCERIDE (UNII: C9H2L21V7U)	
CI 77499 (UNII: XM0M87F357)	
CYCLOPENTASILOXANE (UNII: 0THT5PCI0R)	
DIMETHICONE/VINYL DIMETHICONE CROSSPOLYMER (SOFT PARTICLE) (UNII: 9E4CO0W6C5)	
CI 77492 (UNII: EX438O2MRT)	
CYCLOHEXASILOXANE (UNII: XHK3U310BA)	
CERAMIDE 3 (UNII: 4370DF050B)	
POLYHYDROXYSTEARIC ACID (2300 MW) (UNII: YXH47AOU0F)	
ALPHA-TOCOPHEROL ACETATE (UNII: 9E8X80D2L0)	
DIMETHICONE (UNII: 92RU3N3Y1O)	

l	Packaging					
	#	Item Code	Package Description	Marketing Start Date	Marketing End Date	
l	1	NDC:85944- 208-50	50 g in 1 BOTTLE, PUMP; Type 0: Not a Combination Product	10/27/2023		

Marketing Information					
Marketing Application Number or Monograph Category Citation		Marketing Start Date	Marketing End Date		
OTC Monograph Drug	M020	10/27/2023			

Labeler - BRIGHT SKINCARE, LLC (030046454)

Establishment			
Name	Address	ID/FEI	Business Operations
Custom Analytics LLC		144949372	analysis (85944-208)

Establishment			
Name	Address	ID/FEI	Business Operations
Fragrance Manufacturing Inc.		793406000	manufacture(85944-208)

Establishment				
Name	Address	ID/FEI	Business Operations	
Fallien Cosmeceuticals Ltd.		958388357	relabel(85944-208)	

Revised: 12/2025 BRIGHT SKINCARE, LLC