

COLD AND FLU DAYTIME- acetaminophen, dextromethorphan hbr, phenylephrine hcl capsule, liquid filled EQUATE (Wal-Mart Stores, Inc.) (see also WAL-MART INC)

Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.

Drug Facts

Active ingredients (in each softgel)

Acetaminophen 325 mg

Dextromethorphan HBr 10 mg

Phenylephrine HCl 5 mg

Purposes

Pain reliever/fever reducer

Cough suppressant

Nasal decongestant

Uses

- temporarily relieves these common cold/flu symptoms:
 - minor aches and pains
 - headache
 - sore throat
 - fever
 - nasal congestion
 - cough due to minor throat and bronchial irritation

Warnings

Liver warning: This product contains acetaminophen. Severe liver damage may occur if you take:

- more than 4,000 mg of acetaminophen I 24 hours
- with other drugs containing acetaminophen
- 3 or more alcoholic drinks everyday while using this product

Allergy alert: Acetaminophen may cause severe skin reactions. Symptoms may include:

- skin reddening
- blisters
- rash

If a skin reaction occurs, stop use and seek medical help right away

Sore throat warning: If sore throat is severe, persists for more than 2 days, is accompanied or followed by fever, headache, rash, nausea, or vomiting, consult a doctor promptly.

Do not use

- if you are now taking a prescription monoamine oxidase inhibitor (MAOI) (certain drugs for depression, psychiatric, or emotional conditions, or Parkinson's disease) or for 2 weeks after stopping the MAOI drug. If you do not know if your prescription drug contains an MAOI, ask a doctor or pharmacist before taking this product.
- with any other drug containing acetaminophen (prescription or non-prescription). If you are not sure whether a drug contains acetaminophen, ask a doctor or pharmacist.

Ask a doctor before use if the user has

- liver disease
- heart disease
- thyroid disease
- diabetes
- high blood pressure
- persistent or chronic cough such as occurs with smoking, asthma or emphysema
- cough that occurs with too much phlegm (mucus)
- trouble urinating due to an enlarged prostate gland

Ask a doctor or pharmacist before use if you are

taking the blood thinning drug warfarin.

When using this product,

do not exceed recommended dosage.

Stop use and ask a doctor if

- pain, cough or nasal congestion gets worse or lasts more than 7 days
- nervousness, dizziness, or sleeplessness occur
- fever gets worse or lasts more than 3 days
- redness or swelling is present
- new symptoms occur
- cough comes back or occurs, with rash or headache that lasts.

These could be signs of a serious condition.

If pregnant or breast-feeding,

ask a health professional before use.

Keep out of reach of children.

Overdose warning: Taking more than the recommended dose (overdose) may cause liver damage. In case of overdose, get medical help or contact a Poison Control

Center right away. Quick medical attention is critical for adults as well as for children even if you do not notice any signs or symptoms.

Directions

- **do not take more than directed (see overdose warning)**
- do not take more than 4 doses in 24-hour period
- adults and children 12 years and over: take 2 softgels with water every 4 hours
- swallow whole; do not crush, chew, or dissolve
- children under 12 years: do not use
- **When using Day Time and Night Time products, carefully read each label to ensure correct dosing**

Other information

- store between 15-30°C (59-86°)
- avoid excessive heat

Inactive ingredients

butylated hydroxyanisole*, butylated hydroxytoluene* FD&C red #40*, FD&C yellow #6, gelatin, glycerin, polyethylene glycol, povidone, propylene glycol, purified water, sorbitan, sorbitol, titanium dioxide*, white ink

*contains one or more of these ingredients

Questions or comments?

Call **1-888-287-1915**

Principal Display Panel

†Compare Vicks® DayQuil® Cold & Flu LiquiCaps® active ingredients†

DAYTIME NON-DROWSY

Cold & Flu

Multi-Symptom Relief

Acetaminophen 325 mg-Pain reliever/fever reducer

Dextromethorphan HBr 10 mg - cough suppressant

Phenylephrine HCl 5 mg - Nasal decongestant

Relieves:

- Headaches
- Fever
- Minor Aches & Pains
- Sore throat
- Cough

- Nasal Congestion

Alcohol-free Antihistamine-free

SOFTGELS**

(**Liquid-filled capsules)

TAMPER EVIDENT: DO NOT USE IF CARTON IS OPENED OR IF BLISTER UNIT IS TORN, BROKEN OR SHOW ANY SIGNS OR TAMPERING.

KEEP OUTER CARTON FOR COMPLETE WARNINGS AND PRODUCT INFORMATION.

*This product is not manufactured or distributed by The Procter & Gamble Company. Vicks® DayQuil® and LiquiCaps® are registered trademarks of The Procter & Gamble Company.

Distributed by:

Walmart Inc.,

Bentonville, AR 72716

Package Label

equate™

DAYTIME

NON-DROWSY

Cold & Flu Multi-Symptom Relief

Acetaminophen 325 mg - Pain reliever/fever reducer
 Dextromethorphan HBr 10 mg - Cough suppressant
 Phenylephrine HCl 5 mg - Nasal decongestant



48**
SOFTGELS

(**Liquid-filled capsules)

NDC 4905-542-48

equate™

DAYTIME

NON-DROWSY

Cold & Flu Multi-Symptom Relief

Acetaminophen 325 mg - Pain reliever/fever reducer
 Dextromethorphan HBr 10 mg - Cough suppressant
 Phenylephrine HCl 5 mg - Nasal decongestant



Relieves:

- Headache
- Fever
- Minor Aches and Pains
- Sore Throat
- Cough
- Nasal Congestion



Actual size

48**
SOFTGELS

(**Liquid-filled capsules)

Alcohol-Free Antihistamine-Free

TAMPER EVIDENT: DO NOT USE IF CARTON IS OPENED OR IF BUSTER UNIT IS TORN, BROKEN OR SHOWS ANY SIGNS OF TAMPERING.

KEEP OUTER CARTON FOR COMPLETE WARNINGS AND PRODUCT INFORMATION.

Lot No.:
Exp. Date:

Drug Facts (continued)

Active ingredients (in each softgel)
 Acetaminophen 325 mg
 Dextromethorphan HBr 10 mg
 Phenylephrine HCl 5 mg

Purposes
 Pain reliever/fever reducer
 Cough suppressant
 Nasal decongestant

Uses
 ■ temporarily relieves common cold and flu symptoms
 ■ minor aches and pains ■ headache ■ sore throat
 ■ nasal congestion ■ fever
 ■ cough due to minor throat and bronchial irritation

Warnings
 Liver warning: This product contains acetaminophen. Severe liver damage may occur if you take:
 ■ more than 4,000 mg of acetaminophen in 24 hours
 ■ 3 or more alcoholic drinks every day while using this product
Allergy alert: Acetaminophen may cause severe skin reactions. Symptoms may include: ■ skin reddening ■ blisters ■ rash
 If a skin reaction occurs, stop use and seek medical help right away.
Sore throat warning: If sore throat is severe, persists for more than 2 days, is accompanied or followed by fever, headache, rash, nausea, or vomiting, consult a doctor promptly.

Do not use
 ■ with any other drug containing acetaminophen (prescription or nonprescription), if you are not sure whether a drug contains acetaminophen, ask a doctor or pharmacist.
 ■ if you are now taking a prescription monoamine oxidase inhibitor (MAOI) (certain drugs for depression, psychiatric, or emotional conditions, or Parkinson's disease), or for 2 weeks after stopping the MAOI drug, if you do not know if your prescription drug contains an MAOI, ask a doctor or pharmacist before taking this product.

Directions
 ■ do not take more than directed (see Overdose warning)
 ■ adults and children 12 years and over: take 2 softgels with water every 4 hours
 ■ swallow whole; do not crush, chew, or dissolve
 ■ children under 12 years: do not use
 ■ when using other Daytime or Nighttime products, carefully read each label to ensure correct dosing

Keep out of reach of children.
 Overdose warning: Taking more than the recommended dose can cause liver damage. In case of overdose, get medical help or contact a Poison Control Center right away. Quick medical attention is critical for adults as well as for children even if you do not notice any signs or symptoms.

Drug Facts (continued)
 Ask a doctor before use if you have ■ liver disease ■ diabetes ■ heart disease ■ thyroid disease ■ high blood pressure
 ■ trouble urinating due to an enlarged prostate gland
 ■ persistent or chronic cough such as occurs with smoking, asthma, or emphysema
 ■ cough that occurs with too much phlegm (mucus)

Ask a doctor or pharmacist before use if you are taking the blood thinning drug warfarin.
 When using this product, do not exceed recommended dosage.
 Stop use and ask a doctor if
 ■ pain, cough, or nasal congestion gets worse or lasts more than 7 days
 ■ nervousness, dizziness, or sleeplessness occur
 ■ fever gets worse or lasts more than 3 days
 ■ redness or swelling is present ■ new symptoms occur
 ■ cough comes back or occurs with rash or headache that lasts. These could be signs of a serious condition.
 If pregnant or breast-feeding, ask a health professional before use.

PLD-A40R
FC0062226

The Procter & Gamble Company, Vicks®, DayQuil® and LiquiCaps® are registered trademarks of The Procter & Gamble Company.

Other information
store between 15-30°C (59-86°F) ■ avoid excessive heat

Drug Facts (continued)

inactive ingredients butylated hydroxyanisole, butylated hydroxytoluene, FD&C yellow #6, gelatin, glycerin, polyethylene glycol, povidone, propylene glycol, purified water, sorbitan, sorbitol, titanium dioxide, white ink

contains one or more of these ingredients

Drug Facts (continued)

Questions or comments? 1-888-287-1915

Satisfaction guaranteed - Or we'll replace it or give you your money back. For questions or comments or to report an undesired reaction or side effect, please call 1-888-287-1915.

EQUATE Cold and Flu Relief

COLD AND FLU DAYTIME

acetaminophen, dextromethorphan hbr, phenylephrine hcl capsule, liquid filled

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:49035-542
Route of Administration	ORAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
ACETAMINOPHEN (UNII: 362O9ITL9D) (ACETAMINOPHEN - UNII:362O9ITL9D)	ACETAMINOPHEN	325 mg
DEXTROMETHORPHAN HYDROBROMIDE (UNII: 9D2RT19KYH) (DEXTROMETHORPHAN - UNII:7355X3ROTS)	DEXTROMETHORPHAN HYDROBROMIDE	10 mg
PHENYLEPHRINE HYDROCHLORIDE (UNII: 04JA59TNSJ) (PHENYLEPHRINE - UNII:1WS297W6MV)	PHENYLEPHRINE HYDROCHLORIDE	5 mg

Inactive Ingredients

Ingredient Name	Strength
BUTYLATED HYDROXYANISOLE (UNII: REK4960K2U)	
FD&C YELLOW NO. 6 (UNII: H77VEI93A8)	
GLYCERIN (UNII: PDC6A3C0OX)	
PROPYLENE GLYCOL (UNII: 6DC9Q167V3)	
WATER (UNII: 059QF0KO0R)	
BUTYLATED HYDROXYTOLUENE (UNII: 1P9D0Z171K)	
FD&C RED NO. 40 (UNII: WZB9127XOA)	
GELATIN (UNII: 2G86QN327L)	
POLYETHYLENE GLYCOL, UNSPECIFIED (UNII: 3WJQ05DW1A)	
SORBITOL (UNII: 506T60A25R)	
POVIDONE (UNII: FZ989GH94E)	
SORBITAN (UNII: 6O921CV9RU)	
TITANIUM DIOXIDE (UNII: 15FIX9V2JP)	

Product Characteristics

Color	orange	Score	no score
Shape	OVAL	Size	20mm
Flavor		Imprint Code	P19;95A;AP016
Contains			

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:49035-542-48	48 in 1 CARTON	12/15/2018	12/27/2024
1		1 in 1 BLISTER PACK; Type 0: Not a Combination Product		
2	NDC:49035-542-24	24 in 1 CARTON	12/15/2018	12/27/2024
2		1 in 1 BLISTER PACK; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph final	part341	12/15/2018	12/27/2024

Labeler - EQUATE (Wal-Mart Stores, Inc.) (see also WAL-MART INC) (051957769)

Revised: 9/2022

EQUATE (Wal-Mart Stores, Inc.) (see also WAL-MART INC)