

**DOLCE AND GABBANA EVERLAST FOUNDATION SPF 20 03W LIGHT- octisalate, octocrylene, titanium dioxide, zinc oxide emulsion  
Dolce & Gabbana Beauty S.R.L**

-----  
**Dolce & Gabbana Everlast Foundation SPF 20 - 03W Light**

***Drug Facts***

***Active ingredients***

Octisalate 3.5%

Octocrylene 5%

Titanium dioxide 0.5%

Zinc Oxide 1.88%

***Purpose***

Sunscreen

***Uses***

- Helps prevent sunburn
- If uses directed with others sun protection measures (see **Directions**), decreases the risk of skin cancer and early skin aging caused by the sun.

***Warnings***

**For external use only.**

**Do not use**

on damaged or broken skin.

**When using this product**

keep out of eyes. Rinse with water to remove.

**Stop use and ask a doctor if**

rash occurs.

**Keep out of reach of children.**

If swallowed, get medical help or contact a Poison Control Center right away.

***Directions***

- Apply generously 15 minutes before sun exposure

- Reapply at least every 2 hours
- Use a water resistant sunscreen if swimming or sweating
- **Sun Protection Measures.** Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF 15 or higher and other sun protection measures including:
- Limit time in the sun, especially from 10 a.m.-2 p.m.
- Wear long-sleeved shirts, pants, hats, and sunglasses
- Children under 6 months of age: ask a doctor

## **SHAKE WELL BEFORE USE**

### ***Other Information***

Protect the product in this container from excessive heat and direct sun.

### ***Inactive ingredients***

WATER/EAU (AQUA), DIMETHICONE, CAPRYLYL METHICONE, TRIMETHYLSILOXYSILICATE, METHYL TRIMETHICONE, POLYMETHYLSILSESQUIOXANE, DIMETHICONE/VINYL DIMETHICONE CROSSPOLYMER, BUTYLENE GLYCOL, PEG-10 DIMETHICONE, PEG-12 DIMETHICONE/PPG-20 CROSSPOLYMER, CAPRYLYL DIMETHICONE ETHOXY GLUCOSIDE, POLYIMIDE-1, CETEARYL DIMETHICONE/VINYL DIMETHICONE CROSSPOLYMER, POLYPHENYLSILSESQUIOXANE, PHENOXYETHANOL, CAPRYLIC/CAPRIC TRIGLYCERIDE, GLYCERIN, SODIUM CHLORIDE, POTASSIUM SORBATE, SODIUM DEHYDROACETATE, ALUMINA, TRIETHOXYCAPRYLYLSILANE, C20-24 OLEFIN, SILICA, TOCOPHERYL ACETATE, PERSEA GRATISSIMA (AVOCADO) FRUIT EXTRACT, PUNICA GRANATUM PERICARP EXTRACT, LAURYL DIMETHICONE, OPUNTIA TUNA FRUIT EXTRACT, TOCOPHEROL; +/- MAY CONTAIN: TITANIUM DIOXIDE (CI 77891), IRON OXIDES (CI 77491), IRON OXIDES (CI 77492), IRON OXIDES (CI 77499)

### **Package Labeling:**

**DG**  
03W  
LIGHT

**24H**  
WEAR\*

ALL DAY SHINE CONTROL\*  
WATERPROOF\*

83% AGREE IT IS MOISTURIZING FOR 24H\*\*  
83% AGREE IT HAS A BLURRING AND  
SMOOTHING EFFECT\*\*



With Italian Prickly Pear,  
known to enhance the  
appearance of skin firmness



With Sicilian Avocado,  
to support deep  
hydration



With Italian Pomegranate, to help  
shield the skin barrier from  
environmental aggressors

Non-comedogenic\*  
Dermatologically tested

\* Clinical/Instrumental test  
\*\* Self evaluation test

**DOLCE & GABBANA**

**EVERLAST FOUNDATION**

24H FULL COVERAGE  
3D MATTE NO TRANSFER  
SUNSCREEN BROAD SPECTRUM SPF 20

FOND DE TEINT COUVRANCE TOTALE 24H  
MAT 3D SANS TRANSFERT  
PROTECTION SOLAIRE  
LARGE SPECTRE FPS 20

MADE IN ITALY

27ml e 0.91 FL.OZ.

DOLCEGABBANA.COM/BEAUTY

DISTRIBUTED BY  
**DOLCE & GABBANA BEAUTY S.R.L.**  
VIA CARLO GOLDONI 10 - MILANO - ITALY  
IN USA: 3915 BISCAYNE BLVD  
SUITE 401 MIAMI, FLORIDA 33137-3737  
REGULATORY US: BEAUTY@DOLCEGABBANA.IT

**Info-médicament**

Ingrédients actifs	Utilité
Octisalate 3.5%.....	Écran Solaire
Octocrylene/Octocrylène 5%.....	Écran Solaire
Titanium dioxide 0.5%.....	Écran Solaire
Zinc oxide 1.88%.....	Écran Solaire

**Usages** •Prévient les coups de soleil •Si utilisé comme indiqué avec d'autres mesures de protection solaire (voir les instructions) diminue le risque de cancer de la peau et de vieillissement prématuré de la peau causé par le soleil.

**Mises en garde**  
À usage externe uniquement.  
Ne pas utiliser sur une peau abîmée ou en cas de lésion cutanée.

**Lors de l'utilisation de ce produit**, tenir à l'écart des yeux. Rincer à l'eau en cas de contact.

En cas d'éruption cutanée, cesser l'utilisation et consulter un médecin.

**Garder hors de la portée des enfants.**  
En cas d'ingestion, demander de l'aide médicale ou contacter immédiatement un centre antipoison.

**Modes d'emploi**  
• Appliquer généreusement 15 minutes avant l'exposition au soleil. • Réappliquer au moins toutes les 2 heures • Utiliser une protection solaire résistante à l'eau en cas de baignade ou de transpiration.

• **Mesures de protection solaire:** Passer du temps au soleil augmente le risque de cancer de la peau et de vieillissement prématuré de la peau. Pour réduire ce risque, utilisez régulièrement une protection solaire avec un indice de protection FPS 15 ou plus à large spectre, et d'autres mesures de protection solaire, notamment:

• En limitant le temps passé au soleil, en particulier entre 10h et 14h • En portant des vêtements à manches longues, des pantalons, des chapeaux et des lunettes de soleil • Pour les enfants de moins de 6 mois: demander l'avis d'un médecin  
**BIEN AGITER AVANT EMPLOI**

**Autres renseignements**  
Garder le produit dans cet emballage à l'abri de la chaleur excessive et de la lumière directe du soleil.

**Ingrédients inactifs**  
WATER/EAU (AQUA), DIMETHICONE, CAPRYLYL METHICONE, TRIMETHYLSILOXYSILICATE, METHYL TRIMETHICONE, POLYMETHYLSILSESQUOXANE, DIMETHICONE/VINYL DIMETHICONE CROSSPOLYMER, BUTYLENE GLYCOL, PEG-10 DIMETHICONE, PEG-12 DIMETHICONE, PEG-20 DIMETHICONE, PPG-20 CROSSPOLYMER, CAPRYLYL DIMETHICONE ETHOXY GLUCOSIDE, POLYIMIDE-1, CETEARYL DIMETHICONE/VINYL DIMETHICONE CROSSPOLYMER, POLYPHENYLSILSESQUOXANE, PHENOXYETHANOL, CAPRYLYL CAPRIC TRIGLYCERIDE, GLYCERIN, SODIUM CHLORIDE, POTASSIUM SORBATE, SODIUM DEHYDROACETATE, ALUMINA, TRIETHOXYCAPRYLYLSILANE, C12-24 OLEFIN, SILICA, TOCOPHERYL ACETATE, PERSEA GRATISSIMA (AVOCADO) FRUIT EXTRACT, PUNICA GRANATUM PERICARP EXTRACT, LAURYL DIMETHICONE, OPUNTIA TUNA FRUIT EXTRACT, TOCOPHEROL. +/- MAY CONTAIN: TITANIUM DIOXIDE (CI 77891), IRON OXIDES (CI 77491), IRON OXIDES (CI 77492), IRON OXIDES (CI 77499)

**Drug Facts**

Active ingredients	Purpose
Octisalate 3.5%.....	Sunscreen
Octocrylene 5%.....	Sunscreen
Titanium dioxide 0.5%.....	Sunscreen
Zinc Oxide 1.88%.....	Sunscreen

**Uses** • Helps prevent sunburn • If used directed with others sun protection measures (see Directions) decreases the risk of skin cancer and early skin aging caused by the sun.

**Warnings**  
For external use only.  
Do not use on damaged or broken skin.

**When using this product** keep out of eyes. Rinse with water to remove.

**Stop use and ask a doctor** if rash occurs.  
**Keep out of reach of children.**  
If swallowed, get medical help or contact a Poison Control Center right away.

**Directions**  
• Apply generously 15 minutes before sun exposure  
• Reapply at least every 2 hours  
• Use a water resistant sunscreen if swimming or sweating

• **Sun Protection Measures:** Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF 15 or higher and other sun protection measures including:  
• Limit time in the sun, especially from 10 a.m. - 2 p.m.  
• Wear long-sleeved shirts, pants, hats, and sunglasses  
• Children under 6 months of age: ask a doctor

**SHAKE WELL BEFORE USE**

**Other information**  
Protect the product in this container from excessive heat and direct sun.

**Inactive ingredients**  
WATER/EAU (AQUA), DIMETHICONE, CAPRYLYL METHICONE, TRIMETHYLSILOXYSILICATE, METHYL TRIMETHICONE, POLYMETHYLSILSESQUOXANE, DIMETHICONE/VINYL DIMETHICONE CROSSPOLYMER, BUTYLENE GLYCOL, PEG-10 DIMETHICONE, PEG-12 DIMETHICONE, PEG-20 DIMETHICONE, PPG-20 CROSSPOLYMER, CAPRYLYL DIMETHICONE ETHOXY GLUCOSIDE, POLYIMIDE-1, CETEARYL DIMETHICONE/VINYL DIMETHICONE CROSSPOLYMER, POLYPHENYLSILSESQUOXANE, PHENOXYETHANOL, CAPRYLYL CAPRIC TRIGLYCERIDE, GLYCERIN, SODIUM CHLORIDE, POTASSIUM SORBATE, SODIUM DEHYDROACETATE, ALUMINA, TRIETHOXYCAPRYLYLSILANE, C12-24 OLEFIN, SILICA, TOCOPHERYL ACETATE, PERSEA GRATISSIMA (AVOCADO) FRUIT EXTRACT, PUNICA GRANATUM PERICARP EXTRACT, LAURYL DIMETHICONE, OPUNTIA TUNA FRUIT EXTRACT, TOCOPHEROL. +/- MAY CONTAIN: TITANIUM DIOXIDE (CI 77891), IRON OXIDES (CI 77491), IRON OXIDES (CI 77492), IRON OXIDES (CI 77499)



P3DV1M03



Ref: P3DV1M03



**Package Labeling:Tester**



03W  
LIGHT



ALL DAY SHINE CONTROL\*  
WATERPROOF\*

83% AGREE IT IS MOISTURIZING FOR 24H\*\*  
83% AGREE IT HAS A BLURRING AND  
SMOOTHING EFFECT\*\*



With Italian Prickly Pear,  
known to enhance the  
appearance of skin firmness



With Sicilian Avocado,  
to support deep  
hydration



With Italian Pomegranate, to help  
shield the skin barrier from  
environmental aggressors

Non-comedogenic\*  
Dermatologically tested

\* Clinical/Instrumental test  
\*\* Self evaluation test

DOLCE & GABBANA

### EVERLAST FOUNDATION

24H FULL COVERAGE  
3D MATTE NO TRANSFER  
SUNSCREEN BROAD SPECTRUM SPF 20

FOND DE TEINT COUVRANCE TOTALE 24H  
MAT 3D SANS TRANSFERT  
PROTECTION SOLAIRE  
LARGE SPECTRE FPS 20

MADE IN ITALY

27ml e 0.91 FL.OZ.

DOLCEGABBANA.COM/BEAUTY  
DISTRIBUTED BY  
DOLCE & GABBANA BEAUTY S.R.L.  
VIA CARLO GOLDONI 10 - MILANO - ITALY  
IN USA: 3915 BISCAYNE BLVD  
SUITE 401 MIAMI, FLORIDA 33137-3737  
REGULATORY.US.BEAUTY@DOLCEGABBANA.IT



8 054754 402247

Ref. P3DV8M02

### Info-médicament

Ingrédients actifs	Utilité
Octisalate 3,5%.....	Écran Solaire
Octocrylène/Octocrylène 5%.....	Écran Solaire
Titanium dioxyde 0,5%.....	Écran Solaire
Zinc oxide 1,88%.....	Écran Solaire

**Usages** • Prévient les coups de soleil • Si utilisé comme indiqué avec d'autres mesures de protection solaire (voir les instructions) diminue le risque de cancer de la peau et de vieillissement prématuré de la peau causé par le soleil.

#### Mises en garde

**À usage externe uniquement.**  
Ne pas utiliser sur une peau abîmée ou en cas de lésion cutanée.

Lors de l'utilisation de ce produit, tenir à l'écart des yeux. Rincer à l'eau en cas de contact.

En cas d'éruption cutanée, cesser l'utilisation et consulter un médecin.

#### Garder hors de la portée des enfants.

En cas d'ingestion, demander de l'aide médicale ou contacter immédiatement un centre antipoison.

#### Mode d'emploi

• Appliquer généralement 15 minutes avant l'exposition au soleil. • Réappliquer au moins toutes les 2 heures • Utiliser une protection solaire résistante à l'eau en cas de baignade ou de transpiration.

• Mesures de protection solaire: Passer du temps au soleil augmente le risque de cancer de la peau et de vieillissement prématuré de la peau. Pour réduire ce risque, utilisez régulièrement une protection solaire avec un indice de protection FPS 15 ou plus à large spectre, et d'autres mesures de protection solaire, notamment:

• En limitant le temps passé au soleil, en particulier entre 10h et 14h • En portant des vêtements à manches longues, des pantalons, des chapeaux et des lunettes de soleil • Pour les enfants de moins de 6 mois: demander l'avis d'un médecin

#### BIEN AGITER AVANT EMPLOI

#### Autres renseignements

Garder le produit dans cet emballage à l'abri de la chaleur excessive et de la lumière directe du soleil.

#### Ingrédients inactifs

WATER/EAU (AQUA), DIMETHICONE, CAPRYLYL METHICONE, TRIMETHYLSILOXYSILICATE, METHYL TRIMETHICONE, POLYMETHYLSILOXOXANE, DIMETHICONE/VINYL DIMETHICONE CROSSPOLYMER, BUTYLENE GLYCOL, PEG-10 DIMETHICONE, PEG-12 DIMETHICONE/PPG-20 CROSSPOLYMER, CAPRYLYL DIMETHICONE ETHOXY GLUCOSIDE, POLYIMIDE-1, CETEARYL DIMETHICONE/VINYL DIMETHICONE CROSSPOLYMER, POLYPHENYLSILOXOXANE, PHENOXYETHANOL, CAPRYLIC/CAPRIC TRIGLYCERIDE, GLYCERIN, SODIUM CHLORIDE, POTASSIUM SORBATE, SCORBIUM DEHYDROACETATE, ALUMINA, TRIETHOXYCAPRYLYLSILANE, C20-24 OLEFIN, SILICA, TOCOPHERYL ACETATE, PERSEA GRATISSIMA (AVOCADO) FRUIT EXTRACT, PUNICA GRANATUM PERICARP EXTRACT, LAURYL DIMETHICONE, OPUNTIA TUNA FRUIT EXTRACT, TOCOPHEROL; + MAY CONTAIN: TITANIUM DIOXIDE (CI 77891), IRON OXIDES (CI 77491), IRON OXIDES (CI 77492), IRON OXIDES (CI 77499)

### Drug Facts

Active ingredients	Purpose
Octisalate 3,5%.....	Sunscreen
Octocrylene 5%.....	Sunscreen
Titanium dioxide 0,5%.....	Sunscreen
Zinc Oxide 1.88%.....	Sunscreen

**Uses** • Helps prevent sunburn • If used directed with others sun protection measures (see Directions) decreases the risk of skin cancer and early skin aging caused by the sun.

#### Warnings

**For external use only.**

**Do not use on damaged or broken skin.**

**When using this product keep out of eyes.** Rinse with water to remove.

**Stop use and ask a doctor if rash occurs.**

**Keep out of reach of children.**

If swallowed, get medical help or contact a Poison Control Center right away.

#### Directions

• Apply generously 15 minutes before sun exposure  
• Reapply at least every 2 hours  
• Use a water resistant sunscreen if swimming or sweating

• Sun Protection Measures: Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF 15 or higher and other sun protection measures including:

• Limit time in the sun, especially from 10 a.m. - 2 p.m.  
• Wear long-sleeved shirts, pants, hats, and sunglasses  
• Children under 6 months of age: ask a doctor

#### SHAKE WELL BEFORE USE

#### Other information

Protect the product in this container from excessive heat and direct sun.

#### Inactive ingredients

WATER/EAU (AQUA), DIMETHICONE, CAPRYLYL METHICONE, TRIMETHYLSILOXYSILICATE, METHYL TRIMETHICONE, POLYMETHYLSILOXOXANE, DIMETHICONE/VINYL DIMETHICONE CROSSPOLYMER, BUTYLENE GLYCOL, PEG-10 DIMETHICONE, PEG-12 DIMETHICONE/PPG-20 CROSSPOLYMER, CAPRYLYL DIMETHICONE ETHOXY GLUCOSIDE, POLYIMIDE-1, CETEARYL DIMETHICONE/VINYL DIMETHICONE CROSSPOLYMER, POLYPHENYLSILOXOXANE, PHENOXYETHANOL, CAPRYLIC/CAPRIC TRIGLYCERIDE, GLYCERIN, SODIUM CHLORIDE, POTASSIUM SORBATE, SODIUM DEHYDROACETATE, ALUMINA, TRIETHOXYCAPRYLYLSILANE, C20-24 OLEFIN, SILICA, TOCOPHERYL ACETATE, PERSEA GRATISSIMA (AVOCADO) FRUIT EXTRACT, PUNICA GRANATUM PERICARP EXTRACT, LAURYL DIMETHICONE, OPUNTIA TUNA FRUIT EXTRACT, TOCOPHEROL; + MAY CONTAIN: TITANIUM DIOXIDE (CI 77891), IRON OXIDES (CI 77491), IRON OXIDES (CI 77492), IRON OXIDES (CI 77499)



P3DV8M02



TESTER  
NOT FOR SALE

## DOLCE AND GABBANA EVERLAST FOUNDATION SPF 20 03W LIGHT

octisalate, octocrylene, titanium dioxide, zinc oxide emulsion

### Product Information

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:84003-003
<b>Route of Administration</b>	TOPICAL		

**Active Ingredient/Active Moiety**

<b>Ingredient Name</b>	<b>Basis of Strength</b>	<b>Strength</b>
<b>OCTISALATE</b> (UNII: 4X49Y0596W) (ETHYLHEXYL SALICYLATE - UNII:4X49Y0596W)	OCTISALATE	35 mg in 1 mL
<b>OCTOCRYLENE</b> (UNII: 5A68WGF6WM) (OCTOCRYLENE - UNII:5A68WGF6WM)	OCTOCRYLENE	50 mg in 1 mL
<b>TITANIUM DIOXIDE</b> (UNII: 15FIX9V2JP) (CI 77891 - UNII:15FIX9V2JP)	TITANIUM DIOXIDE	5 mg in 1 mL
<b>ZINC OXIDE</b> (UNII: SOI2LOH54Z) (ZINC OXIDE - UNII:SOI2LOH54Z)	ZINC OXIDE	18.8 mg in 1 mL

**Inactive Ingredients**

<b>Ingredient Name</b>	<b>Strength</b>
<b>WATER</b> (UNII: 059QF0KO0R)	
<b>DIMETHICONE</b> (UNII: 92RU3N3Y1O)	
<b>CAPRYLYL TRISILOXANE</b> (UNII: Q95M2P1KJL)	
<b>METHYL TRIMETHICONE</b> (UNII: S73ZQIOGXM)	
<b>POLYMETHYLSILSESQUIOXANE (4.5 MICRONS)</b> (UNII: 59Z907ZB69)	
<b>BUTYLENE GLYCOL</b> (UNII: 3XUS85K0RA)	
<b>PEG-12 DIMETHICONE/PPG-20 CROSSPOLYMER</b> (UNII: 965K72OQXO)	
<b>CAPRYLYL DIMETHICONE ETHOXY GLUCOSIDE</b> (UNII: DAC8GQQ57F)	
<b>PHENOXYETHANOL</b> (UNII: HIE492ZZ3T)	
<b>MEDIUM-CHAIN TRIGLYCERIDES</b> (UNII: C9H2L21V7U)	
<b>GLYCERIN</b> (UNII: PDC6A3C0OX)	
<b>SODIUM CHLORIDE</b> (UNII: 451W47IQ8X)	
<b>POTASSIUM SORBATE</b> (UNII: 1VPU26JZZ4)	
<b>SODIUM DEHYDROACETATE</b> (UNII: 8W46YN971G)	
<b>ALUMINUM OXIDE</b> (UNII: LMI26O6933)	
<b>TRIETHOXYCAPRYLYLSILANE</b> (UNII: LDC331P08E)	
<b>SILICON DIOXIDE</b> (UNII: ETJ7Z6XBU4)	
<b>.ALPHA.-TOCOPHEROL ACETATE</b> (UNII: 9E8X80D2L0)	
<b>AVOCADO</b> (UNII: SDS87L369F)	
<b>POMEGRANATE FRUIT RIND</b> (UNII: RS999V57DU)	
<b>OPUNTIA TUNA FRUIT</b> (UNII: 75UY509K9B)	
<b>TOCOPHEROL</b> (UNII: ROZB2556P8)	
<b>FERRIC OXIDE RED</b> (UNII: 1K09F3G675)	
<b>FERRIC OXIDE YELLOW</b> (UNII: EX438O2MRT)	
<b>FERROSFERRIC OXIDE</b> (UNII: XM0M87F357)	

**Packaging**

<b>#</b>	<b>Item Code</b>	<b>Package Description</b>	<b>Marketing Start Date</b>	<b>Marketing End Date</b>
1	NDC:84003-003-00	1 in 1 CARTON	05/01/2024	
1		27 mL in 1 BOTTLE, PUMP; Type 0: Not a Combination Product		
2	NDC:84003-003-01	1 in 1 CARTON	05/01/2024	
2		27 mL in 1 BOTTLE, PUMP; Type 0: Not a Combination Product		

## Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M020	05/01/2024	

**Labeler** - Dolce & Gabbana Beauty S.R.L (442254105)

Revised: 8/2025

Dolce & Gabbana Beauty S.R.L