HEALTHY MAMA EAZZZE THE PAIN- acetaminophen diphenhydramine hydrochloride tablet, film coated MATERNAL SCIENCE, LLC

Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.

Drug Facts

Active ingredient (in each caplet)

Acetaminophen 500 mg Diphenhydramine HCl 25mg

Purposes

Pain RelieverNighttime Sleep Aid

Uses

Temporary relief of occasional headaches and minor aches with pains with accompanying sleeplessness.

Warnings

Liver warning: This product contains acetaminophen. Severe Liver damage may occur if you take.

- more than 4,000 mg of acetaminophen in 24 hours
- with other drugs containing acetaminophen
- 3 or more alcoholic drinks everyday while using this product

When using this prodcut

- drowsiness will occur
- avoid alcoholic drinks
- do not drive a motor vehicle or operate machinery

Keep out of reach of children.

Do not use

- with any other drug containing acetaminophen(prescription or nonprescription). If you are not sure whether a drug contains acetaminophen, ask a doctor or pharmacist.
- In children under 12 years of age
- with any other product containing diphenhydramine, even one used on skin
- if you have ever had an allergic reaction to this product or any of its ingredients

Ask a doctor before use if you are

- liver disease
- a breathing problem such as emphysema or chronic bronchitis
- difficulty in urination due to enlargement of the prostate gland
- glaucoma

Ask a doctor or pharmacist before use if you are

- taking the blood thinning drug warfarin
- taking sedatives or tranquilizers

Stop use and ask a doctor if

- sleeplessness persists continuously for more than 2 weeks. Insomnia may be a symptom of a serious underlying medical illness.
- pain gets worse or lasts more than 10 days
- fever gets worse or lasts more than 3 days
- new symptoms occur
- redness or swelling is present. These could be signs of a serious condition.

If pregnant or breast-feeding, ask a health professional before use.

Overdose warning

Taking more than the recommended dose(overdose) may cause liver damage. In case of overdose, get medical help or contact a Poison Control Center right away.(1-800-222-1222). Quick medical attention is critical for adults as well as for children even if you do not notice any signs or symptoms.

Directions

• Do not take more than directed(see overdose warning)

Adults and children 12 years and over: Take 2 caplets at bedtime. Do not take more than 2 caplets of this product in 24 hours

Children under 12 years : Do not use this adult product in children under 12 years of age: this will provide more than the

recommended dose(overdose) and may cause liver damage.

Other information

• Store at room temperature

Inactive ingredients

Povidone, Pregelatinized Starch, Sodium Starch Glycolate, Stearic Acid.

Questions?

If you have any questions or comments. or to report an adverse event, please contact (xxx) xxx-xxxx.

Principal Display Panel

healthy

mama

eaZZZe THE PAIN!

acetaminophen 500mg diphenhydramine HCl 25 mg

PAIN RELIEVER AND NIGHTTIME AID

extra strength aspirin free

40 caplets

Drug Facts	
Active ingredients (in each caplet)	Purposes
Acetaminophen 500 mg Diphenhydramine HCI 25 mg	Pain Reliever
Uses Temporary relief of occasional headach aches and pains with accompanying sleeplessne	es and minor ss.
Warnings Liver warning: This product contains acetamino damage may occur if you take • more than 4,00 acetaminophen in 24 hours • with other drugs c acetaminophen • 3 or more alcoholic drinks eve this product	0 mg of ontaining
Do not use • with any other drug containing ace (prescription or nonprescription). If you are not drug contains acetaminophen, ask a doctor or pl • in children under 12 years of age • with any ot containing diphenhydramine, even one used on ever had an allergic reaction to this product or a	sure whether a harmacist. her product skin • if you have
Ask a doctor before use if you have + liver dise problem such as emphysema or chronic bronch urination due to enlargement of the prostate glar	ase • a breathing itis • difficulty in
Ask a doctor or pharmacist before use if you ar • taking the blood thinning drug warfarin • taking sedatives or tranquilizers	e
When using this product • drowsiness will occu • avoid alcoholic drinks • do not drive a motor v machinery	
Dour VV/VV Drug Each	Constinued on heal

Rev. XX/XX

Drug Facts (continued on back)

Do not use if imprinted seal under cap is broken or missing



Drug Facts (continued)	٦
Stop use and ask a doctor if • sleeplessness persists continuously for more than 2 week Insomnia may be a symptom of a serious underlying medic illness. • pain gets worse or lasts more than 10 days • fever gets worse or lasts more than 3 days • new symptoms occur • redness or swelling is present These could be signs of a serious condition.	
If pregnant or breast-feeding, ask a health professional before use, Keep out of reach of children. Overdose warning: Taking more than the recommended dose (overdose) may cause liver damage. In case of overdose, get medical help or contact a Poison Control Center right away. (1-800-222-1222). Quick medical attention is critical for adults as well as for children even if you do not notice any signs or symptoms.	
Directions • Do not take more than directed (see overdose warning) Adults and children 12 years and over: Take 2 caplets at bedtime. Do not take more than 2 caplets of this product in 24 hours Children under 12 years: Do not use this adult product in children under 12 years of age; this will provide more than the recommended dose (overdose) and may cause liver damage.	
Other information • Store at room temperature	
Inactive ingredients Croscarmelose Sodium, Crospovidone, FD&C Blue #1, Hydroxypropyl Cellulose, Hypromelose, Magnesium Stearate, Microcrystalline Cellulose, Povidone, Pregelatinized Starch, Propylene Glyco Silica, Sodium Starch Glycolate, Stearic Acid and Titanium Dioxide.	ι,
Questions? If you have any questions or comments, or to report an adverse event, please contact (XXX) XXX-XXXX	

HEALTHY MAMA EAZZZE THE PAIN

acetaminophen diphenhydramine hydrochloride tablet, film coated

Product Information						
Product Type	HUMAN OTC DRUG	Item Code (Source) ND		NDC:58154-3	IDC:58154-104	
Route of Administration	ORAL					
A T 1/A T.F.						
Active Ingredient/Active Moi	ety					
Ingr	edient Name		Basis of Str	rength	Strength	
ACETAMINOPHEN (UNII: 36209ITL9D) (ACETAMINOPHEN - UNII:36209ITL9D) ACETAMI			ACETAMINOPHEN	CETAMINOPHEN		
DIPHENHYDRAMINE HYDRO CHL O R UNII:8GTS82S83M)	IDE (UNII: TC2D6JAD40) (DIPHE	NHYDRAMINE -	DIPHENHYDRAMIN HYDROCHLORIDE	E	25 mg	
Inactive Ingredients						
	Ingredient Name			Str	ength	
CROSCARMELLOSE SODIUM (UNII:	M28OL1HH48)					
CROSPOVIDONE (UNII: 68401960MK	5)					

FD&C BLUE NO.1(UNII: H	BR47K3TBD)						
HYPROMELLOSES	(UNII: 3	3NXW29V3WO)						
MAGNESIUM STEARATE (UNII: 70097M6I30)								
CELLULOSE, MICR	OCRY	STALLINE (UNII: OP1R32D61U)						
POVIDONES (UNII: H								
PROPYLENE GLYC								
SILICON DIO XIDE (UNII: E	TJ7Z6XBU4)						
STEARIC ACID (UNI	I: 4ELV	/7Z65AP)						
TITANIUM DIO XIDE	E (UNII:	: 15FIX9V2JP)						
Product Charac	terist	tics						
Color	white			Score		no score		
Shape	OVAL	L (Capsule shaped tablet)		Size		18 mm		
Flavor				Imprint Code		GP325		
Contains								
Packaging								
# Item Code	2	Package Description	Marketing	Start Date	Market	ing End Date		
1 NDC:58154-104-01	L	40 in 1 BOTTLE, PLASTIC						
Marketing Information								
Marketing Categ	0	Application Number or Monogr		Marketing Start Date		Marketing End Date		
OTC monograph not	final	nal part343		04/29/2013				

Labeler - MATERNAL SCIENCE, LLC (078722406)

Revised: 4/2013

MATERNAL SCIENCE, LLC