GENESIS 52- iodine solution IBA

Disclaimer: This drug has not been found by FDA to be safe and effective, and this labeling has not been approved by FDA. For further information about unapproved drugs, click here.

GENESIS 52 SANITIZING TEAT DIP A HIGHLY EFFECTIVE PRE-MILKING AND POST-MILKING IODINE TEAT DIP

Contains Superior Levels of Free Iodine for Fast Kill of Mastitis Causing Organisms

All Raw Materials Contained in This Product are NPE (Nonylphenol Ethoxylate) Free

Developed Especially for Use on Organic Dairy Farms or Where NPE Free Teat Dips Are Preferred or Required

ACTIVE INGREDIENT:

Iodine0.50%
(Provides a Full .5% Iodine as Used)
INERT INGREDIENTS
Glycerin........2.00%
Other Inerts.....97.50%
(Includes Iodine Stabilizers, Buffering Agents and Surfactants)
Total............100%
pH of 5.5 at time of manufacture

INDICATIONS AND USAGE PROVIDES

GENERAL RECOMMENDATIONS

- 1. Use teat dip applicators made of plastic or other non-corrosive materials. Do not use cups made of aluminum.
- 2. When solution in the teat dip cup becomes dirty and/or noticeably loses color, discard remaining contents and refill cup with fresh teat dip.
- 3. Do not use this product for cleaning or sanitizing equipment.
- 4. Wash Teat Dip cups after each milking.

RECOMMENDED PROCEDURES FOR TEAT SANITATION A. PRE-MILKING (PRE-DIPPING)

- 1. REMOVE VISIBLE SOILS FROM THE TEATS.
- 2. OBSERVE FOREMILK BY STRIPPING TWO OR THREE STREAMS OF MILK INTO A STRIP CUP.
- 3. DIP, FOAM OR SPRAY THE COW'S TEATS FULL LENGTH WITH **GENESIS 52** TEAT DIP. 4 WAIT APPROXIMATELY 30 SECONDS.
- 5. REMOVE ALL TEAT DIP BY THOROUGHLY DRYING THE TEATS AND TEAT ORIFICES AND UDDER (if foaming or spraying) WITH A CLEAN, SINGLE SERVICE PAPER TOWEL(S) TO AVOID CONTAMINATION OF MILK.
- 6. ATTACH MILKING UNIT.

B. POST-MILKING (POST -DIPPING)

Immediately after milking, dip or spray all teats full length with **GENESIS 52 Teat Dip**. Ensure good coverage of all sides of the teats and teat orifices.

WARNING

DO NOT DILUTE THIS PRODUCT.

DO NOT RETURN TEAT DIP LEFT IN THE TEAT DIPPER TO STORAGE CONTAINER ENSURE THAT DIPPED TEATS ARE DRY BEFORE EXPOSING THE ANIMALS TO WEATHER CONDITIONS WHICH MAY CAUSE DAMAGE TO THE TEATS. PROTECT THIS PRODUCT FROM FREEZING.

CAUTION: KEEP OUT OF REACH OF CHILDREN.
AVOID CONTACT WITH FOOD. DO NOT TAKE INTERNALLY.

FIRST AID PROCEDURES


EYE CONTACT: IMMEDIATELY FLUSH EYE WITH LARGE AMOUNTS OF FRESH, TEPID WATER FOR 15 MINUTES. HOLD EYELID OPEN TO ENSURE COMPLETE IRRIGATION OF EYE AND LID TISSUES. TILT HEAD TO THE SIDE AND IRRIGATE THE EYE FROM THE BRIDGE OF THE NOSE TO THE OUTSIDE OF THE FACE.

SKIN CONTACT: FOR CONTACT WITH CONCENTRATED PRODUCTS, FLUSH THOROUGHLY WITH FRESH, TEPID WATER, DISCARD CONTAMINATED CLOTHING AND FOOTWEAR OR WASH BEFORE REUSE. FOR READY-TO-USE PRODUCTS, WASH ANY SENSITIVE AREAS.

INGESTION: DO NOT INDUCE VOMITING. NEVER GIVE ANYTHING BY MOUTH TO AN UNCONSCIOUS PERSON. DRINK LARGE AMOUNTS OF WATER. IF VOMITING OCCURS KEEP AIRWAYS OPEN. KEEP HEAD LOWER THAN THE HIPS TO PREVENT ASPIRATION INTO THE LUNGS.

ALWAYS SEEK IMMEDIATE MEDICAL ATTENTION
FOR MEDICAL EMERGENCIES CALL 1-800-424-9300

GENESIS 52



GENESIS 52

iodine solution

Product Information					
Product Type	OTC ANIMAL DRUG	Item Code (Source)	NDC:29983-0059		
Route of Administration	TOPICAL				

Active Ingredient/Active Moiety				
Ingredient Name	Basis of Strength	Strength		
IODINE (UNII: 9679TC07X4) (IODINE - UNII:9679TC07X4)	IODINE	5 g in 1 L		

Inactive Ingredients			
Ingredient Name	Strength		
POLOXAMER 105 (UNII: XPP85ZHV76)			
SODIUM DECYLGLUCOSIDES HYDROXYPROPYLSULFONATE (UNII: 55P9UXJ9C3)			
CITRIC ACID MONOHYDRATE (UNII: 2968PHW8QP)			
GLYCERIN (UNII: PDC6A3C0OX)			
SODIUM HYDROXIDE (UNII: 55X04QC32I)			
POTASSIUM IODATE (UNII: 1139E44NHL)			
WATER (UNII: 059QF0KO0R)			

P	Packaging				
#	Item Code	Package Description	Marketing Start Date	Marketing End Date	
1	NDC:29983-0059-4	18.9 L in 1 DRUM			
2	NDC:29983-0059-2	3.78 L in 1 DRUM			
3	NDC:29983-0059-6	56.7 L in 1 DRUM			
4	NDC:29983-0059-7	113.4 L in 1 DRUM			
5	NDC:29983-0059-8	207.9 L in 1 DRUM			
6	NDC:29983-0059-9	1039.5 L in 1 DRUM			

Marketing Information				
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date	
unapproved drug other		09/10/2014		

Labeler - IBA (019494160)

Revised: 9/2014 IBA