

**GIORGIO ARMANI POWER FABRIC PLUS WEIGHTLESS MATTE FOUNDATION
BROAD SPECTRUM SPF 25 SUNSCREEN- octinoxate lotion
SICOS ET CIE**

Drug Facts

Active ingredient

Octinoxate 6.7%

Purpose

Sunscreen

Uses

- helps prevent sunburn
- if used as directed with other sun protection measures (see ***Directions***), decreases the risk of skin cancer and early skin aging caused by the sun

Warnings

For external use only

Flammable until dry.

Do not use near fire, flame, or heat.

Do not use

on damaged or broken skin

When using this product

keep out of eyes. Rinse with water to remove.

Stop use and ask a doctor if

rash occurs

Keep out of reach of children.

If swallowed, get medical help or contact a Poison Control Center right away.

Directions

For sunscreen use:

- apply liberally 15 minutes before sun exposure
- reapply at least every 2 hours
- use a water resistant sunscreen if swimming or sweating
- **Sun Protection Measures.** Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including:
 - limit time in the sun, especially from 10 a.m. – 2 p.m.
 - wear long-sleeved shirts, pants, hats, and sunglasses
- children under 6 months of age: Ask a doctor

Other information

protect the product in this container from excessive heat and direct sun

Inactive ingredients

cyclohexasiloxane, water, dimethicone, vinyl dimethicone/methicone silsesquioxane crosspolymer, propanediol, alcohol denat., butylene glycol, phenyl trimethicone, cetyl PEG/PPG-10/1 dimethicone, synthetic fluorophlogopite, polyglyceryl-4 isostearate, phenoxyethanol, magnesium sulfate, disodium stearyl glutamate, acrylonitrile/methyl methacrylate/vinylidene chloride copolymer, PEG/PPG-18/18 dimethicone, fragrance, dimethicone/vinyl dimethicone crosspolymer, aluminum hydroxide, isobutene, benzyl salicylate, hexyl cinnamal, benzyl alcohol, BHT, limonene, linalool, pentaerythrityl tetra-di-t-butyl hydroxyhydrocinnamate, tocopherol, may contain: titanium dioxide, iron oxides

Questions or comments?

CONTACT: GIORGIO ARMANI PARFUMS

LUXURY PRODUCTS LLC

10 HUDSON YARDS, NEW YORK, NY 10001

power fabric +
 up to 24h full coverage
 weightless matte foundation
 octinoxate sunscreen
 broad spectrum SPF 25
 1

shake before use



Drug Facts (continued)

Other information

• protect the product in this container from excessive heat and direct sun

Inactive ingredient

cyclohexasiloxane, water, dimethicone, vinyl dimethicone/methicone silsesquioxane crosspolymer, propanediol, alcohol denat., butylene glycol, phenyl trimethicone, cetyl ppg-10/1 dimethicone, synthetic fluorphlogopite, polyglyceryl-4 isostearate, phenoxyethanol, magnesium sulfate, disodium stearyl glutamate, peg/ppg-18/18 dimethicone, fragrance, dimethicone/vinyl dimethicone crosspolymer, silica silylate, silica, aluminum hydroxide, benzyl salicylate, hexyl cinnamal, benzyl alcohol, bht, limonene, linalool, pentaerythrityl tetra-di-t-butylhydroxyhydrocinnamate, tocopherol, may contain: titanium dioxide, iron oxides

3614273579766

FSC
 FACTICE

power fabric +
 up to 24h full coverage
 weightless matte foundation
 octinoxate sunscreen
 broad spectrum SPF 25
 1

Drug Facts

Active ingredient	Purpose
Octinoxate 6.8%	Sunscreen

Uses

• helps prevent sunburn
 • if used as directed with other sun protection measures (see **Directions**), decreases the risk of skin cancer and early skin aging caused by the sun

Warnings

For external use only
 Flammable until dry. Do not use near fire, flame, or heat.
 Do not use on damaged or broken skin
 When using this product, keep out of eyes
 Rinse with water to remove
 Stop use and ask a doctor if rash occurs

Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away

Directions

For sunscreen use:
 • shake well before use
 • apply liberally 15 minutes before sun exposure



G992011 2 - FIL V268358/4
 DERMATOLOGICALLY TESTED. NON-COMEDOGENIC.
 THIS PRODUCT CAN BE SOLD ONLY BY APPROVED DISTRIBUTORS
 GIORGIO ARMANI PARFUMS, 14, RUE ROYALE 75008 PARIS. LUXURY
 PRODUCTS LLC, 10 HUDSON YARDS, NEW YORK, NY 10001. IMP. BY
 DESIGNER FRAGRANCES MONTRÉAL, CANADA, 497 ICS, LONDON
 W6 84Z, TSA, 25000 58894, ST. QUEN CEDEX, FR. MADE IN FRANCE

QUESTIONS OR COMMENTS?
 CONTACT GIORGIO ARMANI PARFUMS
 LUXURY PRODUCTS LLC, 10 HUDSON YARDS,
 NEW YORK, NY 10001
 FOR MORE INFORMATION ON THIS,
 ARMANIBEAUTY.COM

e 30 ml 1.2 FL OZ




 GIORGIO ARMANI

30 ml 1 FLOZ

Drug Facts (continued)

• for continuous sunscreen protection, reapply every 2 hours
 • use a water resistant sunscreen if swimming or sweating
 • **Sun Protection Measures.** Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including:
 • limit time in the sun, especially from 10 a.m. - 2 p.m.
 • wear long-sleeved shirts, pants, hats, and sunglasses
 • children under 6 months of age: Ask a doctor →

2827733



No non-ionic

power fabric +
 up to 24h full coverage
 weightless matte foundation
 octinoxate sunscreen
 broad spectrum SPF 25
 1

shake before use



Drug Facts (continued)

Other information

• protect the product in this container from excessive heat and direct sun

Inactive ingredient

cyclohexasiloxane, water, dimethicone, vinyl dimethicone/methicone silsesquioxane crosspolymer, propanediol, alcohol denat., butylene glycol, phenyl trimethicone, cetyl ppg-10/1 dimethicone, synthetic fluorphlogopite, polyglyceryl-4 isostearate, phenoxyethanol, magnesium sulfate, disodium stearyl glutamate, peg/ppg-18/18 dimethicone, fragrance, dimethicone/vinyl dimethicone crosspolymer, silica silylate, silica, aluminum hydroxide, benzyl salicylate, hexyl cinnamal, benzyl alcohol, bht, limonene, linalool, pentaerythrityl tetra-di-t-butylhydroxyhydrocinnamate, tocopherol, may contain: titanium dioxide, iron oxides

3614273579766

FSC
 FACTICE

power fabric +
 up to 24h full coverage
 weightless matte foundation
 octinoxate sunscreen
 broad spectrum SPF 25
 1

Drug Facts

Active ingredient	Purpose
Octinoxate 6.8%	Sunscreen

Uses

• helps prevent sunburn
 • if used as directed with other sun protection measures (see **Directions**), decreases the risk of skin cancer and early skin aging caused by the sun

Warnings

For external use only
 Flammable until dry. Do not use near fire, flame, or heat.
 Do not use on damaged or broken skin
 When using this product, keep out of eyes
 Rinse with water to remove
 Stop use and ask a doctor if rash occurs

Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away

Directions

For sunscreen use:
 • shake well before use
 • apply liberally 15 minutes before sun exposure



G992011 2 - FIL V268358/4
 DERMATOLOGICALLY TESTED. NON-COMEDOGENIC.
 THIS PRODUCT CAN BE SOLD ONLY BY APPROVED DISTRIBUTORS
 GIORGIO ARMANI PARFUMS, 14, RUE ROYALE 75008 PARIS. LUXURY
 PRODUCTS LLC, 10 HUDSON YARDS, NEW YORK, NY 10001. IMP. BY
 DESIGNER FRAGRANCES MONTRÉAL, CANADA, 497 ILS, LONDON
 W6 84Z, TSA, 25000 58894, ST. QUEN CEDEX, FR. MADE IN FRANCE

QUESTIONS OR COMMENTS?
 CONTACT GIORGIO ARMANI PARFUMS
 LUXURY PRODUCTS LLC, 10 HUDSON YARDS,
 NEW YORK, NY 10001
 FOR MORE INFORMATION ON THIS,
 ARMANIBEAUTY.COM

e 30 ml 1.2 FL OZ



GIORGIO ARMANI

30 ml 1 FLOZ


Drug Facts (continued)

• for continuous sunscreen protection, reapply every 2 hours
 • use a water resistant sunscreen if swimming or sweating
 • **Sun Protection Measures.** Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including:
 • limit time in the sun, especially from 10 a.m. - 2 p.m.
 • wear long-sleeved shirts, pants, hats, and sunglasses
 • children under 6 months of age: Ask a doctor →

2827733



No non-ionic



GIORGIO ARMANI POWER FABRIC PLUS WEIGHTLESS MATTE FOUNDATION BROAD SPECTRUM SPF 25 SUNSCREEN

octinoxate lotion

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:51150-976
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
-----------------	-------------------	----------

OCTINOXATE (UNII: 4Y5P7MUD51) (OCTINOXATE - UNII:4Y5P7MUD51)	OCTINOXATE	68 mg in 1 mL
---------------------------------------------------------------------	------------	---------------

Inactive Ingredients

Ingredient Name	Strength
CYCLOMETHICONE 6 (UNII: XHK3U310BA)	
WATER (UNII: 059QF0KO0R)	
DIMETHICONE (UNII: 92RU3N3Y1O)	
VINYL DIMETHICONE/METHICONE SILSESQUIOXANE CROSSPOLYMER (UNII: 9NH1UDD2RR)	
PROPANEDIOL (UNII: 5965N8W85T)	
ALCOHOL (UNII: 3K9958V90M)	
BUTYLENE GLYCOL (UNII: 3XUS85K0RA)	
PHENYL TRIMETHICONE (UNII: DR0K5NOJ4R)	
CETYL PEG/PPG-10/1 DIMETHICONE (HLB 1.5) (UNII: V2W71V8T0X)	
MAGNESIUM POTASSIUM ALUMINOSILICATE FLUORIDE (UNII: YK3DC63Y5M)	
POLYGLYCERYL-4 ISOSTEARATE (UNII: 820DPX33S7)	
PHENOXYETHANOL (UNII: HIE492ZZ3T)	
MAGNESIUM SULFATE, UNSPECIFIED FORM (UNII: DE08037SAB)	
DISODIUM STEAROYL GLUTAMATE (UNII: 45ASM2L11M)	
PEG/PPG-18/18 DIMETHICONE (UNII: 9H0AO7T794)	
DIMETHICONE/VINYL DIMETHICONE CROSSPOLYMER (HARD PARTICLE) (UNII: H895X08VNQ)	
ALUMINUM HYDROXIDE (UNII: 5QB0T2IUN0)	
ISOBUTANE (UNII: BXR49TP611)	
BENZYL SALICYLATE (UNII: WAO5MNMK9TU)	
.ALPHA.-HEXYLCINNAMALDEHYDE (UNII: 7X6O37OK2I)	
BENZYL ALCOHOL (UNII: LKG8494WBH)	
BUTYLATED HYDROXYTOLUENE (UNII: 1P9D0Z171K)	
LIMONENE, (+)- (UNII: GFD7C86Q1W)	
LINALOOL, (+/-)- (UNII: D81QY6I88E)	
PENTAERYTHRITOL TETRAKIS(3-(3,5-DI-TERT-BUTYL-4-HYDROXYPHENYL)PROPIONATE) (UNII: 255PIF62MS)	
TOCOPHEROL (UNII: ROZB2556P8)	
TITANIUM DIOXIDE (UNII: 15FIX9V2JP)	
FERRIC OXIDE RED (UNII: 1K09F3G675)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:51150-976-01	1 in 1 CARTON	09/01/2021	
1		30 mL in 1 BOTTLE; Type 0: Not a Combination Product		
2	NDC:51150-976-02	1 in 1 CARTON	09/01/2021	09/22/2025
2		18 mL in 1 BOTTLE; Type 0: Not a Combination Product		
3	NDC:51150-976-03	1 in 1 CARTON	09/01/2021	06/01/2026
3		5 mL in 1 TUBE; Type 0: Not a Combination Product		
	NDC:51150-976-04	1 in 1 BOTTLE; Type 0: Not a Combination Product		

4	NDC:51150-976-04	1 mL in 1 PACKET; Type O: Not a Combination Product	09/01/2021	06/01/2026
---	------------------	-----------------------------------------------------	------------	------------

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M020	09/01/2021	

Labeler - SICOS ET CIE (276993581)

Establishment

Name	Address	ID/FEI	Business Operations
SICOS ET CIE		276993581	manufacture(51150-976) , pack(51150-976)

Revised: 6/2024

SICOS ET CIE