

**ANTIGRIP COUGH AND COLD- acetaminophen, chlorpheniramine maleate, dextromethorphan hbr capsule, gelatin coated**  
**Pharmadel LLC**

-----  
**Antigrip Cold & Cough Gelcaps (Apta)**

***Active ingredients & Purposes***

<b><i>Active ingredients (in each gel Softgel)</i></b>	<b><i>Purposes</i></b>
<b>Acetaminophen 325 mg .....</b>	<b>Pain reliever/ fever reducer</b>
Chlorpheniramine maleate 2 mg .....	Antihistamine
Dextromethorphan HBr 10 mg.....	Cough suppressant

***Uses***

Temporarily relieves common cough and cold symptoms due to

- minor aches and pain
- headache
- runny nose
- sneezing
- minor throat and bronchial irritation
- temporarily reduces fever

***Warnings***

**Liver warning:** This product contains **acetaminophen**. Severe liver damage may occur if

- adult takes more than **4 doses in 24 hours**, which is the maximum daily amount for this product
- child takes more than **5 doses in 24 hours**
- taken with other drugs containing acetaminophen
- adult has 3 or more alcoholic drinks everyday while using this product Allergy alert: Acetaminophen may cause severe skin reactions. Symptoms may include:
- skin reddening
- blisters
- rash If a skin reaction occurs, stop use and seek medical help right away.

***Do not use***

- with any other drug containing **acetaminophen** (prescription or nonprescription). If you are not sure whether a drug contains acetaminophen, ask a doctor or pharmacist.
- if you are now taking prescription monoamine oxidase inhibitors (MAOI) (certain drugs for depression, psychiatric, or emotional conditions or Parkinson's disease), or

for 2 weeks after stopping the MAOI drug. If you do not know if your prescription drug contains an MAOI, ask your doctor or pharmacist before taking this product.

**Ask a doctor before use if the user**

- is a child with pain from arthritis
- has liver disease
- has glaucoma
- has a breathing problem such as emphysema or chronic bronchitis
- has difficulty in urination due to enlargement of the prostate gland
- has a persistent or chronic cough such as occurs with smoking, asthma, or emphysema
- has a cough that is accompanied by excessive phlegm (mucus)
- is taking sedatives or tranquilizers

**Ask a doctor or pharmacist before use if the user**

is taking the blood thinning drug warfarin

**When using this product**

- may cause marked drowsiness
- may cause excitability, especially in children
- may cause drowsiness; alcohol, sedatives, and tranquilizers may increase the drowsiness effect
- avoid alcoholic beverages while taking this product
- use caution when driving a motor vehicle or operating machinery

**Stop use and ask a doctor if**

- pain or cough gets worse or lasts more than 5 days (children) or 7 days (adults)
- fever gets worse or lasts more than 3 days
- redness or swelling is present
- new symptoms occur
- a cough comes back or occurs with a rash headache that lasts. These could be signs of a serious condition.

**If pregnant or breast-feeding,**

ask a health professional before use.

**KEEP OUT OF REACH OF CHILDREN.**

In case of an accidental overdose, get medical help or contact a Poison Control Center right away. Prompt medical attention is critical for adults as well as for children even if you do not notice any signs or symptoms.

**Directions**

- take each dose with plenty of water

---

Age	Dose
Adults and children 12 years and	2 softgels, every 6 hours not to exceed 4 doses in 24

older	hours
children 6 to under 12 years of age	1 softgel, every 4 hours not to exceed 5 doses in 24 hours
children under 6 years of age	do not use

### **Other Information**

- store between 68-77°F (20-25°C)
- avoid excessive heat

### **Inactive Ingredients**

D&C red #33, FD&C blue #1, gelatin, glycerin, polyethylene glycol, povidone, propylene glycol, sorbitol sorbitan solution, titanium dioxide, water

**Dist by/ por:**

**PHARMADEL LLC**

New Castle, DE 19720

**Questions/ Preguntas? +1-866-359-3478**

### **Principal Display Panel**

**FAST RELIEF · ALIVIO RÁPIDO**

NDC 55758-432-08

# ANTIGRIP<sup>®</sup>

**COUGH & COLD  
TOS Y GRIPE**

- Acetaminophen (Pain reliever/ Fever reducer)
- Chlorpheniramine Maleate (Antihistamine)
- Dextromethorphan HBr (Cough Suppressant)

- Acetaminofén (Alivia el dolor/ Reduce la fiebre)
- Maleato de clorfeniramina (Antihistamínico)
- Dextrometorfano HBr (Supresor de la tos)

**8 Softgel/ Cápsulas Blandas**

ANTIGRIP COUGH AND COLD

acetaminophen, chlorpheniramine maleate, dextromethorphan hbr capsule, gelatin coated

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:55758-432
Route of Administration	ORAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
CHLORPHENIRAMINE MALEATE (UNII: V1Q0O9OJ9Z) (CHLORPHENIRAMINE - UNII:3U6IO1965U)	CHLORPHENIRAMINE MALEATE	2 mg
DEXTROMETHORPHAN HYDROBROMIDE (UNII: 9D2RTI9KYH) (DEXTROMETHORPHAN - UNII:7355X3ROTS)	DEXTROMETHORPHAN HYDROBROMIDE	10 mg
ACETAMINOPHEN (UNII: 362O9ITL9D) (ACETAMINOPHEN - UNII:362O9ITL9D)	ACETAMINOPHEN	325 mg

Inactive Ingredients

Ingredient Name	Strength
SORBITAN (UNII: 6O92ICV9RU)	
TITANIUM DIOXIDE (UNII: 15FIX9V2JP)	
FD&C BLUE NO. 1 (UNII: H3R47K3TBD)	
GELATIN (UNII: 2G86QN327L)	
GLYCERIN (UNII: PDC6A3C0OX)	
POLYETHYLENE GLYCOL, UNSPECIFIED (UNII: 3WJQ0SDW1A)	
POVIDONE (UNII: FZ989GH94E)	
PROPYLENE GLYCOL (UNII: 6DC9Q167V3)	
SORBITOL (UNII: 506T60A25R)	
WATER (UNII: 059QF0KO0R)	
D&C RED NO. 33 (UNII: 9DBA0SBB0L)	

Product Characteristics

Color	blue	Score	no score
Shape	CAPSULE (Oblong Soft gel capsule)	Size	11mm
Flavor		Imprint Code	610
Contains			

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:55758-432-08	1 in 1 BOX	08/01/2025	
1		8 in 1 BLISTER PACK; Type 0: Not a Combination Product		



### Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M012	08/01/2025	

**Labeler** - Pharmadel LLC (030129680)

Revised: 8/2025

Pharmadel LLC