

**FAK CARE4 BUS AND SCHOOL YELLOW ORM D- bacitracin zinc, neomycin sulfate, polymyxin b sulfate, benzalkonium chloride, lidocaine hydrochloride, isopropyl alcohol, benzocaine, alcohol  
GFA Production (Xiamen) Co., Ltd.**

-----  
**FAK Care4 Bus and School Yellow Kit ORM-D**

***First Aid Antibiotic Ointment, 0.9g (50814-007-01) Drug Facts***

**Active ingredients (in each gram)**

Bacitracin zinc (bacitracin 400 units)

Neomycin sulfate (neomycin 3.5 mg)

Polymyxin B sulfate (polymyxin B 5,000 units)

***Purpose***

First aid antibiotic

***Use***

- First aid to help prevent infection in minor cuts, scrapes, and burns.

***Warnings***

For external use only.

**Do not use**

- Do not use • in the eyes • over large areas of the body • if you are allergic to any of the ingredients
- longer than 1 week unless directed by a doctor.

**Ask a doctor before use if you have**

- deep or puncture wounds • animal bites • serious burns.

**Stop use and ask a doctor if**

- the condition persists or gets worse • a rash or other allergic reaction develops.

**Keep out of reach of children.**

If swallowed, get medical help or contact a Poison Control Center right away.

***Directions***

- Clean the affected area.
- Apply a small amount of this product (an amount equal to the surface area of the tip of a finger) on the area 1 to 3 times daily.
- May be covered with a sterile bandage.

### ***Other information***

Store at room temperature

### ***Inactive ingredients***

Mineral Oil, petrolatum, purified water

## **First Aid Antiseptic Pain Relieving Cream, 0.9g (50814-009-01) Drug Facts**

### ***Active ingredients***

Benzalkonium chloride 0.13%

Lidocaine hydrochloride 0.5

### ***Purpose***

First aid antiseptic

Pain relieving cream

### ***Uses***

- First aid to help prevent infection in minor cuts, scrapes, and burns.
- For the temporary relief of pain and itching associated with minor burns, minor cuts, and scrapes.

### ***Warnings***

**For external use only.**

### **Do not use**

- in the eyes
- over large areas of the body
- in large quantities
- over raw surfaces or blistered areas
- longer than 1 week unless directed by a doctor

### **Ask a doctor before use if you have**

- deep or puncture wounds
- animal bites
- serious burns.

### **Stop use and ask a doctor if**

- the condition persists or gets worse
- symptoms persist for more than 7 days or clear up and occur again within a few days

**Keep out of reach of children.**

If swallowed, get medical help or contact a Poison Control Center right away.

**Directions**

- Clean the affected area
- Adults and children 2 years of age and older: Apply a small amount of this product to affected area not more than 3 times daily
- Children under 2 years of age: consult a doctor
- May be covered with a sterile bandage

**Other information**

Store at room temperature

**Inactive ingredients**

glycerin monostearate, glycerol, purified water

**Alcohol Cleansing Pad (50814-001-01) DRUG FACTS****Active ingredient:**

Isopropyl Alcohol, 70% v/v

**Purpose**

Antiseptic

**Use:**

For preparation of the skin before injection.

**Warnings:**

**For external use only.**

**Flammable: keep away from fire or flame.**

**Do not use:**

with electrocautery, in the eyes

**Stop use**

if irritation and redness develop. if condition persists for more than 72 hours, consult your doctor.

**Keep out of reach of children.**

If swallowed, get medical help or contact a Poison Control Center right away.

**Directions:**

Wipe injection site vigorously and discard.

**Other information**

Store at room temperature 15°-30° C (59°-86° F)

**Inactive ingredient:**

Purified water.

**Antiseptic Towelette (50814-002-01) DRUG FACTS**

**Active Ingredient:**

Benzalkonium Chloride 0.13%

**Purpose:**

First Aid Antiseptic

**Use:**

For Professional and Hospital use. Helps prevent infection. Antiseptic cleansing of face, hands and body without soap and water.

**Warnings:**

For external use only.

**Keep out of reach of children.**

If swallowed, get medical help or contact a Poison Control Center right away. If unusual redness, swelling or other symptoms occur, consult a physician immediately.

**Do not use:**

In the eyes, or over large areas of the body.

**Directions:**

Tear open packet, unfold towelette and use to cleanse desired skin area. Discard towelette appropriately after single use.

**Inactive ingredient:**

Purified water.

**Insect Sting Relief Pad (52124-0008-1) DRUG FACTS****Active Ingredient:**

Benzocaine, 6% w/v

SD alcohol, 60% w/v

**Purpose**

Topical Anesthetic Antiseptic

**Use:**

For the temporary relief of pain and itching associated with minor burns, scrapes and insect bites.

**Warnings:**

For external use only.

**Do not use:**

In eyes, on broken skin, deep puncture wounds. If unusual redness, swelling, irritation or other symptoms occur, consult a physician immediately.

**Keep out of reach of children.**

If swallowed, get medical help or contact a Poison Control Center right away.

Flammable - keep away from fire or flame. Avoid contact with eyes. If this happens, rinse thoroughly with water.

**Inactive Ingredients:**

Purified water.

**Package Labeling:**

Pull **4** instant access to care for cuts and scrapes.   

# C4+RE™

## FIRST AID

by DayMark®

THIS KIT MEETS **OSHA** REQUIREMENTS

### BUS & CLASSROOM

CONTAINS **58** PIECES

## FIRST AID


### BUS & CLASSROOM

**Contents:**

30 Blue Adhesive Bandages Metal Detectable Fabric (3" x 1")	1 Instant Cold Compress
5 Butterfly Closures	2 Triple Antibiotic Ointment (0.9g)
1 First Aid Tape Roll (1/2" x 2.5 yds.)	2 Packages Burn Cream
1 Package Cotton Tips (3")	2 Alcohol Cleansing Pads
1 Emergency First Aid Guide	2 Insect Sting Relief Pad
1 Sterile Non-woven Sponge (2" x 2")	2 Antiseptic Towelettes
1 Sterile Non-woven sponge (4" x 4")	1 Scissors (4.5" length)
1 Roller Gauze Bandage (2" x 4.1 yds.)	1 Easy Access Pocket System
1 Pair Medical Grade Nitrile Gloves	

083491353244  
IT118410

Cuts & Scrapes	Major Injury	Instrument
<h3>Cuts &amp; Scrapes</h3> <ul style="list-style-type: none"> <li>Clean wounds free of dirt and debris with antiseptic towelette. <b>1</b></li> <li>Apply antibiotic ointment and cover with adhesive bandage.</li> </ul>  <p></p>	<h3>Major Injury</h3> <ul style="list-style-type: none"> <li>Rest the joint to prevent further damage.</li> <li>Apply ice for 20 minutes on, 20 minutes off until swelling is reduced. <b>2</b></li> <li>With gloves on, use sterile gauze pad and apply direct pressure to wound until bleeding stops.</li> <li>Once bleeding has stopped, clean wound, apply dressing and secure with tape or bandage.</li> </ul>  <p></p>	<h3>Instrument</h3> <ul style="list-style-type: none"> <li>EMERGENCY FIRST AID GUIDE</li> <li>SCISSORS</li> <li>COTTON TIP APPLICATORS <b>3</b></li> </ul> <h1>C4+RE™</h1> <h2>FIRST AID</h2> <p>by DayMark®</p> <p>THIS KIT MEETS <b>OSHA</b> REQUIREMENTS</p> <h3>BUS &amp; CLASSROOM</h3> <p> </p> <p>IT118426 0 8349135330 1 Patent No. US 8,302,775 B2</p>

**First Aid Antibiotic Ointment, 0.9g**

Reorder TAO-001

# First Aid Antibiotic Ointment Bacitracin Zinc, Neomycin Sulfate, Polymyxin B Sulfate

First aid to help prevent infection  
in minor cuts, scrapes, and burns



Net Wt. 1/32 oz (0.9 g)



MANUFACTURER:  
GFA PRODUCTION XIAMEN CO., LTD  
NO. 20 HULI INDUSTRIAL PARK, MEIXI ROAD,  
TONG'AN, XIAMEN, FUJIAN, CHINA 361100  
MADE IN CHINA

## Drug Facts

Active ingredients (in each gram)	Purpose
Bacitracin zinc (bacitracin 400 units) Neomycin sulfate (neomycin 3.5 mg) Polymyxin B sulfate (polymyxin B 5,000 units)	.....First aid antibiotic

### Use

■ First aid to help prevent infection in minor cuts, scrapes, and burns.

### Warnings

For external use only.

Do not use ■ in the eyes ■ over large areas of the body  
■ if you are allergic to any of the ingredients ■ longer than 1 week  
unless directed by a doctor.

Ask a doctor before use if you have ■ deep or puncture wounds  
■ animal bites ■ serious burns.

**Stop use and ask a doctor if** ■ the condition persists or gets worse  
■ a rash or other allergic reaction develops.

**Keep out of reach of children.** If swallowed, get medical help or contact  
a Poison Control Center right away.

### Directions

■ Clean the affected area. ■ Apply a small amount of this product  
(an amount equal to the surface area of the tip of a finger) on the area  
1 to 3 times daily. ■ May be covered with a sterile bandage.

### Other information

Store at room temperature

### Inactive ingredients

Mineral oil, petrolatum, purified water

TO REPORT A SERIOUS ADVERSE EVENT, CONTACT (800) 258-4696

DATE OF MANUFACTURE:

LOT NO:

First Aid Antiseptic Pain Relieving Cream, 0.9g

Reorder BC-001

**First Aid Antiseptic  
Pain Relieving Cream  
Benzalkonium Chloride  
Lidocaine Hydrochloride**



**Net Wt. 1/32 oz (0.9 g)**



MANUFACTURER:  
GFA PRODUCTION XIAMEN CO., LTD  
NO. 20 HULI INDUSTRIAL PARK, MEIXI ROAD,  
TONG'AN, XIAMEN, FUJIAN, CHINA 361100  
**MADE IN CHINA**

## Drug Facts

Active ingredients	Purpose
Benzalkonium chloride 0.13%	First aid antiseptic
Lidocaine hydrochloride 0.5%	Pain relieving cream

### Uses

- First aid to help prevent infection in minor cuts, scrapes, and burns.
- For the temporary relief of pain and itching associated with minor burns, minor cuts, and scrapes

### Warnings

For external use only.

- Do not use**
- in the eyes
  - over large areas of the body
  - in large quantities
  - over raw surfaces or blistered areas
  - longer than 1 week unless directed by a doctor

- Ask a doctor before use if you have**
- deep or puncture wounds
  - animal bites
  - serious burns.

- Stop use and ask a doctor if**
- the condition persists or gets worse
  - symptoms persist for more than 7 days or clear up and occur again within a few days

**Keep out of reach of children.** If swallowed, get medical help or contact a Poison Control Center right away.

### Directions

- Clean the affected area
- Adults and children 2 years of age and older: Apply a small amount of this product to affected area not more than 3 times daily
- Children under 2 years of age: consult a doctor
- May be covered with a sterile bandage

### Other information

Store at room temperature

### Inactive ingredients

glycerin monostearate, glycerol, purified water

**TO REPORT A SERIOUS ADVERSE EVENT CONTACT (800) 258-4696**

DATE OF MANUFACTURE:

LOT NO:

**Alcohol Cleansing Pad**

**DRUG FACTS - Alcohol Cleansing Pad**

**Active Ingredient:** Isopropyl Alcohol, 70% v/v . . . . . **Purpose:** Antiseptic

**Use:** For preparation of the skin before injection.

**Warnings: For external use only.**

**Flammable - keep away from fire or flame.**

**Do not use:** with electrocautery, in the eyes

**Stop use** if irritation and redness develop.

If condition persists for more than 72 hours, consult your doctor.

**Keep out of reach of children.** If swallowed, get medical help or contact a Poison Control Center right away.

**Directions:** Wipe injection site vigorously and discard.

**Other information:** Store at room temperature 15°-30° C (59°-86° F)

**Inactive ingredient:** Purified water.

LOT/EXP:

TEAR HERE

REORDER ACP-001

**Alcohol Cleansing Pad**

**Toallitas Húmedas con Alcohol**



GFA Production Xiamen Co., Ltd  
www.gfaproduction.com



GFA Production Xiamen Co., Ltd  
No. 20 Huli Industrial Park, Meixi Road,  
Tong'an, Xiamen, Fujian, China 361100



Wellkang Ltd  
Suite B, 29 Harley Street  
LONDON W1G 9QR, England, United Kingdom



**Antiseptic Towelette**

**DRUG FACTS - Antiseptic Towelette**

**Active Ingredient:** Benzalkonium Chloride 0.13%.. **Purpose:** First Aid Antiseptic

**Use:** For Professional and Hospital use. Helps prevent infection. Antiseptic cleansing of face, hands and body without soap and water.

**Warnings:** For external use only. Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away. If unusual redness, swelling or other symptoms occur, consult a physician immediately.

**Do not use:** In the eyes, or over large areas of the body.

**Directions:** Tear open packet, unfold towelette and use to cleanse desired skin area. Discard towelette appropriately after single use.

**Inactive ingredient:** Purified water.

LOT/EXP:

TEAR HERE

REORDER AST-001

**Antiseptic Towelette**  
**Toallitas Antisépticas**



GFA Production Xiamen Co., Ltd  
www.gfaproduction.com



GFA Production Xiamen Co., Ltd  
No. 20 Huli Industrial Park, Meixi Road,  
Tong'an, Xiamen, Fujian, China 361100



Wellkang Ltd  
Suite B, 29 Harley Street  
LONDON W1G 9QR, England, United Kingdom



**Insect Sting Relief Pad**

GFA Production Xiamen Co., Ltd  
No. 20 Huli Industrial Park, Meixi Road,  
Tong'an, Xiamen, Fujian, China 361100  
Wellkang Ltd va Wellkang Tech Consulting  
Suite B, 29 Harley Street  
LONDON W1G 9QR, England, United Kingdom





GFA Production Xiamen Co., Ltd  
www.gfaproduction.com



# Insect Sting Relief Pad Toallitas para Picaduras de Insectos

REORDER ISRP-001

## DRUG FACTS - Insect Sting Relief Pad

<b>Active Ingredient:</b>	<b>Purpose:</b>
Benzocaine, 6% w/v .....	Topical Anesthetic
SD alcohol, 60% w/v .....	Antiseptic

**Use:** For the temporary relief of pain and itching associated with minor burns, scrapes and insect bites.

**Warnings:** For external use only.

**Do not use:** In eyes, on broken skin, deep puncture wounds. If unusual redness, swelling, irritation or other symptoms occur, consult a physician immediately.

NR HERE - - - -

TEA

**Inactive Ingredients:** Purified water.

**Keep out of reach of children.** If swallowed, get medical help or contact a Poison Control Center right away.

**Flammable - keep away from fire or flame.** Avoid contact with eyes. If this happens, rinse thoroughly with water.

**LOT/EXP:**

## FAK CARE4 BUS AND SCHOOL YELLOW ORM D

bacitracin zinc, neomycin sulfate, polymyxin b sulfate, benzalkonium chloride, lidocaine hydrochloride, isopropyl alcohol, benzocaine, alcohol kit

### Product Information

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:50814-042
---------------------	----------------	---------------------------	---------------

### Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:50814-042-01	1 in 1 KIT	02/08/2018	

### Quantity of Parts

Part #	Package Quantity	Total Product Quantity
<b>Part 1</b>	1 BAG	0.9 g
<b>Part 2</b>	1 PACKAGE	0.9 g
<b>Part 3</b>	1 BAG	0.45 g
<b>Part 4</b>	1 POUCH	0.45 g
<b>Part 5</b>	1 POUCH	0.53 mL

## Part 1 of 5

### FIRST AID ANTIBIOTIC

bacitracin zinc, neomycin sulfate, polymyxin b sulfate ointment

### Product Information

<b>Item Code (Source)</b>	NDC:50814-007
---------------------------	---------------

<b>Route of Administration</b>	TOPICAL
--------------------------------	---------

## Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
<b>BACITRACIN ZINC</b> (UNII: 89Y4M234ES) (BACITRACIN - UNII:58H6RWO52I)	BACITRACIN	400 [iU] in 1 g
<b>NEOMYCIN SULFATE</b> (UNII: 057Y626693) (NEOMYCIN - UNII:I16QD7X297)	NEOMYCIN	3.5 mg in 1 g
<b>POLYMYXIN B SULFATE</b> (UNII: 19371312D4) (POLYMYXIN B - UNII:J2VZ07J96K)	POLYMYXIN B	5000 [iU] in 1 g

## Inactive Ingredients

Ingredient Name	Strength
<b>MINERAL OIL</b> (UNII: T5L8T28FGP)	
<b>PETROLATUM</b> (UNII: 4T6H12BN9U)	
<b>WATER</b> (UNII: 059QF0K00R)	

## Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1		2 in 1 KIT		
1	NDC:50814-007-01	0.9 g in 1 BAG; Type 0: Not a Combination Product		

## Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M004	02/08/2018	12/31/2025

## Part 2 of 5

### FIRST AID ANTISEPTIC PAIN RELIEVING

benzalkonium chloride, lidocaine hydrochloride cream

## Product Information

<b>Item Code (Source)</b>	NDC:50814-009
<b>Route of Administration</b>	TOPICAL

## Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
<b>BENZALKONIUM CHLORIDE</b> (UNII: F5UM2KM3W7) (BENZALKONIUM - UNII:7N6JUD5X6Y)	BENZALKONIUM CHLORIDE	1.3 mg in 1 g
<b>LIDOCAINE HYDROCHLORIDE</b> (UNII: V13007Z41A) (LIDOCAINE -	LIDOCAINE HYDROCHLORIDE	5 mg

**Inactive Ingredients**

Ingredient Name	Strength
<b>GLYCERIN</b> (UNII: PDC6A3C00X)	
<b>WATER</b> (UNII: 059QF0KO0R)	

**Packaging**

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1		2 in 1 KIT		
1	NDC:50814-009-01	0.9 g in 1 PACKAGE; Type 0: Not a Combination Product		

**Marketing Information**

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M003	02/08/2018	12/31/2025

**Part 3 of 5****ALCOHOL CLEANSING**

isopropyl alcohol swab

**Product Information**

<b>Item Code (Source)</b>	NDC:50814-039
<b>Route of Administration</b>	TOPICAL

**Active Ingredient/Active Moiety**

Ingredient Name	Basis of Strength	Strength
<b>ISOPROPYL ALCOHOL</b> (UNII: ND2M416302) (ISOPROPYL ALCOHOL - UNII:ND2M416302)	ISOPROPYL ALCOHOL	700 mg in 1 g

**Inactive Ingredients**

Ingredient Name	Strength
<b>WATER</b> (UNII: 059QF0KO0R)	

**Packaging**

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1		2 in 1 KIT		
1	NDC:50814-039-01	1 in 1 BOX		
1		0.45 g in 1 BAG; Type 2: Prefilled Drug Delivery Device/System (syringe, patch, etc.)		

## Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M003	02/08/2018	12/31/2025

## Part 4 of 5

### ANTISEPTIC TOWELETTE

benzalkonium chloride swab

## Product Information

Item Code (Source)	NDC:50814-002
Route of Administration	TOPICAL

## Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
<b>BENZALKONIUM CHLORIDE</b> (UNII: F5UM2KM3W7) (BENZALKONIUM - UNII: 7N6JUD5X6Y)	BENZALKONIUM CHLORIDE	0.13 g in 100 g

## Inactive Ingredients

Ingredient Name	Strength
<b>WATER</b> (UNII: 059QF0KO0R)	

## Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1		2 in 1 KIT		
1	NDC:50814-002-01	1 in 1 BOX		
1		0.45 g in 1 POUCH; Type 2: Prefilled Drug Delivery Device/System (syringe, patch, etc.)		

## Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M003	02/08/2018	12/31/2025

## Part 5 of 5

### INSECT STING RELIEF

benzocaine, alcohol swab

#### Product Information

Item Code (Source)	NDC:50814-041
Route of Administration	TOPICAL

#### Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
<b>BENZOCAINE</b> (UNII: U3RSY48JW5) (BENZOCAINE - UNII:U3RSY48JW5)	BENZOCAINE	60 mg in 1 mL
<b>ALCOHOL</b> (UNII: 3K9958V90M) (ALCOHOL - UNII:3K9958V90M)	ALCOHOL	600 mg in 1 mL

#### Inactive Ingredients

Ingredient Name	Strength
<b>WATER</b> (UNII: 059QF0KO0R)	

#### Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1		2 in 1 KIT		
1	NDC:50814-041-02	0.53 mL in 1 POUCH; Type 0: Not a Combination Product		

#### Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M017	06/29/2018	12/31/2025

#### Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M004	02/08/2018	

**Labeler** - GFA Production (Xiamen) Co., Ltd. (421256261)

## Establishment

Name	Address	ID/FEI	Business Operations
Lights Medical Manufacture Co., Ltd.		529128649	manufacture(50814-007, 50814-009, 50814-039, 50814-042, 50814-002, 50814-041)

Revised: 1/2025

GFA Production (Xiamen) Co., Ltd.