

**LIDOPRO- capsaicin, lidocaine, menthol, and methyl salicylate ointment**  
**Preferred Pharmaceuticals Inc.**

*Disclaimer: This drug has not been found by FDA to be safe and effective, and this labeling has not been approved by FDA. For further information about unapproved drugs, click here.*

-----  
**LidoPro 4% Ointment**

**Active Ingredient**

Capsaicin 0.0325%

**Purpose**

Counterirritant

**Active Ingredient**

Lidocaine HCL 4%

**Purpose**

Topical Anesthetic

**Active Ingredient**

Menthol 10%

**Purpose**

Topical Analgesic

**Active Ingredient**

Methyl Salicylate 27.5%

**Purpose**

Counterirritant

**Uses**

For the temporary relief of joint pain and muscle pain associated with:

- Arthritis
- Simple Backache
- Muscle Sprains
- Muscle Strains

## **Warnings**

### **For External Use Only**

### **Do Not Use**

- On damaged, irritated, or infected skin
- With a bandage or heating pad
- If you are allergic to any ingredients in this product

### **When Using This Product:**

Avoid contact with eyes and mucus membranes

### **Stop Use and Ask a Doctor If:**

- Conditions worsens
- Excessive skin irritation develops
- Symptoms persist for more than 7 days, or symptoms clear up and occur again within 3 days

### **If Pregnant or Breast-Feeding:**

Ask a health professional before use.

### **Keep Out of Reach of Children:**

If ingested seek medical help or contact a Poison Control Center immediately

### **Flammable:**

Keep away from excessive heat or open flame

## **Directions**

### **Adults and Children 12 Years of Age and Older:**

- Clean and dry the affected area
- Apply product directly to your skin, up to 4 times daily affected area
- Wash hands immediately after use

**Children Under 12 Years of Age:** Consult physician

## **Other Information**

- Store in a cool, dry place with lid tightly closed

- If the tamper-evident foil seal is not intact, do not use

## Inactive Ingredients

Allantoin, Aloe Barbadensis Leaf Juice, Ammonium Acryloyldimethyltaurate/VP Copolymer, Cetyl Alcohol, Chamomilla Recutita Matricaria Flower Extract, Dimethicone, Disodium EDTA, Ethylhexylglycerin, Glycerin, Glyceryl Stearate, Inulin Lauryl Carbamate, PEG-100 Stearate, Phenoxyethanol, Stearic Acid, Triethanolamine, Water.

## Questions or Comments?

info@terrainrx.com

**Relabeled By: Preferred Pharmaceuticals Inc.**

## Principal Display Panel

NDC 53225-1020-1

Preferred Pharmaceuticals Inc. NDC 68788-8314-1

**LidoPro Topical Pain Relief Oint. & Applicator**  
Brand Name

Active Ingredients: Lidocaine 4% ...Topical Anesthetic / Menthol 10%...topical analgesic / Capsaicin 0.0325%...counterirritant / Methyl Salicylate 27.5%...counterirritant

**Pkg Size:** Exp Date: ####/###/####  
Lot#: Batch#:

Ins:  
Mfg: Terrain Pharmaceuticals; Reno, NV  
Prod#:

**Warning**  
Store in a cool dry place. Keep away from excessive heat or open flame. For external use only. Do not use on open wounds, cuts, damaged or infected skin; with bandage or heating pad; if condition worsens or symptoms persist for more than 7 days; excessive skin irritation occurs. Avoid contact with eyes, genitals, and other mucous membranes. Keep out of the reach of children. If pregnant or breast-feeding, ask a health professional before use. Package not child-resistant.



CAUTION: Federal law PROHIBITS transfer of this drug to any person other than the patient for whom it was prescribed.

LidoPro Topical Pain Relief Oint. & Applicator  
Qty: Ins:  
Lot: Bat:  
Prod# (NDC):

LidoPro Topical Pain Relief Oint. & Applicator  
Qty: Ins:  
Lot: Bat:  
Prod# (NDC):

LidoPro Topical Pain Relief Oint. & Applicator  
Qty: Ins:  
Insurance NDC:  
Lot: Bat:

LidoPro Topical Pain Relief Oint. & Applicator  
Qty: Ins:  
Lot: Bat:  
Prod# (NDC):



Directions English  
Apply externally \_\_\_\_\_ times a day.



GTIN  
#####  
SN #####  
EXP #####

**Instrucciones Espanol:**  
Aplique externamente \_\_\_\_\_ veces al dia.

Log

Chart

Billing

Patient

<b>LIDOPRO</b>			
capsaicin, lidocaine, menthol, and methyl salicylate ointment			
<b>Product Information</b>			
<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:68788-8314(NDC:53225-1020)
<b>Route of Administration</b>	TOPICAL		
<b>Active Ingredient/Active Moiety</b>			
<b>Ingredient Name</b>	<b>Basis of Strength</b>	<b>Strength</b>	
CAPSAICIN (UNII: S07044B17M) (CAPSAICIN UNII:S07044B17M)	CAPSAICIN	0.000325 g	

<b>CAPSAICIN</b> (UNII: 307044R1Z1M) (CAPSAICIN - UNII:307044R1Z1M)	CAPSAICIN	in 1 g
<b>LIDOCAINE HYDROCHLORIDE</b> (UNII: V13007Z41A) (LIDOCAINE - UNII:98PI200987)	LIDOCAINE HYDROCHLORIDE ANHYDROUS	0.04 g in 1 g
<b>MENTHOL, UNSPECIFIED FORM</b> (UNII: L7T10EIP3A) (MENTHOL - UNII:L7T10EIP3A)	MENTHOL, UNSPECIFIED FORM	0.1 g in 1 g
<b>METHYL SALICYLATE</b> (UNII: LAV5U5022Y) (SALICYLIC ACID - UNII:O414PZ4LPZ)	METHYL SALICYLATE	0.275 g in 1 g

### Inactive Ingredients

Ingredient Name	Strength
<b>INULIN</b> (UNII: JOS53KRJ01)	
<b>STEARIC ACID</b> (UNII: 4ELV7Z65AP)	
<b>ALLANTOIN</b> (UNII: 344S277G0Z)	
<b>ALOE VERA LEAF</b> (UNII: ZY81Z83H0X)	
<b>AMMONIUM ACRYLOYLDIMETHYLTAURATE/VP COPOLYMER</b> (UNII: W59H9296ZG)	
<b>CETYL ALCOHOL</b> (UNII: 936JST6JCN)	
<b>CHAMOMILE</b> (UNII: FGL3685T2X)	
<b>DIMETHICONE, UNSPECIFIED</b> (UNII: 92RU3N3Y10)	
<b>EDETATE DISODIUM</b> (UNII: 7FLD91C86K)	
<b>ETHYLHEXYLGLYCERIN</b> (UNII: 147D247K3P)	
<b>GLYCERIN</b> (UNII: PDC6A3C0OX)	
<b>GLYCERYL MONOSTEARATE</b> (UNII: 230OU9XXE4)	
<b>PEG-100 MONOSTEARATE</b> (UNII: YD01N1999R)	
<b>TROLAMINE</b> (UNII: 903K93S3TK)	
<b>WATER</b> (UNII: 059QF0KO0R)	
<b>PHENOXYETHANOL</b> (UNII: HIE492ZZ3T)	

### Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:68788-8314-1	92 g in 1 BOTTLE; Type 0: Not a Combination Product	07/08/2022	

### Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
Unapproved drug other		07/08/2022	

**Labeler** - Preferred Pharmaceuticals Inc. (791119022)

**Registrant** - Preferred Pharmaceuticals Inc. (791119022)

### Establishment

Name	Address	ID/FEI	Business Operations
------	---------	--------	---------------------

Revised: 7/2025

Preferred Pharmaceuticals Inc.