

**AVOBENZONE, HOMOSALATE, OCTISALATE- avobenzone, homosalate, octisalate lotion**  
**Meijer Distribution, Inc**

-----

**Meijer D40.000/D40AA**  
**Sport Sunscreen Lotion SPF 50**

**Active Ingredients**

Avobenzone 3%

Homosalate 12%

Octisalate 5%

**Purpose**

Sunscreen

**Uses**

- helps prevent sunburn
- if used as directed with other sun protections measures (see ***Directions***), decreases the risk of skin cancer and early skin aging caused by the sun

**Warnings**

For external use only

**Do not use**

- on damaged or broken skin

**When using this product**

- keep out of eyes. Rinse with water to remove.

**Stop use and ask a doctor if**

- rash occurs

**Keep out of reach of children.**

if swallowed, get medical help or contact a Poison Control Center right away.

**Directions**

- apply liberally 15 minutes before sun exposure

- apply to all skin exposed to the sun
- reapply:
- after 80 minutes of swimming or sweating
- immediately after towel drying
- at least every 2 hours
- **Sun Protection Measures.** Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including:
- limit time in the sun, especially from 10 a.m.–2 p.m.
- wear long-sleeved shirts, pants, hats and sunglasses
- children under 6 months of age: Ask a doctor

### **Other information**

- Protect the product in this container from excessive heat and direct sun

### **Inactive ingredients**

water, diethylhexyl 2,6-naphthalate, butyloctyl salicylate, styrene/acrylates copolymer, aluminum starch octenylsuccinate, glycerin, polyester-7, silica, chlorphenesin, benzyl alcohol, arachidyl alcohol, acrylates/C10-30 alkyl acrylate crosspolymer, neopentyl glycol diheptanoate, behenyl alcohol, tocopherol, beeswax, arachidyl glucoside, potassium hydroxide, glyceryl stearate, PEG-100 stearate, disodium EDTA, sodium ascorbyl phosphate, fragrance, amyl cinnamal

### **Disclaimer**

\*This product is not manufactured or distributed by Beiersdorf AG, distributor of Coppertone<sup>®</sup> Sunscreen Lotion Sport Broad Spectrum SPF 50.

**May stain or damage some fabrics or surfaces.**

### **Adverse Reaction**

Questions 1-888-593-0593

DIST. BY MEIJER DISTRIBUTION, INC.

GRAND RAPIDS, MI 49544

[www.meijer.com](http://www.meijer.com)

### **Principal display panel**

meijer<sup>®</sup>

sport sunscreen lotion

BROAD SPECTRUM SPF 50

UVA/UVB SUNSCREEN

SPF 50

WATER RESISTANT (80 MINUTES)

WON'T RUN WHEN YOU START TO SWEAT

OXYBENZONE, OCTINOXATE AND OCTOCRYLENE FREE

Compare to Coppertone® Sport Broad Spectrum SPF 50\*

8 FL OZ (236 mL)

LO021118FA

meijer.

sport  
sunscreen  
lotion

BROAD SPECTRUM SPF 50  
UVA/UVB SUNSCREEN

SPF  
50

WATER RESISTANT (80 MINUTES)

WON'T RUN WHEN  
YOU START TO SWEAT

OXYBENZONE, OCTINOXATE  
AND OCTOCRYLENE FREE

COMPARE TO COPPERTONE®  
SPORT BROAD SPECTRUM SPF 50\*



8 FL OZ (236 mL)

Drug Facts

Active ingredients	Purpose
Avobenzone 3%	Sunscreen
Homosalate 12%	Sunscreen
Octisalate 5%	Sunscreen

Uses

- helps prevent sunburn
- If used as directed with other sun protection measures (see Directions), decreases the risk of skin cancer and early skin aging caused by the sun

Warnings

For external use only

Do not use ■ on damaged or broken skin

When using this product ■ keep out of eyes. Rinse with water to remove.

Stop use and ask a doctor if ■ rash occurs

Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

Directions

- apply liberally 15 minutes before sun exposure
- apply to all skin exposed to the sun
- reapply: ■ after 80 minutes of swimming or sweating
- immediately after towel drying ■ at least every 2 hours
- Sun Protection Measures. Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including:
  - limit time in the sun, especially from 10 a.m. to 2 p.m.
  - wear long-sleeved shirts, pants, hats and sunglasses
  - children under 6 months of age. Ask a doctor

Other information

■ protect the product in this container from excessive heat and direct sun

Inactive ingredients

water, diethylhexyl sebacate, butyl methoxy salicylate, styrene/acrylates copolymer, aluminum starch octyldecanoate, glycerin, polyvinyl-7, silica, chlorophanesin, benzyl alcohol, anisobutyl alcohol, acrylates/C10-30 alkyl acrylate copolymer, neopentyl glycol diheptanoate, benzyl alcohol, tocopherol, beeswax, triethyl citrate, potassium hydroxide, glyceryl stearate, PEG-100 stearate, disodium EDTA, sodium ascorbyl phosphate, fragrance, amyl cinnamal

This product is not manufactured or distributed by Blaudert AG, distributor of Coppertone® Sunscreen Lotion Sport Broad Spectrum SPF 50. May stain or damage some fabrics or surfaces. Questions: 1-888-593-0593. ©2017 BY MEIJER DISTRIBUTION, INC., GRAND RAPIDS, MI 49544 www.meijer.com Pat. Pend.



7

08820 51318

1

AVOBENZONE, HOMOSALATE, OCTISALATE

avobenzone, homosalate, octisalate lotion

Product Information			
Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:79481-9400
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety		
Ingredient Name	Basis of Strength	Strength
<b>AVOBENZONE</b> (UNII: G63QQF2NOX) (AVOBENZONE - UNII:G63QQF2NOX)	AVOBENZONE	30 mg in 1 mL
<b>HOMOSALATE</b> (UNII: V06SV4M95S) (HOMOSALATE - UNII:V06SV4M95S)	HOMOSALATE	120 mg in 1 mL
<b>OCTISALATE</b> (UNII: 4X49Y0596W) (OCTISALATE - UNII:4X49Y0596W)	OCTISALATE	50 mg in 1 mL

Inactive Ingredients	
Ingredient Name	Strength
<b>WATER</b> (UNII: 059QF0KO0R)	
<b>DIETHYLHEXYL 2,6-NAPHTHALATE</b> (UNII: I0DQJ7YGXM)	
<b>BUTYLOCTYL SALICYLATE</b> (UNII: 2EH13UN8D3)	
<b>STYRENE/ACRYLAMIDE COPOLYMER (500000 MW)</b> (UNII: 5Z4DPO246A)	
<b>ALUMINUM STARCH OCTENYLSUCCINATE</b> (UNII: I9PJ0O6294)	
<b>GLYCERIN</b> (UNII: PDC6A3C0OX)	
<b>POLYESTER-7</b> (UNII: 0841698D2F)	
<b>SILICON DIOXIDE</b> (UNII: ETJ7Z6XBU4)	
<b>CHLORPHENESIN</b> (UNII: I670DAL4SZ)	
<b>BENZYL ALCOHOL</b> (UNII: LKG8494WBH)	
<b>ARACHIDYL ALCOHOL</b> (UNII: 1QR1QRA9BU)	
<b>CARBOMER COPOLYMER TYPE B (ALLYL PENTAERYTHRITOL CROSSLINKED)</b> (UNII: 809Y72KV36)	
<b>NEOPENTYL GLYCOL DIHEPTANOATE</b> (UNII: 5LKW3C543X)	
<b>DOCOSANOL</b> (UNII: 9G1OE216XY)	
<b>TOCOPHEROL</b> (UNII: R0ZB2556P8)	
<b>YELLOW WAX</b> (UNII: 2ZA36H0S2V)	
<b>ARACHIDYL GLUCOSIDE</b> (UNII: 6JVB35JOJ)	
<b>POTASSIUM HYDROXIDE</b> (UNII: WZH3C48M4T)	
<b>GLYCERYL MONOSTEARATE</b> (UNII: 230OU9XXE4)	
<b>PEG-100 STEARATE</b> (UNII: YD01N1999R)	
<b>EDETATE DISODIUM ANHYDROUS</b> (UNII: 8NLQ36F6MM)	
<b>SODIUM ASCORBYL PHOSPHATE</b> (UNII: 836SJG51DR)	
<b>.ALPHA.-AMYL CINNAMALDEHYDE</b> (UNII: WC51CA3418)	

Packaging				
#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:79481-9400-1	236 mL in 1 BOTTLE, PLASTIC; Type 0: Not a Combination Product	08/07/2023	

Marketing Information			
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M020	08/07/2023	

**Labeler** - Meijer Distribution, Inc (006959555)

**Registrant** - Consumer Product Partners, LLC (119091520)

**Establishment**

Name	Address	ID/FEI	Business Operations
Consumer Product Partners, LLC		119091514	manufacture(79481-9400)

Revised: 6/2025

Meijer Distribution, Inc