

**TEXACLEAR KIDS ALLERGY- chlophedianol hcl pyrilamine maleate liquid**  
**GM Pharmaceuticals, Inc.**

-----  
**TexaClear Kids Allergy**

**Active Ingredients**

**(in each 30 mL (2 TBSP))**

Chlophedianol HCl 12.5 mg

Pyrilamine Maleate 25 mg

**Purpose**

Cough Suppressant

Antihistamine

**Uses**

Temporarily relieves these symptoms due to the common cold, hay fever (allergic rhinitis) or other upper respiratory allergies:

- itchy nose or throat
- sneezing
- itchy, watery eyes
- runny nose
- cough due to minor throat and bronchial irritation

**Warnings**

**Ask doctor before use if you have**

- a cough that lasts or is chronic such as occurs with smoking, asthma, or emphysema
- glaucoma
- difficulty in urination due to the enlargement of the prostate gland
- cough that occurs with too much phlegm(mucus)
- a breathing problem such as emphysema or chronic bronchitis

**Ask a doctor or pharmacist before use if you are**

- taking sedative or tranquilizers

**When using this product**

- do not use more than directed
- marked drowsiness may occur
- alcohol, sedatives, and tranquilizers may increase drowsiness

- be careful when driving a motor vehicle or operating machinery
- excitability may occur, especially in children

**Stop use and ask a doctor if**

- Nervousness, dizziness, or sleeplessness occurs
- symptoms do not improve within 7 days, tend to recur, or are accompanied by a fever, rash or persistent headache. A persistent cough may be a sign of a serious condition.
- new symptoms occur

**If pregnant or breast-feeding,** as a health professional before use.

**Keep out of reach of children.**

In case of overdose, get medical help or contact a Poison Control Center right away.

**Directions**

- **Do not exceed 4 doses per 24-hours.**
- Use enclosed dose cup and keep with product.
- mL = milliliter

Adults and children 12 years of age and over:	60 mL (2 dose cups) every 6 to 8 hours
Children 6 to under 12 years of age:	30 mL (1 dose cup) every 6 to 8 hours
<b>Children under 6 years of age:</b>	<b>Do not use.</b>

**Other Information**

- each 30 mL contains: **Sodium 14 mg**
- read all product information before using
- store at room temperature 68-86°F (20-30°C)

**Inactive ingredients**

citric acid, glycerin, propylene glycol, purified water, sodium benzoate, sodium citrate, sorbitol, sucralose

**Questions or comments?**

Call 1-888-535-0305 9 a.m. - 5 p.m. CST.

Distributed by:  
 GM Pharmaceuticals, Inc.  
 Fort Worth, TX 76118

KEEP LEAFLET AFTER OPENING

TexaClear® Kids Allergy + Cough

NDC 58809-925-08

8 fl. oz. (237 mL)

Chlophedianol HCl – Cough Suppressant

Pyrilamine Maleate – Antihistamine

Tamper evident: do not use if foil seal under cap is broken or missing

- Gluten Free
- Dye Free
- Sugar Free
- Alcohol Free
- Acetaminophen Free

Ages 6+

Dose every 6 to 8 hours

- Sneezing
- Runny Nose
- Watery Eyes
- Itchy Nose & Throat
- Cough

Distributed by:

GM Pharmaceuticals, Inc. Fort Worth, TX 76118

**TAMPER EVIDENT: DO NOT USE IF FOIL SEAL UNDER CAP IS BROKEN OR MISSING**

NDC 58809-925-08

**TEXACLEAR**

**Kids**

**UP TO 8 HOUR ALLERGY + COUGH**

Chlophedianol HCl 12.5 - Cough Suppressant  
Pyrilamine Maleate 25 mg - Antihistamine

**FREE & CLEAR FORMULA**

Watery Eyes, Runny Nose  
Itchy Nose & Throat  
Sneezing, Cough

8 fl oz (237 mL)

**Ages 6+**

**LIQUID FAST**

**FREE & CLEAR CLEAN FORMULA**

- Dye Free
- Sugar Free
- Gluten Free
- Alcohol Free
- Acetaminophen Free

**LIFT HERE FOR COMPLETE DRUG FACTS**

- Ages 6+
- Dose every 6 to 8 hours

Please visit our website  
[www.texaclear.com](http://www.texaclear.com)

3 58809 92508 7

Distributed by:  
GM Pharmaceuticals, Inc.  
Fort Worth, TX 76118  
401133-02 REV.0823

U.S. Pat: 9,463,191

## Drug Facts

### Active ingredients (in each 30 mL)

Chlophedianol HCl 12.5 mg.....Cough suppressant  
Pyrilamine Maleate 25 mg.....Antihistamine

### Purpose

**Uses** temporarily relieves these symptoms due to hay fever or other upper respiratory allergies:

- itchy nose or throat    ■ sneezing
- itchy, watery eyes    ■ runny nose
- cough due to minor throat and bronchial irritation

### Warnings

**Ask a doctor before use if you have**

- a cough that lasts or is chronic such as occurs with smoking asthma, or emphysema
- glaucoma
- difficulty in urination due to enlargement of the prostate gland
- cough that occurs with too much phlegm (mucus)
- a breathing problem such as emphysema or chronic bronchitis

**Ask a doctor before use if you are taking sedatives or tranquilizers.**

**When using this product**

- do not use more than directed
- marked drowsiness may occur
- alcohol, sedatives, and tranquilizers may increase drowsiness
- avoid alcoholic drinks
- be careful when driving a motor vehicle or operating machinery
- excitability may occur, especially in children

**Stop use and ask a doctor if**

- nervousness, dizziness, or sleeplessness occurs
- symptoms do not improve within 7 days, tend to recur, or are accompanied by a fever, rash or persistent headache. A persistent cough may be a sign of a serious condition
- new symptoms occur

**If pregnant or breast-feeding, ask a health professional before use.**

**Keep out of reach of children.** In case of overdose, get medical help or contact a Poison Control Center right away.

### Directions

- do not exceed 4 doses per 24 hours    ■ mL= milliliter
- use enclosed dose cup and keep with product

adults and children 12 years of age and over:	60 mL (2 dose cups) every 6 to 8 hours
children 6 to under 12 years of age:	30 mL (1 dose cup) every 6 to 8 hours
children under 6 years:	do not use

### Other information

- each 30 mL contains: **Sodium 14 mg**
- read all product information before using
- store at room temperature 20-30°C (68-86°F)

### Inactive ingredients

citric acid, glycerin, propylene glycol, purified water, sodium benzoate, sodium citrate, sorbitol, sucralose

### Questions or comments?

Call 1-888-535-0305 9 a.m. - 5 p.m. CST.

## TEXACLEAR KIDS ALLERGY

chlophedianol hcl pyrilamine maleate liquid

### Product Information

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:58809-925	
<b>Route of Administration</b>	ORAL			
<b>Active Ingredient/Active Moiety</b>				
<b>Ingredient Name</b>		<b>Basis of Strength</b>	<b>Strength</b>	
CHLOPHEDIANOL HYDROCHLORIDE (UNII: 69QQ58998Y) (CHLOPHEDIANOL - UNII:42C50P12AP)		CHLOPHEDIANOL HYDROCHLORIDE	12.5 mg in 30 mL	
PYRILAMINE MALEATE (UNII: R35D29L3ZA) (PYRILAMINE - UNII:HPE317O9TL)		PYRILAMINE MALEATE	25 mg in 30 mL	
<b>Inactive Ingredients</b>				
<b>Ingredient Name</b>			<b>Strength</b>	
PROPYLENE GLYCOL (UNII: 6DC9Q167V3)				
GLYCERIN (UNII: PDC6A3C0OX)				
SODIUM BENZOATE (UNII: OJ245FE5EU)				
SODIUM CITRATE (UNII: 1Q73Q2JULR)				
ANHYDROUS CITRIC ACID (UNII: XF417D3PSL)				
SORBITOL (UNII: 506T60A25R)				
SUCRALOSE (UNII: 96K6UQ3ZD4)				
WATER (UNII: 059QF0KO0R)				
<b>Packaging</b>				
<b>#</b>	<b>Item Code</b>	<b>Package Description</b>	<b>Marketing Start Date</b>	<b>Marketing End Date</b>
1	NDC:58809-925-08	237 mL in 1 BOTTLE; Type 0: Not a Combination Product	06/15/2016	
<b>Marketing Information</b>				
<b>Marketing Category</b>	<b>Application Number or Monograph Citation</b>	<b>Marketing Start Date</b>	<b>Marketing End Date</b>	
OTC Monograph Drug	M12	06/15/2016		

**Labeler** - GM Pharmaceuticals, Inc. (793000860)

## Establishment

Name	Address	ID/FEI	Business Operations
Sovereign Pharmaceuticals, LLC		623168267	manufacture(58809-925)

Revised: 11/2023

GM Pharmaceuticals, Inc.