

NICCOLUM METALLICUM- nickel pellet
Boiron

Disclaimer: This homeopathic product has not been evaluated by the Food and Drug Administration for safety or efficacy. FDA is not aware of scientific evidence to support homeopathy as effective.

NICCOLUM METALLICUM 200CK

NICCOLUM METALLICUM 200CK HPUS

Less than 10^{-12} mg nickel per pellet

Active ingredient**: See product name on front panel (contains 0.443 mg of the active ingredient per pellet).

Relieves headache from mental overexertion *

Uses: See symptoms on front panel.

Stop use and ask a doctor if symptoms persist for more than 3 days or worsen.

If pregnant or breast-feeding, ask a health professional before use.

Keep out of reach of children.

Adults and children: At the onset of symptoms, dissolve 5 pellets under the tongue 3 times a day until symptoms are relieved or as directed by a doctor

lactose, sucrose

BoironUSA.com Info@boiron.com

1-800-BOIRON-1 (1-800-264-7661)

Distributed by Boiron, Inc.

Newtown Square, PA 19073

Do not use if pellet dispenser seal is broken.

Contains approx.80 pellets.

How to dispense pellets? Turn tube upside down. Twist until 5 pellets are dispensed into cap. Carefully remove the cap and use it to pour pellets under the tongue.

*CLAIMS BASED ON TRADITIONAL HOMEOPATHIC PRACTICE NOT ACCEPTED MEDICAL EVIDENCE. NOT FDA EVALUATED.

**C,K,CK, and X are homeopathic dilutions: see BoironUSA.com/info for details.

Niccolum metallicum

200^{ck}

Relieves headache from mental overexertion *

BOIRON®

Made in France

HOMEOPATHIC MEDICINE

HPUS NDC 0220-3651-41

Less than 10⁻¹² mg nickel per pellet

Do not use if pellet dispenser seal is broken

LOT

EXP

3

06963

65141

0

Contains approx. 80 pellets.

US

Peel for Drugs Facts and instructions for use.

*CLAIMS BASED ON TRADITIONAL HOMEOPATHIC PRACTICE, NOT ACCEPTED MEDICAL EVIDENCE. NOT FDA EVALUATED.

Niccolum metallicum 200 ck

Drug Facts

Active ingredient:** See product name on front panel (contains 0.443 mg of the active ingredient per pellet).

Uses: See symptoms on front panel.

Warnings: Stop use and ask a doctor if symptoms persist for more than 3 days or worsen. If pregnant or breast-feeding, ask a health professional before use. Keep out of reach of children.

Directions: ■ Adults and children: At the onset of symptoms, dissolve 5 pellets under the tongue 3 times a day until symptoms are relieved or as directed by a doctor.

Drug Facts (continued)

Inactive ingredients: lactose, sucrose

Questions or comments?

BoironUSA.com Info@Boiron.com

1-800-BOIRON-1 (1-800-264-7661)

**C, K, CK, and X are homeopathic dilutions: see BoironUSA.com/info for details.

Distributed by Boiron Inc.
Newtown Square, PA 19073

How to dispense pellets?

1

Turn tube upside down.

2

Twist until 5 pellets are dispensed into cap.

3

Carefully remove cap and use it to pour pellets under the tongue.

NICCOLUM METALLICUM

nickel pellet

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:0220-3651
Route of Administration	ORAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
NICKEL (UNII: 7OV03QG267) (NICKEL - UNII:7OV03QG267)	NICKEL	200 [kp_C] in 200 [kp_C]

Inactive Ingredients

Ingredient Name			Strength	
LACTOSE, UNSPECIFIED FORM (UNII: J2B2A4N98G)				
SUCROSE (UNII: C151H8M554)				
Product Characteristics				
Color	white	Score		
Shape	ROUND	Size	4mm	
Flavor		Imprint Code		
Contains				
Packaging				
#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:0220-3651-41	200 [kp_C] in 1 TUBE; Type 0: Not a Combination Product	01/01/2025	
Marketing Information				
Marketing Category	Application Number or Monograph Citation		Marketing Start Date	Marketing End Date
unapproved homeopathic			01/01/2025	

Labeler - Boiron (282560473)

Registrant - Borion, Inc. (014892269)

Establishment			
Name	Address	ID/FEI	Business Operations
Boiron		282560473	manufacture(0220-3651)