

**SALICYLICUM ACIDUM- salicylic acid pellet**  
**Boiron**

*Disclaimer: This homeopathic product has not been evaluated by the Food and Drug Administration for safety or efficacy. FDA is not aware of scientific evidence to support homeopathy as effective.*

-----  
**SALICYLICUM ACIDUM 200CK**

SALICYLICUM ACIDUM 200CK HPUS

Less than 10<sup>-12</sup> mg salicylic acid per pellet

Active ingredient\*\*: See product name on front panel (contains 0.443 mg of the active ingredient per pellet).

Relieves dizziness worsened by damp weather \*

Uses: See symptoms on front panel.

**Stop use and ask a doctor** if symptoms persist for more than 3 days or worsen.

**If pregnant or breast-feeding**, ask a health professional before use.

**Keep out of reach of children.**

Adults and children: At the onset of symptoms, dissolve 5 pellets under the tongue 3 times a day until symptoms are relieved or as directed by a doctor.

lactose, sucrose

**BoironUSA.com Info@boiron.com**

**1-800-BOIRON-1** (1-800-264-7661)

Distributed by Boiron, Inc.

Newtown Square, PA 19073

Do not use if pellet dispenser seal is broken.

Contains approx.80 pellets.

How to dispense pellets? Turn tube upside down. Twist until 5 pellets are dispensed into cap. Carefully remove the cap and use it to pour pellets under the tongue.

\*CLAIMS BASED ON TRADITIONAL HOMEOPATHIC PRACTICE NOT ACCEPTED MEDICAL EVIDENCE. NOT FDA EVALUATED.

\*\*C,K,CK, and X are homeopathic dilutions: see BoironUSA.com/info for details.

**Salicylicum acidum** **200ck**

Relieves dizziness worsened by damp weather \*

**BOIRON®**

Made in France **HOMEOPATHIC MEDICINE**

HPUS NDC 0220-4512-41

Less than 10<sup>-12</sup> mg salicylic acid per pellet  
Do not use if pellet dispenser seal is broken

LOT	EXP
3 06964	51241 3

Contains approx. 80 pellets. US

**Peel for Drugs Facts and instructions for use.**

\*CLAIMS BASED ON TRADITIONAL HOMEOPATHIC PRACTICE, NOT ACCEPTED MEDICAL EVIDENCE. NOT FDA EVALUATED.

Salicylicum acidum 200 ck

### Drug Facts

**Active ingredient\*\*:** See product name on front panel (contains 0.443 mg of the active ingredient per pellet).

**Uses:** See symptoms on front panel.

**Warnings:** Stop use and ask a doctor if symptoms persist for more than 3 days or worsen. If pregnant or breast-feeding, ask a health professional before use. Keep out of reach of children.

**Directions:** ■ Adults and children: At the onset of symptoms, dissolve 5 pellets under the tongue 3 times a day until symptoms are relieved or as directed by a doctor.

### Drug Facts (continued)

**Inactive ingredients:** lactose, sucrose

### Questions or comments?

BoironUSA.com Info@Boiron.com

1-800-BOIRON-1 (1-800-264-7661)

\*\*C, K, CK, and X are homeopathic dilutions: see

BoironUSA.com/info for details.

Distributed by Boiron Inc.

Newtown Square, PA 19073

**How to dispense pellets?**

- 1 Turn tube upside down.
- 2 Twist until 5 pellets are dispensed into cap.
- 3 Carefully remove cap and use it to pour pellets under the tongue.

## SALICYLICUM ACIDUM

salicylic acid pellet

### Product Information

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:0220-4512
<b>Route of Administration</b>	ORAL		

### Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
<b>SALICYLIC ACID</b> (UNII: O414PZ4LPZ) (SALICYLIC ACID - UNII:O414PZ4LPZ)	SALICYLIC ACID	200 [kp_C] in 200 [kp_C]

## Inactive Ingredients

Ingredient Name	Strength
LACTOSE, UNSPECIFIED FORM (UNII: J2B2A4N98G)	
SUCROSE (UNII: C151H8M554)	

## Product Characteristics

Color	white	Score	
Shape	ROUND	Size	4mm
Flavor		Imprint Code	
Contains			

## Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:0220-4512-41	200 [kp_C] in 1 TUBE; Type 0: Not a Combination Product	01/01/2025	

## Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
unapproved homeopathic		01/01/2025	

**Labeler** - Boiron (282560473)

**Registrant** - Boiron, Inc. (014892269)

## Establishment

Name	Address	ID/FEI	Business Operations
Boiron		282560473	manufacture(0220-4512)

Revised: 8/2025

Boiron