

TRZSFR 5% MINOXIDIL HAIR GROWTH SPRAYS SERUM- minoxidil liquid
Guangzhou Borderless Technology Co., Ltd.

85304-011 Trzsfr 5% Minoxidil Hair Growth Sprays Serum

Minoxidil 5%

Biotin 0.5%

Hair Regrowth Treatment

Use to regrow hair and beard,

Keep out of reach of children.

For external use only.

Your hair loss is sudden and/or patchy.

Your hair loss is associated with childbirth.

You do not know the reason for your hair loss.

You are under 18 years of age. Do not use on babies and children.

Your scalp is red, inflamed, infected, irritated, or painful.

You use other medicines on the scalp.

Avoid contact with the eyes. In case of accidental contact, rinse eyes with large amounts of cool tap water

Some people have experienced changes in hair color and/or texture.

It takes time to regrow hair. Results may occur at 3 months with twice a day usage. For some men, you may need to use this product for at least 6 months before you see results. The amount of hair regrowth is different for each person.

Avoid contact with eyes. In case of accidental contact, rinse eyes with a large amount of cool tap water.

Chest pain, rapid heartbeat, faintness, or dizziness occurs.

Sudden, unexplained weight gain occurs.

If unwanted facial hair growth occurs.

If you do not see hair regrowth in 6 months

Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center (1-800-222-1222) right away.

1. Make sure your hair and scalp are dry (no need to wash your hair before each use)
2. Apply 3-4 pumps of spray directly to the treated area of the scalp
3. Gently massage into the scalp or thinning hair areas until absorbed.
4. Continued use is required to increase and maintain hair regrowth. Discontinuation may lead to hair loss

Butylene Glycol

Glycerin

Alcohol

Castor oil

Dexpanthenol

Drug Facts

Active Ingredient
Minoxidil 5% w/w
Biotin 0.5% w/w

Use to regrow hair and beard.

Warnings
Keep out of reach of children.
For external use only.

Do not use if
• Your hair loss is sudden and/or patchy.
• Your hair loss is associated with children.
• You do not know the reason for your hair loss.
• You are under 18 years of age. Do not use on babies and children.
• Your scalp is red, inflamed, infected, itched, or painful.
• You use other medicines on the scalp.

When Using
• Avoid contact with the eyes. In case of accidental contact, rinse eyes with large amounts of cool tap water.
• Some people have experienced changes in hair color and/or texture.
• It takes time to regrow hair. Results may occur at 3 months with twice a day usage. For some men, you may need to use this product for at least 6 months before you see results. The amount of hair regrowth is different for each person.
• Avoid contact with eyes. In case of accidental contact, rinse eyes with a large amount of cool tap water.

Stop use and ask a doctor if
• Chest pain, rapid heartbeat, faintness, or dizziness occurs.
• Sudden, unexplained weight gain occurs.
• If unwanted facial hair growth occurs.
• If you do not see hair regrowth in 6 months.

Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center (1-800-222-1222) right away.

Directions
1 Make sure your hair and scalp are dry (no need to wash your hair before each use).
2 Apply 3-4 pumps of spray directly to the treated area of the scalp.
3 Gently massage into the scalp or thinning hair areas until absorbed.
4 Continued use is required to increase and maintain hair regrowth. Discontinuation may lead to hair loss.

Other information
Before use, read all information on the carton and the enclosed leaflet.
Store at a controlled room temperature of 5°C to 35°C (41°F to 95°F).
Do not incinerate the container. Do not expose to heat or store it at temperatures above 40°C (104°F).

Inactive ingredients
Butylene Glycol, Glycerin, Alcohol, Castor oil, Dexpantenol, Water

Questions?
Support@fnpip.com

Purpose
Hair Regrowth Treatment

DIRECTIONS FOR USE
See the information leaflet for complete directions on how to use the product and obtain the best results.

Step 1
Make sure your hair and scalp are dry (no need to wash your hair before each use).

Step 2
Apply 3-4 pumps of spray directly to the treated area of the scalp.

Step 3
Gently massage into the scalp or thinning hair areas until absorbed.

Step 4
Continued use is required to increase and maintain hair regrowth. Discontinuation may lead to hair loss.

Trzszfr

• **EXTRA STRENGTH** •

MINOXIDIL SPRAY

• Hair Regrowth Treatment •

Men & Women

Minoxidil with BIOTIN 5%

#1
RECOMMENDED BRAND

• Reduce hair loss •
• Restore thinning hair •
• Stimulate hair newborn •

• Unscented •
• EASY-TO-USE •
• USE TWICE DAILY •

4x100ml BOTTLES
TOTAL 13.5 OZ

6 Month Supply

Distributor: Guangzhou Bordenless Technology Co., Ltd.
Address: Room 2002, 2nd Floor, Building 1, No. 2, Tianshangang 2nd Road, Xinying, Tianjin District, China 300380

MADE IN PRC

Minoxidil Spray
5% Minoxidil with BIOTIN

**FOR BEST RESULTS
USE
TWICE
DAILY**
DIRECTIONS TO USE

4x100ml (3.38 oz) Cans
TOTAL 400 ml (13.9 oz)



EXTRA STRENGTH

MINOXIDIL SPRAY

Hair Regrowth Treatment

Men & Women

Minoxidil with BIOTIN 5%

- Reduces hair loss
- Restores thinning hair
- Stimulate hair newborn
- Uncensored
- EASY TO USE
- USE TWICE DAILY





One 100ml (3.38 oz) Can

Drug Facts

Active Ingredient
Minoxidil 5% w/w
Biotin 0.5% w/w

Use
To regrow hair and beard.

Warnings
•Keep out of reach of children.
•For external use only.

Other information
Before use, read all information on carton and enclosed leaflet.
Store at a controlled room temperature of 5°C to 35°C (41°F to 95°F).
Do not incinerate the container. Do not expose it to heat or store it at temperatures above 40°C (104°F).

Inactive ingredients
Butylene Glycol, Glycerin, Alcohol, Castor oil, Dexamethrol, Water.

Questions?
Cservico@fmpo.com

Distributor: Guangzhou Borderless Technology Co., Ltd.

Made In PRC

Drug Facts

Active Ingredient
Minoxidil 5% w/v
Isopropyl Alcohol

Use to regrow hair and beard.

Warnings
Keep out of reach of children.
For external use only.

Do not use if:

- Your heart has sudden arrhythmia.
- Your heart failure is associated with pathology.
- You do not know the reason for your hair loss.
- You are under 18 years of age. Do not use on babies and children.
- Your scalp is red, inflamed, infected, irritated, or painful.
- You are on other medicines on the scalp.

When Using

- Avoid contact with the eyes. In case of accidental contact, rinse eyes with large amounts of cool tap water.
- Some people have experienced changes in heart rate and angina features.
- It takes time to regrow hair. Results may occur at 3 months with twice a day usage. For some men, you may need to use this product for at least 6 months before you see results. The amount of hair regrowth is different for each person.
- Avoid contact with the eyes. In case of accidental contact, rinse eyes with a large amount of cool tap water.

Stop use and ask a doctor if:

- Chest pain, rapid heartbeat, dizziness, or dizziness occurs.
- Unexplained weight gain occurs.
- Unimproved facial hair growth occurs.
- If you do not see hair regrowth in 6 months.

Directions

- Mainly men: keep your hair and scalp as dry as you can until you feel your hair before each use.
- Apply 4 pumps of spray directly to the areas of loss of the scalp.
- Gently massage into the scalp or thinning hair area until absorbed.
- Continued use is required to increase and maintain hair regrowth. Discontinuation may lead to hair loss.

Other information

Before use, read all information on the carton and the enclosed leaflet. Store at a controlled room temperature of 5°C to 30°C (41°F to 90°F). Do not freeze the container. Do not expose to heat or store it at temperatures above 40°C (104°F).

Inactive ingredients
Butylene Glycol, Glycerin, Alcohol, Carbamyl, Dimethylsiloxane, Water

Questions?
Support@Trimzfr.com

TRIZSFR

• EXTRA STRENGTH • MINOXIDIL SPRAY

• Hair Regrowth Treatment •

Step 1

Make sure your hair and scalp are dry enough to wash your hair before you need to wash your hair again and use.

Step 2

Apply 4 pumps of spray directly to the treated area of the scalp.

Step 3

Gently massage into the scalp or thinning hair areas until absorbed.

Step 4

Continued use is required to increase and maintain hair regrowth. Discontinuation may lead to hair loss.

● Reduce hair loss

● Restore thinning hair

● Stimulate hair newborn

● Unscented

● EASY-TO-USE

● USE TWICE DAILY

Distributor: Greenbridge Bioscience Inc., 2nd Floor Building A, No. 100, Zhongyuan Road, Xingyi Town, Shaoxing City, Zhejiang Province, China

Made in China

4x100ml BOTTLES

TOTAL 13.5 OZ

6 Month Supply

4x100ml (3.38 oz) Cans
TOTAL 13.5 FL OZ (393 ml)

Minoxidil Spray
Minoxidil with BIOTIN

TRY IT NOW!

USE TWICE DAILY

FOR BEST RESULTS

#1

MENTHOLATED

Drug Facts
Active ingredient
Minoxidil 5% w/v
Minoxidil 5% w/v
Warnings
Use to regrow hair and beard.
Directions
Apply 1 pump of spray to the scalp.
Do not use if:
• Your hair is in shock or under any therapy.
• Your hair loss is associated with psoriasis.
• You do not know the reason for your hair loss.
• You are under 18 years of age. Do not use on babies and children.
• Your scalp is red, inflamed, infected, moist, or itchy.
• You are using other medicines on the scalp.
When Using
• Avoid contact with the eyes. In case of contact, rinse eyes with large amounts of cool tap water.
• Some people have experienced changes in heart rate and/or blood pressure.
• It takes time to regrow hair. Results may appear about 3 months with twice a day usage. For some men, you may need to use this product for at least 6 months before you see results. The amount of hair regrowth is different for each person.
• Avoid contact with eyes. In case of accidental contact, rinse eyes with a large amount of cool tap water.
Step 1
Apply 3-4 pumps of spray directly to the scalp or beard area until the scalp or beard area is wet.
Step 2
Apply 3-4 pumps of spray directly to the scalp or beard area until the scalp or beard area is wet.
Step 3
Gently massage into the scalp or beard area until absorbed.
Step 4
Continue use is required to increase and maintain hair regrowth. Discontinuation may lead to hair loss.
Other information
Before use, read all information on the carton and the enclosed insert.
Store at a controlled room temperature of 5°C to 25°C (41°F to 77°F).
Do not expose to heat or store at temperatures above 40°C (104°F).
Inactive ingredients
Butylene Glycol, Glycerin, Alcohol, Castor oil, Dextran/Chitosan, Water
Questions?
Support@Procap.com

Trzszr
EXTRA STRENGTH
MINOXIDIL SPRAY
Men & Women
Minoxidil with BIOTIN 5%
#1
Reduce hair loss
Restore thinning hair
Stimulate hair newborn
Unscented
EASY-TO-USE
USE TWICE DAILY

4x100ml BOTTLES
TOTAL 13.5 OZ
6 Month Supply
4x100ml (13.8 oz) Cans
TOTAL 400 ml (13.5 oz) Cans



EXTRA STRENGTH MINOXIDIL SPRAY

• Hair Regrowth Treatment
• **Main & Women**

Minoxidil with Biotin **5%**

with **RETINOL**

- Restores Hair Loss
- Restores Thinning Hair
- Stimulates Hair Regrowth
- Unclogged
- Biotin 10%
- Used Twice Daily





One 100ml / 3.38 US FL. Oz. Can.

Drug Facts

Active Ingredient
Minoxidil 5% w/v
Biotin 10% w/v

Use
Use 1-2 times hair and beard.

Warnings
Keep off of scalp of children.
For external use only.

Other information
Before use, wash all information on carton and enclosed label.
Store in a controlled room temperature of 70°F to 80°F (21°C to 27°C).
Do not increase the quantity. Do not expose to higher heat source for temperature above 40°C (104°F).

Inactive Ingredients
Polyurethane Glycol, Glycerin, Alcohol, Castor Oil, Depermentol, Water

Questions?
Contact@Tizze.fr

Distributer : Guangzhou Bosheng Technology Co., Ltd.
Made in China

TRZSFR 5% MINOXIDIL HAIR GROWTH SPRAYS SERUM

minoxidil liquid

Product Information				
Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:85304-011	
Route of Administration	TOPICAL			
Active Ingredient/Active Moiety				
Ingredient Name		Basis of Strength	Strength	
BIOTIN (UNII: 6SO6U10H04) (BIOTIN - UNII:6SO6U10H04)		BIOTIN	0.5 g in 100 mL	
MINOXIDIL (UNII: 5965120SH1) (MINOXIDIL - UNII:5965120SH1)		MINOXIDIL	5 g in 100 mL	
Inactive Ingredients				
Ingredient Name			Strength	
DEXPANTHENOL (UNII: 1O6C93RI7Z)				
WATER (UNII: 059QF0KO0R)				
CASTOR OIL (UNII: D5340Y2I9G)				
BUTYLENE GLYCOL (UNII: 3XUS85K0RA)				
GLYCERIN (UNII: PDC6A3C0OX)				
ALCOHOL (UNII: 3K9958V90M)				
Packaging				
#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:85304-011-01	4 in 1 PACKAGE	08/05/2025	
1		100 mL in 1 BOTTLE; Type 0: Not a Combination Product		
2	NDC:85304-011-02	8 in 1 PACKAGE	08/05/2025	
2		100 mL in 1 BOTTLE; Type 0: Not a Combination Product		
Marketing Information				
Marketing Category		Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug		505G(a)(3)	08/05/2025	

Labeler - Guangzhou Borderless Technology Co., Ltd. (452282332)

Establishment				
Name		Address	ID/FEI	Business Operations

Guangzhou Borderless Technology Co., Ltd.		452282332	manufacture(85304-011)
---	--	-----------	------------------------

Revised: 8/2025

Guangzhou Borderless Technology Co., Ltd.