# OCSINL HAIR REGROWTH TREATMENT- minoxidil topical solution 5% liquid Hainan Shengtaizhuo International Information Development Co., LTD

-----

### MINOXIDIL

Hair Regrowth

- 1. Massage the scalp to fully relax the scalp, 2.Ad one or two drops to the scalp area to be used.3. Apply evenly to the rest of the area.
- 4. Continue to use weice a day

For external use only. For external use only Keep away from fire and flame

If swallowed, get medical help or contact a Poison Control Center right away.

1. Do not apply on other parts of the body, For topical use only on the scalp. 2. Avoid contact with the eyes in case of accidental contact rinse eyes with large arrounts of cool tap water 3. Some people have experienced changes in hair color and/or texture. 4. The amount of hair regrowth is different for each person. This product will not work for all men. Usage:1. Massage the scalp to fully relax the scalp.2. Ad one or two dropsto the scalp area to be used.3. Apply evenly to the rest of the area.4. Continue to use weice a day. Friendly reminder: it takes time to regrow hair, it usually takes 45-60 days to see the effect, the specific effect will vary from person to person, some people may need 90 days to see the effect.

You have no family history of hair loss, hair loss is sudden and/or patchy.

You do not know the reason for you hair loss.

You ae under 18 years of age, Do not use it on babies and children your scalp is red, inflamed, infected, irritated, or painful.


You use other medicines on the scalp. Ask a doctor before use if you hace heart disease.

Chest pain, rapid heart beat, faintness, or dizziness occurs sudden, unexplained weight gain occurs, your hands or feet swell.

WATER, PLATYCLADUS ORIENTALIS LEAF EXTRACT, ROSMARINUS OFFICINALIS (ROSEMARY) EXTRACT, BATANA OIL, RICINUS COMMUNIS (CASTOR) SEED OIL, MENTHA HAPLOCALYX EXTRACT, ALCOHOL, PROPYLENE GLYCOL.

Twice each day, 4 sprays (1ml)each time. 50 days supply

ocsinl minoxidil



# Drug Facts

# Active Ingredient Purpose

Minoxidil 5%w/v---Hair regrowth treatment

Use to regrow hair.

#### Warnings

- · For external use only
- Keep out of reach of children.
- Avoid contact with eyes. In case of accidental contact, rinse eyes with large amounts of cool tap water.
- Discontinue use and rinse with clean water immediately if redness or skin irritation occurs.
- Avoid using on broken, sunburned, inflamed, or sensitive skin.
- May be harmful if used when pregnant or breastfeeding.
- If swallowed, get medical help or contact a Poison Control Center right away (1–800–222-1222).

# **OCSINL®**

Hair Regrowth Treatment

# Minoxidil Topical

Solution USP, 5%

TOPICAL SOLUTION | UNSCENTED



60 m /2.02 fl.oz

### Drug Facts (continued)

#### Directions

- Pour the minoxidil solution from the pointed bottle into the massager container and use the side with the comb teeth and roller to gently and evenly massage the hair loss areas on the scalp.
- Use 1 ml twice daily (according to the scale on the massager).
- Increasing dosage or frequency will not improve results.
- Continuous use is required to promote and maintain hair regrowth, otherwise hair loss may occur again.
- Clean the massager after each use to prevent crystallization or clogging.
- Tighten the cap after each use to prevent the minoxidil topical solution from leaking or evaporating.

# Inactive Ingredients:

WATER, PLATYCLADUS ORIENTALIS LEAF EXTRACT, ROSMARINUS OFFICINALIS (ROSEMARY) EXTRACT, BATANA OIL, RICINUS COMMUNIS (CASTOR) SEED OIL, MENTHA HAPLOCALYX EXTRACT, ALCOHOL, PROPYLENE GLYCOL.

Questions or Comments? Email: VGObeauty@163.com



Hainan Shengtaizhuo International Information Development Co., LTD

C-40, Xingchuang Future Technology Park, 3/F, Hainan Mansion, No. 5 Guoxing Avenue, Meilan District, Haikou City, Hainan Province, China

LOT: 0C2507 EXP: 07/2028





# OCSINL HAIR REGROWTH TREATMENT

minoxidil topical solution 5% liquid

### **Product Information**

	Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:84556-422
ı	Route of Administration	TOPICAL		

Active Ingredient/Active Moiety				
l	Ingredient Name	Basis of Strength	Strength	
l	MINOXIDIL (UNII: 5965120SH1) (MINOXIDIL - UNII:5965120SH1)	MINOXIDIL	5 g in 60 mL	

Inactive Ingredients				
Ingredient Name	Strength			
ALCOHOL (UNII: 3K9958V90M)				
RICINUS COMMUNIS (CASTOR) SEED OIL (UNII: D5340Y2I9G)				
WATER (UNII: 059QF0KO0R)				

ı	Packaging				
	# Item Code	Package Description	Marketing Start Date	Marketing End Date	
	<b>1</b> NDC:84556-422-01	60 mL in 1 BOTTLE, PLASTIC; Type 0: Not a Combination Product	08/01/2025	08/08/2026	

Marketing In	formation			
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date	
OTC Monograph Drug	M014	08/01/2025	08/08/2026	

# **Labeler -** Hainan Shengtaizhuo International Information Development Co., LTD (976885514)

Establishment				
Name	Address	ID/FEI	<b>Business Operations</b>	
Hainan Shengtaizhuo International Information Development Co., LTD		976885514	label(84556-422)	

Revised: 8/2025 Hainan Shengtaizhuo International Information Development Co., LTD