MATTE SHIELD SPF- titanium dioxide, zinc oxide cream ACNE SOLUTIONS NYC INC

Active Ingredients:

Titanium Dioxide 10%
Zinc Oxide 3%

Purpose:

Sunscreen

Uses:

Helps Prevent Sunburn. If used as directed with other sun protection measures (see "Directions"), decreases the risk of skin cancer and early skin aging caused by the sun.

Warnings:

For external use only. Do not use on broken or damaged skin. Stop use and ask a doctor if rash occurs. When using this product, keep out of eyes. Rinse with water to remove. Keep out of reach of children. If swallowed, get medical help or contact a poison control center right away.

Warnings:

Keep out of reach of children

Directions:

Apply liberally 15 minutes before sun exposure. Use a water-resistant product if swimming or sweating. Reapply at least every 2 hours. Children under 6 months: Ask a doctor. Sun Protection Measures: Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad-Spectrum SPF value of 15 or higher and other sun protection measures including: Limit time in the sun, especially from 10 a.m. - 2 p.m. Wear long-sleeved shirts, pants, hats and sunglasses.

Inactive Ingredients:

Bismuth Oxychloride, Capric/Caprylic Triglyceride, Caprylhydroxamic Acid, Caprylyl Glycol, Ceteareth-20, Cyclohexasiloxane, Cyclopentasiloxane, Dimethicone, Disodium EDTA, Ethylhexyl Hydroxystearate Benzoate, Glycerin, Iron Oxides, Isododecane, Isohexadecane, Melissa Officinalis (Balm Mint) Extract, Mica, Microcrystalline Wax, Octyldodecyl Neopentanoate, PEG-30 Dipolyhydroxystearate, Sodium Chloride,

Tetrahexyldecyl Ascorbate, Tocopheryl Acetate, Tocopherol, Triethanolamine, Triethoxycaprylylsilane, Water

Other Information:

- Protect this product from excessive heat and direct sun
- May stain some fabrics



MATTE SHIELD SPF

MINERAL ACNE-SAFE SUNSCREEN

TINTED

Broad Spectrum SPF 50 Water Resistant (40 minutes)



Net Wt. 1.8 oz. / 53 g

DRUG FACTS

ACTIVE INGREDIENT: PURPOSE:
Titanium Dioxide 10% Sunscreen
Zinc Oxide 3% Sunscreen

USES:

Helps prevent sunburn. If used as directed with other sun protection measures (see Directions), decreases the risk of skin cancer and early aging caused by the sun.

WARNINGS

For external use only. Do not use on damaged or broken skin. Stop use and ask a doctor if rash occurs. When using this product, keep out of eyes. Rinse with water to remove. **Keep out of reach of children**. If swallowed, get medical help or contact a Poison Control Center right away.

DIRECTIONS:

- · Apply liberally 15 minutes before sun exposure
- · Reapply:
 - · After 40 minutes of swimming or sweating
 - · Immediately after towel drying
 - · At least every 2 hours
- · Children under 6 months: Ask a doctor
- Sun Protection Measures: Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a broad spectrum SPF value of 15 or higher and other sun protection measures including:
 - $\boldsymbol{\cdot}$ Limit time in the sun, especially from 10 am 2 pm
- · Wear long-sleeved shirts, pants, hats, and sunglasses

INACTIVE INGREDIENTS:

Bismuth Oxychloride, Capric/Caprylic Triglyceride, Caprylhydroxamic Acid, Caprylyl Glycol, Ceteareth-20, Cyclohexasiloxane, Cyclopentasiloxane, Dimethicone, Disodium EDTA, Ethylhexyl Hydroxystearate Benzoate, Glycerin, Iron Oxides, Isododecane, Isohexadecane, Melissa Officinalis (Balm Mint) Extract, Micro, Microcrystalline Wax, Octyldodecyl Neopentanoate, PEG-30 Dipolyhydroxystearate, Sodium Chloride, Tetrahexyldecyl Ascorbate, Tocopheryl Acetate, Tocopherol, Triethanolamine, Triethoxycaprylylsilane, Water

OTHER INFORMATION:

- · Protect this product from excessive heat and direct sun
- · May stain some fabrics

MANUFACTURED FOR:

AcneClinicNYC 2579 E 17th St Ste 21 Brooklyn, NY 11235

acneclinicnyc.com



REEF FRIENDLY CRUELTY FREE ACNE SAFE

MATTE SHIELD SPF

titanium dioxide, zinc oxide cream

Product Information					
Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:85291-258		
Route of Administration	TOPICAL				

Active Ingredient/Active Moiety				
Ingredient Name	Basis of Strength	Strength		
TITANIUM DIOXIDE (UNII: 15FIX9V2JP) (TITANIUM DIOXIDE - UNII:15FIX9V2JP)	TITANIUM DIOXIDE	100 mg in 1 g		
ZINC OXIDE (UNII: SOI2LOH54Z) (ZINC OXIDE - UNII:SOI2LOH54Z)	ZINC OXIDE	30 mg in 1 g		

Inactive Ingredients	
Ingredient Name	Strength
OCTYLDODECYL NEOPENTANOATE (UNII: X8725R883T)	
CAPRYLYL GLYCOL (UNII: 00YIU5438U)	
DIMETHICONE (UNII: 92RU3N3Y1O)	
TOCOPHEROL (UNII: R0ZB2556P8)	
CETEARETH-20 (UNII: YRC528SWUY)	
CYCLOHEXASILOXANE (UNII: XHK3U310BA)	
GLYCERIN (UNII: PDC6A3C0OX)	
CI 77492 (UNII: EX43802MRT)	
TRIETHANOLAMINE (UNII: 903K93S3TK)	
WATER (UNII: 059QF0KO0R)	
CAPRYLHYDROXAMIC ACID (UNII: UPY805K99W)	
MELISSA OFFICINALIS LEAF (UNII: 50D2ZE9219)	
TETRAHEXYLDECYL ASCORBATE (UNII: 9LBV3F07AZ)	
ALPHA-TOCOPHEROL ACETATE (UNII: 9E8X80D2L0)	
TRIETHOXYCAPRYLYLSILANE (UNII: LDC331P08E)	
ISODODECANE (UNII: A8289P68Y2)	
CI 77491 (UNII: 1K09F3G675)	
BISMUTH OXYCHLORIDE (UNII: 4ZR792I587)	
CAPRYLIC/CAPRIC TRIGLYCERIDE (UNII: C9H2L21V7U)	
CYCLOPENTASILOXANE (UNII: 0THT5PCIOR)	
EDETATE DISODIUM ANHYDROUS (UNII: 8NLQ36F6MM)	
MICROCRYSTALLINE WAX (UNII: XOF597Q3KY)	
PEG-30 DIPOLYHYDROXYSTEARATE (UNII: 9713Q0S7FO)	
SODIUM CHLORIDE (UNII: 451W47IQ8X)	
CI 77499 (UNII: XM0M87F357)	
MICA (UNII: V8A1AW0880)	
ISOHEXADECANE (UNII: 918X1OUF1E)	
ETHYLHEXYL HYDROXYSTEARATE BENZOATE (UNII: 3W8F25684B)	

Packaging				
#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:85291- 258-50	53 g in 1 BOTTLE, PUMP; Type 0: Not a Combination Product	08/01/2025	

Marketing Information				
Marketing Application Number or Monograph Category Citation		Marketing Start Date	Marketing End Date	
OTC Monograph Drug	M020	08/01/2025		

Establishment					
Name	Address	ID/FEI	Business Operations		
Fragrance Manufacturing Inc.		793406000	manufacture(85291-258)		

Establishment					
Name	Address	ID/FEI	Business Operations		
Custom Analytics LLC		144949372	analysis (85291-258)		

Revised: 8/2025 ACNE SOLUTIONS NYC INC