

**STOOL SOFTENER PLUS STIMULANT LAXATIVE- docusate sodium and sennosides tablet**  
**The Kroger Co.**

*Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.*

-----  
**Drug Facts**

**Active ingredients (in each tablet)**

Docusate sodium 50 mg

Sennosides 8.6 mg

**Purpose**

Stool softener

Stimulant laxative

**Uses**

- for overnight relief from occasional constipation (irregularity)
- generally produces bowel movement in 6 to 12 hours

**Warnings**

**Do not use**

- laxative products for longer than 1 week unless directed by a doctor
- if you are now taking mineral oil, unless directed by a doctor

**Ask a doctor before use if you have**

- stomach pain
- nausea
- vomiting
- noticed a sudden change in bowel habits that lasts over 2 weeks

**Stop use and ask a doctor if**

you have rectal bleeding or fail to have a bowel movement after use of a laxative. These could be signs of a serious condition.

**If pregnant or breast-feeding,**

ask a health professional before use.

**Keep out of reach of children.**

In case of overdose, get medical help or contact a Poison Control Center right away.

### Directions

- Take only by mouth. Doses may be taken as a single daily dose, preferably in the evening, or in divided doses.

adult and children 12 years and over	take 2-4 tablets daily
children 6 to under 12 years of age	take 1-2 tablets daily
children 2 to under 6 years of age	take up to 1 tablet daily
children under 2	ask a doctor

### Other information

- **each tablet contains:** calcium 30 mg
- **each tablet contains:** sodium 6 mg VERY LOW SODIUM
- store at 25°C (77°F); excursions permitted between 15-30°C (59-86°F)

### Inactive ingredients

carnauba wax\*, croscarmellose sodium, dibasic calcium phosphate dihydrate, FD&C blue #2 aluminum lake, FD&C red #40 aluminum lake, hypromellose, magnesium stearate, microcrystalline cellulose, polyethylene glycol, silicon dioxide, sodium benzoate\*, stearic acid\*, talc\*, titanium dioxide

\*contains one or more of these ingredients

### Questions or comments?

Call **1-800-632-6900**

### Principal Display Panel

COMPARE TO the active ingredients of COLACE® 2-IN-1 \*\*See side panel

### Stool Softener + Stimulant Laxative

Docusate Sodium, 50 mg Stool Softener

Sennosides, 8.6 mg Stimulant Laxative

Gentle, Dependable

Relief in 6-12 Hours

TABLETS

\*\*Colace® 2-IN1 is a registered trademark of Avrio Health LP., Stamford, CT 06901. Avrio Health LP. is not affiliated with the Kroger Co, or this product

**TAMPER EVIDENT: DO NOT USE IF PRINTED SAFETY SEAL UNDER CAP IS BROKEN OR MISSING.**

**KEEP OUTER CARTON FOR COMPLETE WARNINGS AND PRODUCT INFORMATION.**

**DISTRIBUTED BY THE KROGER CO., CINCINNATI, OHIO 45202**

**www.kroger.com**

**Product Label**

**COMPARE TO the active ingredients of COLACE® 2-IN-1 \*\*See side panel**

NDC 30142-529-60



# Stool Softener

**+ STIMULANT LAXATIVE**

**Docosate Sodium, 50 mg**  
Stool Softener

**Sennosides, 8.6 mg**  
Stimulant Laxative

Gentle, Dependable  
Relief in 6-12 Hours

actual size 

## 60 TABLETS

**DISTRIBUTED BY THE KROGER CO. CINCINNATI, OHIO 45202**

**QUALITY GUARANTEE 800-632-6900 www.kroger.com**



PLEASE RECYCLE



0 11110 34010 8

PLD-H9U  
FC005936

Lot No.:  
Exp. Date:

### Drug Facts

Active ingredients (in each tablet)	Purpose
Docosate sodium 50 mg.....	Stool softener
Sennosides 8.6 mg.....	Stimulant laxative

### Uses

- for overnight relief from occasional constipation (irregularity)
- generally produces bowel movement in 6 to 12 hours

### Warnings

**Do not use**

- laxative products for longer than 1 week unless directed by a doctor
- if you are now taking mineral oil, unless directed by a doctor

**Ask a doctor before use if you have**

- stomach pain
- nausea
- vomiting
- noticed a sudden change in bowel habits that lasts over a period of 2 weeks

**Stop use and ask a doctor** if you have rectal bleeding or fail to have a bowel movement after use of a laxative. These may indicate a serious condition.

**If pregnant or breast-feeding**, ask a health professional before use.

**Keep out of reach of children.** In case of overdose, get medical help or contact a Poison Control Center right away.

### Directions

- take only by mouth. Doses may be taken as a single daily dose, preferably in the evening, or in divided doses.

### Drug Facts (continued)

adults and children 12 years and older	take 2-4 tablets daily
children 6 to under 12 years of age	take 1-2 tablets daily
children 2 to under 6 years of age	take up to 1 tablet daily
children under 2	ask a doctor

### Other information

- each tablet contains: calcium 30 mg
- each tablet contains: sodium 6 mg VERY LOW SODIUM
- store at 25°C (77°F); excursions permitted between 15-30°C (59-86°F)

### Inactive ingredients

carnauba wax\*, croscarmellose sodium, dibasic calcium phosphate dihydrate, FD&C blue #2 aluminum lake\*, FD&C red #40 aluminum lake, hypromellose, magnesium stearate, microcrystalline cellulose, polyethylene glycol, silicon dioxide, sodium benzoate\*, stearic acid\*, talc\*, titanium dioxide

\*contains one or more of these ingredients

### Questions or comments?

1-800-632-6900

\*\*Colace® 2-IN-1 is a registered trademark of Avrio Health L.P., Stamford, CT 06901. Avrio Health L.P., is not affiliated with The Kroger Co. or this product.

**TAMPER EVIDENT: DO NOT USE IF PRINTED SAFETY SEAL UNDER CAP IS BROKEN OR MISSING.**

**KEEP OUTER CARTON FOR COMPLETE WARNINGS AND PRODUCT INFORMATION.**

**KROGER Stool Softener plus Stimulant Laxative**

# STOOL SOFTENER PLUS STIMULANT LAXATIVE

docusate sodium and sennosides tablet

## Product Information

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:30142-529
<b>Route of Administration</b>	ORAL		

## Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
<b>DOCUSATE SODIUM</b> (UNII: F05Q2T2JA0) (DOCUSATE - UNII:M7P27195AG)	DOCUSATE SODIUM	50 mg
<b>SENNOSIDES</b> (UNII: 3FYP5M0IJX) (SENNOSIDES - UNII:3FYP5M0IJX)	SENNOSIDES	8.6 mg

## Inactive Ingredients

Ingredient Name	Strength
<b>CARNAUBA WAX</b> (UNII: R12CBM0EIZ)	
<b>CROSCARMELLOSE SODIUM</b> (UNII: M28OL1HH48)	
<b>DIBASIC CALCIUM PHOSPHATE DIHYDRATE</b> (UNII: O7TSZ97GEP)	
<b>FD&amp;C RED NO. 40</b> (UNII: WZB9127XOA)	
<b>HYPROMELLOSES</b> (UNII: 3NXW29V3WO)	
<b>MAGNESIUM STEARATE</b> (UNII: 70097M6I30)	
<b>CELLULOSE, MICROCRYSTALLINE</b> (UNII: OP1R32D61U)	
<b>POLYETHYLENE GLYCOL, UNSPECIFIED</b> (UNII: 3WJQ0SDW1A)	
<b>SILICON DIOXIDE</b> (UNII: ETJ7Z6XBU4)	
<b>SODIUM BENZOATE</b> (UNII: OJ245FE5EU)	
<b>STEARIC ACID</b> (UNII: 4ELV7Z65AP)	
<b>TALC</b> (UNII: 7SEV7J4R1U)	
<b>TITANIUM DIOXIDE</b> (UNII: 15FIX9V2JP)	
<b>ALUMINUM OXIDE</b> (UNII: LMI26O6933)	
<b>FD&amp;C BLUE NO. 2</b> (UNII: L06K8R7DQK)	

## Product Characteristics

<b>Color</b>	red	<b>Score</b>	no score
<b>Shape</b>	ROUND	<b>Size</b>	10mm
<b>Flavor</b>		<b>Imprint Code</b>	TCL097;PSD21;S44
<b>Contains</b>			

## Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:30142-529-60	1 in 1 BOX	12/31/2018	08/29/2025
1		60 in 1 BOTTLE, PLASTIC; Type 0: Not a Combination Product		

## Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph not final	part334	12/31/2018	08/29/2025

**Labeler** - The Kroger Co. (006999528)

Revised: 11/2022

The Kroger Co.