

**TEXACLEAR KIDS COUGH AND COLD- dextromethorphan hbr guaifenesin  
phenylephrine hcl liquid  
GM Pharmaceuticals, INC**

-----  
**TexaClear Kids Daytime cough and cold**

**TexaClear® Kids Daytime Cough & Cold  
(dextromethorphan hbr, guaifenesin, phenylephrine hcl), solution  
GM Pharmaceuticals, Inc.**

**Drug Facts**

**Active ingredients (in each 30 mL)**

Dextromethorphan HBr 10 mg  
Guaifenesin 200 mg  
Phenylephrine HCl 5 mg

**Purpose**

Cough suppressant  
Expectorant  
Nasal decongestant

**Uses**

- helps loosen phlegm (mucus) and thin bronchial secretions to rid the bronchial passageways of bothersome mucus and make coughs more productive.
- temporarily relieves:
  - the intensity of coughing
  - nasal congestion due to a cold
  - stuffy nose
- cough due to minor throat and bronchial irritation as may occur with the common cold or inhaled irritants

**Warnings**

**Do not exceed recommended dosage.**

**Do not use**

- if you are now taking a prescription monoamine oxidase inhibitor (MAOI) (certain drugs for depression, psychiatric, or emotional conditions, or Parkinson's disease), or for 2 weeks after stopping the MAOI drug. If you do not know if your prescription drug contains an MAOI, ask a doctor or pharmacist before taking this product.
- in children under 6 years of age

**Ask a doctor before use if you have**

- heart disease, thyroid disease, diabetes, or high blood pressure
- persistent or chronic cough such as occurs with smoking, asthma, chronic bronchitis, or emphysema
- a cough that occurs with too much phlegm (mucus)
- trouble urinating due to an enlarged prostate gland
- a sodium-restricted diet

**Ask a doctor or pharmacist before use if you are**

taking any other oral nasal decongestant or stimulant

**When using this product**

do not use more than directed

**Stop use and ask a doctor if**

- nervousness, dizziness, or sleeplessness occurs
- symptoms do not improve within 7 days, or are accompanied by fever, rash, or persistent headache. A persistent cough may be a sign of a serious condition

**If pregnant or breast-feeding,**

ask a health professional before use.

**Keep out of reach of children.**

In case of overdose, get medical help or contact a Poison Control Center right away.

**Directions**

- do not exceed 6 doses per 24-hour period
- use enclosed (30 mL) dose cup      ■ mL = milliliter
- dose every 4 hours
- adults and children 12 years and over: 60 mL (2 dose cups)
- children 6 to under 12 years: 30 mL (1 dose cup)
- children under 6 years: do not use

**Other information**

- each 30 mL contains: **Sodium 15 mg**
- read all product information before using
- store at room temperature 68-86°F (20-30°C)

**Inactive ingredients**

citric acid, glycerin, maltitol, propylene glycol, purified water, sodium benzoate, sodium citrate, sodium saccharin, sorbitol, sucralose

## **Questions or comments?**

Call 1-888-535-0305 9 a.m. - 5 p.m. CST.

### **Distributed by:**

GM Pharmaceuticals, Inc.  
Arlington, TX. 76015

## **Principal Display Panel**

TexaClear® Kids Daytime Cough & Cold

NDC 58809-950-08

8 fl. oz. (237 mL)

Dextromethorphan HBR – Cough Suppressant

Guaifenesin – Expectorant

Phenylephrine HCL – Nasal Decongestant

Tamper evident: do not use if foil seal under cap is broken on missing

- Gluten Free
- Dye Free
- Sugar Free
- Alcohol Free
- Acetaminophen Free

Ages 6+

Relieves:

- Nasal & Chest Congestion
- Thins & Loosens Mucus
- Cough

Distributed by:

GM Pharmaceuticals, Inc. Arlington, TX 76015

NDC 58809-950-08

**TEXACLEAR**

**Kids**

**DAYTIME  
COUGH & COLD**

Dextromethorphan HBr - Cough Suppressant  
Guaifenesin - Expectorant  
Phenylephrine HCl - Nasal Decongestant

**FREE & CLEAR  
FORMULA**



Nasal & Chest Congestion  
Thins & Loosens Mucus  
Cough

8 fl oz (237 mL)

**Ages  
6+**

TAMPER EVIDENT: DO NOT USE IF FOIL  
SEAL UNDER CAP IS BROKEN OR MISSING

**LIQUID FAST**

**FREE & CLEAR  
CLEAN FORMULA**

- Dye Free
- Sugar Free
- Gluten Free
- Alcohol Free
- Acetaminophen Free

LIFT HERE FOR  
COMPLETE DRUG FACTS

- Ages 6+
- Non-drowsy

Please visit our website  
[www.texaclear.com](http://www.texaclear.com)



Distributed by:  
GM Pharmaceuticals, Inc.  
Arlington, TX 76015

## Drug Facts

### Active Ingredients (in each 30 mL) Purpose

Dextromethorphan HBr 10 mg.....Cough suppressant  
Guaifenesin 200 mg.....Expectorant  
Phenylephrine HCl 5 mg.....Nasal decongestant

**Uses** ■ helps loosen phlegm (mucus) and thin bronchial secretions to rid the bronchial passageways of bothersome mucus and make coughs more productive.  
■ temporarily relieves: ■ the intensity of coughing  
■ nasal congestion due to a cold ■ stuffy nose  
■ cough due to minor throat and bronchial irritation as may occur with the common cold or inhaled irritants

### Warnings

**Do not use** if you are now taking a prescription monoamine oxidase inhibitor (MAOI) (certain drugs for depression, anxiety, or Parkinson's disease), or for 2 weeks after stopping the MAOI drug. If you do not know if your prescription drug contains an MAOI, ask a doctor or pharmacist before taking this product.  
■ in children under 6 years of age

**Ask a doctor before use if you have**  
■ heart disease, thyroid disease, diabetes, or high blood pressure  
■ persistent or chronic cough such as occurs with emphysema, asthma, chronic bronchitis, or emphysema  
■ a cough that occurs with too much phlegm (mucus)  
■ trouble urinating due to an enlarged prostate gland  
■ a sodium-restricted diet

**Ask a doctor or pharmacist before use if you are taking any other oral nasal decongestant or stimulant.**

**When using this product do not use more than directed.**

**Stop use and ask a doctor if**

■ nervousness, dizziness, or sleeplessness occurs  
■ symptoms do not improve within 7 days, or are accompanied by fever, rash, or persistent headache. A persistent cough may be a sign of a serious condition.

**If pregnant or breast-feeding, ask a health professional before use. Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center right away.**

**Directions** ■ do not exceed 6 doses per 24-hour period  
■ use enclosed (30 mL) dose cup ■ mL = milliliter  
■ dose every 4 hours

Age	Dose
adults and children 12 years and over:	60 mL (2 dose cups)
children 6 to under 12 years:	30 mL (1 dose cup)

**children under 6 years: do not use**

**Other information** ■ each 30 mL contains: Sodium 15 mg  
■ store at room temperature 20-30°C (68-86°F)

**Inactive ingredients** citric acid, glycerin, maltitol, propylene glycol, purified water, sodium benzoate, sodium citrate, sodium saccharin, sorbitol, sucralose

**Questions or comments?** Call 1-888-535-0305

R-XX10827-2

dextromethorphan hbr guaifenesin phenylephrine hcl liquid

## Product Information

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:58809-950
<b>Route of Administration</b>	ORAL		

## Active Ingredient/Active Moiety

<b>Ingredient Name</b>	<b>Basis of Strength</b>	<b>Strength</b>
<b>DEXTROMETHORPHAN HYDROBROMIDE</b> (UNII: 9D2RTI9KYH) (DEXTROMETHORPHAN - UNII:7355X3ROTS)	DEXTROMETHORPHAN HYDROBROMIDE	10 mg in 30 mL
<b>GUAIFENESIN</b> (UNII: 495W7451VQ) (GUAIFENESIN - UNII:495W7451VQ)	GUAIFENESIN	200 mg in 30 mL
<b>PHENYLEPHRINE HYDROCHLORIDE</b> (UNII: 04JA59TNSJ) (PHENYLEPHRINE - UNII:1WS297W6MV)	PHENYLEPHRINE HYDROCHLORIDE	5 mg in 30 mL

## Inactive Ingredients

<b>Ingredient Name</b>	<b>Strength</b>
<b>ANHYDROUS CITRIC ACID</b> (UNII: XF417D3PSL)	
<b>GLYCERIN</b> (UNII: PDC6A3C0OX)	
<b>MALTITOL</b> (UNII: D65DG142WK)	
<b>PROPYLENE GLYCOL</b> (UNII: 6DC9Q167V3)	
<b>WATER</b> (UNII: 059QF0KO0R)	
<b>SODIUM BENZOATE</b> (UNII: OJ245FE5EU)	
<b>SODIUM CITRATE</b> (UNII: 1Q73Q2JULR)	
<b>SACCHARIN SODIUM</b> (UNII: SB8ZUX40TY)	
<b>SORBITOL</b> (UNII: 506T60A25R)	
<b>SUCRALOSE</b> (UNII: 96K6UQ3ZD4)	

## Packaging

<b>#</b>	<b>Item Code</b>	<b>Package Description</b>	<b>Marketing Start Date</b>	<b>Marketing End Date</b>
1	NDC:58809-950-08	237 mL in 1 BOTTLE; Type 0: Not a Combination Product	06/15/2015	12/31/2024

## Marketing Information

<b>Marketing Category</b>	<b>Application Number or Monograph Citation</b>	<b>Marketing Start Date</b>	<b>Marketing End Date</b>
OTC Monograph Drug	M012	06/15/2015	12/31/2024

**Labeler** - GM Pharmaceuticals, INC (793000860)