

DURMA DYNAGEL- durma dynagel gel
Dynarex Corporation

1280 Durma DynaGel

Active Ingredient

Glycerin 20%

Purpose

Skin Protectant

Use(s)

- Temporarily protects and helps relieve minor skin irritation and itching of minor cuts, scrapes, and burns
- Maintains a moist wound environment
- Ideal for management of stasis ulcers, pressure ulcers (stage 1-4), first second-degree burns, cuts, post-operative incisions, and skin conditions associated with peristomal care

Warnings

For External Use Only

Do not use on

- deep or puncture wounds • Animal bites

When using this product

- Avoid contact with eyes.

Stop use and ask a doctor if

- Condition worsens or does not improve within 10-14 days

Keep out of reach of children.

If swallowed, get medical help or contact a Poison Control Center (1-800-222-1222) right away.

Directions

- Apply liberally as often as necessary to cover affected areas.
- If gauze is used, as a wound covering, moisten first.

- Children under 6 months: Consult a doctor before use.

Other Information

- Store at room temperature 15° - 30°C (59° - 86°F) • Tamper evident. Do not use if seal is damaged.

Inactive Ingredients

Allantoin, Aloe Vera Gel, Diazolidinyl Urea, Methylparaben, PEG-4 Olivatate, PEG-60 Hydrogenated Castor Oil, Propylene Glycol, Propylparaben, Purified Water, Sodium Polyacrylate, Tetrasodium EDTA, Tocopherol Acetate

Questions?

- 1-888-DYNAREX Monday - Friday, 9AM - 5PM EST.

Label



DynaGel

Moisturizing Wound Hydrogel

Gel humectante para heridas

- With Vitamin E and Aloe Vera
- Clean and Greaseless
- Con vitamina E y aloe vera
- Limpio y sin oleosidad

Net Wt. / Peso neto
3 oz. (84.7 g)

Drug Facts

Active Ingredient

Glycerin 20%Skin Protectant

Purpose

Use(s)

- Temporarily protects and helps relieve minor skin irritation and itching of minor cuts, scrapes, and burns
- Maintains a moist wound environment
- Ideal for management of stasis ulcers, pressure ulcers (stages 1-4), first and second-degree burns, cuts, post-operative incisions, and skin conditions associated with peristomal care

Warnings

For external use only

Do not use on ■ Deep or puncture wounds ■ Animal bites

When using this product ■ Avoid contact with eyes.

Stop use and ask doctor if ■ Condition worsens or does not improve within 10-14 days

Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center (1-800-222-1222) right away.

Directions

- Apply liberally as often as necessary to cover affected areas.
- If gauze is used as a wound covering, moisten first.
- Children under 6 months: Consult a doctor before use.

Other Information

- Store at room temperature 15°-30°C (59°-86°F)
- Tamper evident. Do not use if seal is damaged.

Inactive Ingredients

Allantoin, Aloe Vera Gel, Diazolidinyl Urea, Methylparaben, PEG-4 Olivite, PEG-60 Hydrogenated Castor Oil, Propylene Glycol, Propylparaben, Purified Water, Sodium Polyacrylate, Tetrasodium EDTA, Tocopherol Acetate

Questions?

1-888-DYNAREX Monday-Friday, 9AM-5PM EST

PATIENT NAME:

ROOM #



NDC# 67777-236-01

ARTÍCULO/ITEM 1280

R250130

Manufactured for/Fabricado para:

Dynarex Corporation

11 Dynarex Drive

Middletown, NY 10941

USA • www.dynarex.com

Symbol Glossary / Glosario de símbolos:

dynarex.com/symbols.php

Made in India / Hecho en India



1280 Durma DynaGel

DURMA DYNAGEL

durma dynagel gel

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:67777-236
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
-----------------	-------------------	----------

GLYCERIN (UNII: PDC6A3C0OX) (GLYCERIN - UNII:PDC6A3C0OX)		GLYCERIN	20 g in 100 g	
Inactive Ingredients				
Ingredient Name			Strength	
DIAZOLIDINYL UREA (UNII: H5RIZ3MPW4)				
EDETATE SODIUM (UNII: MP1J8420LU)				
METHYLPARABEN (UNII: A2I8C7HI9T)				
POLYOXYL 60 HYDROGENATED CASTOR OIL (UNII: 02NG325BQG)				
PROPYLPARABEN (UNII: Z8IX2SC1OH)				
WATER (UNII: 059QF0KO0R)				
ALPHA-TOCOPHEROL ACETATE (UNII: 9E8X80D2L0)				
ALOE VERA LEAF (UNII: ZY81Z83H0X)				
ALLANTOIN (UNII: 344S277G0Z)				
SODIUM POLYACRYLATE (8000 MW) (UNII: 285CYO341L)				
PROPYLENE GLYCOL (UNII: 6DC9Q167V3)				
Product Characteristics				
Color		Score		
Shape	FREEFORM	Size		
Flavor		Imprint Code		
Contains				
Packaging				
#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:67777-236-02	24 in 1 CASE	08/21/2025	
1	NDC:67777-236-01	84.7 g in 1 TUBE; Type 0: Not a Combination Product		
Marketing Information				
Marketing Category	Application Number or Monograph Citation		Marketing Start Date	Marketing End Date
OTC Monograph Drug	M016		08/21/2025	

Labeler - Dynarex Corporation (008124539)