


SURVIVEX TRIPLE ANTIBIOTIC- triple antibiotic ointment ointment
Nantong Health & Beyond Hygienic Products Inc.



8

SurviveX

SurviveX

TRIPLE ANTIBIOTIC OINTMENT

Aids in the healing of minor
cuts, scrapes, and burns.



WOUNDS 0.03 OZ (0.9 g)

DRUG FACTS

ACTIVE INGREDIENT (IN EACH GRAM) PURPOSE

BACITRACIN ZINC (BACITRACIN 400 UNITS).....FIRST AID ANTIBIOTIC
NEOMYCIN SULFATE (NEOMYCIN 3.5 MG).....FIRST AID ANTIBIOTIC
POLYMYXIN B SULFATE (POLYMYXIN B 5,000 UNITS).....FIRST AID ANTIBIOTIC

USES FIRST AID TO HELP PREVENT INFECTION IN
MINOR CUTS, SCRAPES, AND BURNS.

WARNINGS FOR EXTERNAL USE ONLY

DO NOT USE ■ IN EYES ■ OVER LARGE AREAS OF THE
BODY ■ IF YOU ARE ALLERGIC TO ANY OF THE
INGREDIENTS ■ LONGER THAN 1 WEEK UNLESS DIRECTED
BY A DOCTOR.

ASK A DOCTOR BEFORE USE IF YOU HAVE ■ DEEP
OR PUNCTURE WOUNDS ■ ANIMAL BITES ■ SERIOUS
BURNS.

STOP USE AND ASK A DOCTOR IF ■ THE
CONDITION PERSISTS OR GETS WORSE ■ A RASH OR
OTHER ALLERGIC REACTION DEVELOPS. **KEEP OUT OF
REACH OF CHILDREN.** IF SWALLOWED, GET MEDICAL
HELP OR CONTACT A POISON CONTROL CENTER RIGHT
AWAY.

DIRECTIONS CLEAN THE AFFECTED AREA. ■ APPLY
A SMALL AMOUNT OF THIS PRODUCT (AN AMOUNT
EQUAL TO THE SURFACE AREA OF THE TIP OF A
FINGER) ON THE AREA 1 TO 3 TIMES DAILY. ■ MAY
BE COVERED WITH A STERILE BANDAGE.

OTHER INFORMATION STORE AT ROOM TEMPERATURE.

INACTIVE INGREDIENT PETROLEUM.

DISTRIBUTED BY: INTENT BRANDS LLC DBA SURVIVEX DESIGNED WITH
30 N GOULD ST STE 35702 CARE IN VIRGINIA
SHERIDAN, WY 82801 RESPONSIBLY MADE IN CHINA

54

8

6

23

6

6

23

6

70 mm

出卷方向：顺时针



8

SurviveX

SurviveX

TRIPLE ANTIBIOTIC OINTMENT

Aids in the healing of minor
cuts, scrapes, and burns.



WOUNDS 0.03 OZ (0.9 g)

DRUG FACTS

ACTIVE INGREDIENT PURPOSE

BACITRACIN ZINC (BACITRACIN 400 UNITS).....FIRST AID ANTIBIOTIC
NEOMYCIN SULFATE (NEOMYCIN 3.5 MG).....FIRST AID ANTIBIOTIC
POLYMYXIN B SULFATE (POLYMYXIN B 5,000 UNITS).....FIRST AID ANTIBIOTIC

USES FIRST AID TO HELP PREVENT INFECTION IN
MINOR CUTS, SCRAPES, AND BURNS.

WARNINGS FOR EXTERNAL USE ONLY

DO NOT USE ■ IN EYES ■ OVER LARGE AREAS OF THE
BODY ■ IF YOU ARE ALLERGIC TO ANY OF THE
INGREDIENTS ■ LONGER THAN 1 WEEK UNLESS DIRECTED
BY A DOCTOR.

ASK A DOCTOR BEFORE USE IF YOU HAVE ■ DEEP
OR PUNCTURE WOUNDS ■ ANIMAL BITES ■ SERIOUS
BURNS.

STOP USE AND ASK A DOCTOR IF ■ THE
CONDITION PERSISTS OR GETS WORSE ■ A RASH OR
OTHER ALLERGIC REACTION DEVELOPS. **KEEP OUT OF
REACH OF CHILDREN.** IF SWALLOWED, GET MEDICAL
HELP OR CONTACT A POISON CONTROL CENTER RIGHT
AWAY.

DIRECTIONS CLEAN THE AFFECTED AREA. ■ APPLY
A SMALL AMOUNT OF THIS PRODUCT (AN AMOUNT
EQUAL TO THE SURFACE AREA OF THE TIP OF A
FINGER) ON THE AREA 1 TO 3 TIMES DAILY. ■ MAY
BE COVERED WITH A STERILE BANDAGE.

OTHER INFORMATION STORE AT ROOM TEMPERATURE.

INACTIVE INGREDIENT PETROLEUM.

DISTRIBUTED BY: INTENT BRANDS LLC DBA SURVIVEX DESIGNED WITH
30 N GOULD ST STE 35702 CARE IN VIRGINIA
SHERIDAN, NY 02001 RESPONSIBLY MADE IN CHINA

54

8

6

23

6

6

23

6

70 mm

出卷方向：顺时针



8

SurviveX

SurviveX

TRIPLE ANTIBIOTIC OINTMENT

Aids in the healing of minor
cuts, scrapes, and burns.



WOUNDS 0.03 OZ (0.9 g)

DRUG FACTS

ACTIVE INGREDIENT (IN EACH GRAM) PURPOSE

BACITRACIN ZINC (BACITRACIN 400 UNITS).....FIRST AID ANTIBIOTIC
NEOMYCIN SULFATE (NEOMYCIN 3.5 MG).....FIRST AID ANTIBIOTIC
POLYMYXIN B SULFATE (POLYMYXIN B 5,000 UNITS).....FIRST AID ANTIBIOTIC

USES FIRST AID TO HELP PREVENT INFECTION IN
MINOR CUTS, SCRAPES, AND BURNS.

WARNINGS FOR EXTERNAL USE ONLY

DO NOT USE ■ IN EYES ■ OVER LARGE AREAS OF THE
BODY ■ IF YOU ARE ALLERGIC TO ANY OF THE
INGREDIENTS ■ LONGER THAN 1 WEEK UNLESS DIRECTED
BY A DOCTOR.

ASK A DOCTOR BEFORE USE IF YOU HAVE ■ DEEP
OR PUNCTURE WOUNDS ■ ANIMAL BITES ■ SERIOUS
BURNS.

STOP USE AND ASK A DOCTOR IF ■ THE
CONDITION PERSISTS OR GETS WORSE ■ A RASH OR
OTHER ALLERGIC REACTION DEVELOPS. **KEEP OUT OF
REACH OF CHILDREN.** IF SWALLOWED, GET MEDICAL
HELP OR CONTACT A POISON CONTROL CENTER RIGHT
AWAY.

DIRECTIONS CLEAN THE AFFECTED AREA. ■ APPLY
A SMALL AMOUNT OF THIS PRODUCT (AN AMOUNT
EQUAL TO THE SURFACE AREA OF THE TIP OF A
FINGER) ON THE AREA 1 TO 3 TIMES DAILY. ■ MAY
BE COVERED WITH A STERILE BANDAGE.

OTHER INFORMATION STORE AT ROOM TEMPERATURE.

INACTIVE INGREDIENT PETROLEUM.

DISTRIBUTED BY: INTENT BRANDS LLC DBA SURVIVEX DESIGNED WITH
30 N GOULD ST STE 35702 CARE IN VIRGINIA
SHERIDAN, WY 82801 RESPONSIBLY MADE IN CHINA

54

8

6

23

6

6

23

6

70 mm

出卷方向：顺时针



8

SurviveX

SurviveX

TRIPLE ANTIBIOTIC OINTMENT

Aids in the healing of minor
cuts, scrapes, and burns.



WOUNDS 0.03 OZ (0.9 g)

DRUG FACTS

ACTIVE INGREDIENT (IN EACH GRAM) PURPOSE

BACITRACIN ZINC (BACITRACIN 400 UNITS).....FIRST AID ANTIBIOTIC
NEOMYCIN SULFATE (NEOMYCIN 3.5 MG).....FIRST AID ANTIBIOTIC
POLYMYXIN B SULFATE (POLYMYXIN B 5,000 UNITS).....FIRST AID ANTIBIOTIC

USES FIRST AID TO HELP PREVENT INFECTION IN
MINOR CUTS, SCRAPES, AND BURNS.

WARNINGS FOR EXTERNAL USE ONLY

DO NOT USE ■ IN EYES ■ OVER LARGE AREAS OF THE
BODY ■ IF YOU ARE ALLERGIC TO ANY OF THE
INGREDIENTS ■ LONGER THAN 1 WEEK UNLESS DIRECTED
BY A DOCTOR.

ASK A DOCTOR BEFORE USE IF YOU HAVE ■ DEEP
OR PUNCTURE WOUNDS ■ ANIMAL BITES ■ SERIOUS
BURNS.

STOP USE AND ASK A DOCTOR IF ■ THE
CONDITION PERSISTS OR GETS WORSE ■ A RASH OR
OTHER ALLERGIC REACTION DEVELOPS. **KEEP OUT OF
REACH OF CHILDREN.** IF SWALLOWED, GET MEDICAL
HELP OR CONTACT A POISON CONTROL CENTER RIGHT
AWAY.

DIRECTIONS CLEAN THE AFFECTED AREA. ■ APPLY
A SMALL AMOUNT OF THIS PRODUCT (AN AMOUNT
EQUAL TO THE SURFACE AREA OF THE TIP OF A
FINGER) ON THE AREA 1 TO 3 TIMES DAILY. ■ MAY
BE COVERED WITH A STERILE BANDAGE.

OTHER INFORMATION STORE AT ROOM TEMPERATURE.

INACTIVE INGREDIENT PETROLEUM.

DISTRIBUTED BY: INTENT BRANDS LLC DBA SURVIVEX DESIGNED WITH
30 N GOULD ST STE 35702 CARE IN VIRGINIA
SHERIDAN, WY 82801 RESPONSIBLY MADE IN CHINA

54

8

6

23

6

6

23

6

70 mm

出卷方向：顺时针



8

SurviveX

SurviveX

TRIPLE ANTIBIOTIC OINTMENT

Aids in the healing of minor
cuts, scrapes, and burns.



WOUNDS 0.03 OZ (0.9 g)

DRUG FACTS

ACTIVE INGREDIENT PURPOSE

BACITRACIN ZINC (BACITRACIN 400 UNITS)
NEOMYCIN SULFATE (NEOMYCIN 3.5 MG)
POLYMYXIN B SULFATE (POLYMYXIN B 5,000 UNITS)

USES FIRST AID TO HELP PREVENT INFECTION IN
MINOR CUTS, SCRAPES, AND BURNS.

WARNINGS FOR EXTERNAL USE ONLY

DO NOT USE ■ IN EYES ■ OVER LARGE AREAS OF THE
BODY ■ IF YOU ARE ALLERGIC TO ANY OF THE
INGREDIENTS ■ LONGER THAN 1 WEEK UNLESS DIRECTED
BY A DOCTOR.

ASK A DOCTOR BEFORE USE IF YOU HAVE ■ DEEP
OR PUNCTURE WOUNDS ■ ANIMAL BITES ■ SERIOUS
BURNS.

STOP USE AND ASK A DOCTOR IF ■ THE
CONDITION PERSISTS OR GETS WORSE ■ A RASH OR
OTHER ALLERGIC REACTION DEVELOPS. **KEEP OUT OF
REACH OF CHILDREN.** IF SWALLOWED, GET MEDICAL
HELP OR CONTACT A POISON CONTROL CENTER RIGHT
AWAY.

DIRECTIONS CLEAN THE AFFECTED AREA. ■ APPLY
A SMALL AMOUNT OF THIS PRODUCT (AN AMOUNT
EQUAL TO THE SURFACE AREA OF THE TIP OF A
FINGER) ON THE AREA 1 TO 3 TIMES DAILY. ■ MAY
BE COVERED WITH A STERILE BANDAGE.

OTHER INFORMATION STORE AT ROOM TEMPERATURE.

INACTIVE INGREDIENT PETROLEUM.

DISTRIBUTED BY: INTENT BRANDS LLC DBA SURVIVEX
30 N GOULD ST STE 35702
SHERIDAN, WY 82801

DESIGNED WITH
CARE IN VIRGINIA
RESPONSIBLY MADE IN CHINA

70 mm

54

8

6

23

6


6

23

6

出卷方向：顺时针





SURVIVEX TRIPLE ANTIBIOTIC

triple antibiotic ointment ointment

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:43473-314
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
NEOMYCIN SULFATE (UNII: 057Y626693) (NEOMYCIN - UNII:I16QD7X297)	NEOMYCIN SULFATE	3.5 mg in 1 g
BACITRACIN ZINC (UNII: 89Y4M234ES) (BACITRACIN - UNII:58H6RWO52I)	BACITRACIN ZINC	400 [USP'U] in 1 g
POLYMYXIN B SULFATE (UNII: 19371312D4) (POLYMYXIN B - UNII:J2VZ07J96K)	POLYMYXIN B	5000 [USP'U] in 1 g

Inactive Ingredients

Ingredient Name	Strength
PETROLATUM (UNII: 4T6H12BN9U)	

Product Characteristics

Color		Score	
Shape		Size	70mm
Flavor		Imprint Code	
Contains			

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:43473-314-01	0.9 g in 1 PACKET; Type 0: Not a Combination Product	08/08/2025	

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M004	08/08/2025	

Labeler - Nantong Health & Beyond Hygienic Products Inc. (421280161)

Registrant - Nantong Health & Beyond Hygienic Products Inc. (421280161)

Establishment

Name	Address	ID/FEI	Business Operations
Nantong Health & Beyond Hygienic Products Inc.		421280161	manufacture(43473-314)

Revised: 8/2025

Nantong Health & Beyond Hygienic Products Inc.