

# **CHILDRENS ALLERGY- diphenhydramine hydrochloride liquid AAFES/Your Military Exchanges**

-----  
**Drug Facts**

## **Active ingredient (in each 5 mL)**

Diphenhydramine HCl 12.5 mg

## **Purpose**

Antihistamine

## **Uses**

- temporarily relieves these symptoms due to hay fever or other upper respiratory allergies:
- runny nose
- sneezing
- itchy, watery eyes
- itching of the nose or throat

## **Warnings**

### **Do not use**

- to make a child sleepy
- with any other product containing diphenhydramine, even one used on skin

### **Ask a doctor before use if the child has**

- glaucoma
- a breathing problem such as chronic bronchitis
- a sodium-restricted diet

### **Ask a doctor or pharmacist before use if the child is**

taking sedatives or tranquilizers.

### **When using this product**

- marked drowsiness may occur
- sedatives and tranquilizers may increase drowsiness
- excitability may occur, especially in children

### **Keep out of the reach of children.**

In case of overdose, get medical help or contact a Poison Control Center (1-800-222-1222) right away.

## Directions

- do not take more than 6 doses in 24 hours
- take every 4 to 6 hours, or as directed by a doctor
- measure only with dosing cup provided. Do not use any other dosing device
- mL = milliliter
- keep dosing cup with product
- find the right dose on the chart below

Age (yr)	Dose (mL)
children 6 to 11 years	5 mL to 10 mL
children 2 to 5 years	do not use unless directed by a doctor
children under 2 years	do not use

## Other information

- **each 5 mL contains:** sodium 6 mg
- store between 20-25°C (68-77F). Do not refrigerate.
- Protect from light. Store in outer carton until contents are used.

## Inactive ingredients

anhydrous citric acid, D&C red #33, FD&C red #40 flavors, glycerin, poloxamer 407, purified water, sodium benzoate, sodium chloride, sodium citrate, sucrose

## Questions or comments?

Call **1-877-753-3935 Monday-Friday 9AM-5PM EST**

## Principal Display Panel

\*Compare to the active ingredient in Children's Benadryl® Allergy

Children's

## Allergy

Diphenhydramine HCl 12.5 mg Antihistamine

- sneezing
- running nose
- itchy, watery eyes
- itching of the nose or throat

For ages 6 to 11 years

alcohol free

cherry flavor

FL OZ (mL)

Dosing Cup Included

\*This product is not manufactured or distributed by McNeil Consumer Healthcare, distributors of Benadryl® Allergy.

**TAMPER EVIDENT: DO NOT USE IF CARTON IS OPENED OR OF PRINTED SAFETY SEAL AROUND BOTTLE OR UNDER CAP IS BROKEN OR MISSING.**

Manufactured for Your Military Exchanges

By: PL Developments, 11865 S. Alameda St

Lynwood, CA 90262

**Package Label**

**Drug Facts** (continued)  
**Inactive ingredients** citric acid, D&C red #33, FD&C red #40, flavor, glycerin, poloxamer 407, purified water, sodium benzoate, sodium chloride, sodium citrate, sucrose  
**Questions or comments?**  
 Call 1-877-753-3935 Monday-Friday 9AM-5PM EST

\*This product is not manufactured or distributed by McNeil Consumer Healthcare, distributor of Benadryl® Allergy.

**TAMPER EVIDENT: DO NOT USE IF CARTON IS OPENED OR IF PRINTED SAFETY SEAL AROUND BOTTLE OR UNDER CAP IS BROKEN OR MISSING.**



Dosing Cup included

**"SATISFACTION GUARANTEED OR YOUR MONEY BACK."**  
 Manufactured For Your Military Exchanges  
 By: PL Developments, 11865 S. Alameda St  
 Lynwood, CA 90262

\*Compare to the active ingredient  
in Children's Benadryl® Allergy

exchange  
select

**Diphenhydramine HCl 12.5 mg  
Antihistamine**

**Cherry  
FLAVOR**

✓ Sneezing

✓ Runny Nose

✓ Itchy, Watery Eyes

✓ Itching of the  
Nose or Throat

For ages 6-11 years  
Alcohol Free

**4 fl oz  
(118 mL)**

quality  
value

\*Compare to the active ingredient  
in Children's Benadryl® Allergy

exchange  
select

**Diphenhydramine HCl 12.5 mg  
Antihistamine**

**Cherry  
FLAVOR**

✓ Sneezing

✓ Runny Nose

✓ Itchy, Watery Eyes

✓ Itching of the  
Nose or Throat

For ages 6-11 years  
Alcohol Free

**4 fl oz  
(118 mL)**

quality  
value

**Drug Facts**

**Active ingredient** (in each 5 mL) Diphenhydramine HCl 12.5 mg.....Antihistamine

**Purpose**

**Uses**

- temporarily relieves these symptoms due to hay fever or other upper respiratory allergies
- sneezing ■ runny nose ■ itchy, watery eyes
- itching of the nose or throat

**Warnings**

**Do not use**

- with any other product containing diphenhydramine, even one used on the skin
- to make a child sleepy

**Ask a doctor before use if the child has**

- a breathing problem such as chronic bronchitis
- glaucoma
- a sodium-restricted diet

**Ask a doctor or pharmacist before use if the child is taking sedatives or tranquilizers.**

**When using this product**

- marked drowsiness may occur
- sedatives and tranquilizers may increase drowsiness
- excitability may occur, especially in children

**Keep out of reach of children.** In case of overdose, get medical help or contact a Poison Control Center (1-800-222-1222) right away.

**Directions**

- do not take more than 6 doses in 24 hours
- take every 4 to 6 hours, or as directed by a doctor
- measure only with dosing cup provided. Do not use any other dosing device.
- mL = milliliter ■ keep dosing cup with product
- find the right dose on the chart below

Age (yr)	Dose (mL)
children 6 to 11 years	5 mL to 10 mL
children 2 to 5 years	do not use unless directed by a doctor
children under 2 years	do not use

**Other information**

- each 5 mL contains: sodium 6 mg
- store between 20-25°C (68-77°F). Do not refrigerate.
- protect from light. Store in outer carton until contents are used.

This area to remain blank for lot/exp code



**Exchange Select Children Allergy Cherry Flavor**

<b>CHILDRENS ALLERGY</b>			
diphenhydramine hydrochloride liquid			
<b>Product Information</b>			
<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:55301-092
<b>Route of Administration</b>	ORAL		
<b>Active Ingredient/Active Moiety</b>			
	<b>Ingredient Name</b>	<b>Basis of Strength</b>	<b>Strength</b>
	<b>DIPHENHYDRAMINE HYDROCHLORIDE</b> (UNII: TC2D6JAD40) (DIPHENHYDRAMINE - UNII:8GTS82S83M)	DIPHENHYDRAMINE HYDROCHLORIDE	12.5 mg in 5 mL
<b>Inactive Ingredients</b>			

Ingredient Name	Strength
<b>ANHYDROUS CITRIC ACID</b> (UNII: XF417D3PSL)	
<b>GLYCERIN</b> (UNII: PDC6A3C0OX)	
<b>POLOXAMER 407</b> (UNII: TUF2IVW3M2)	
<b>WATER</b> (UNII: 059QF0KO0R)	
<b>SODIUM BENZOATE</b> (UNII: OJ245FE5EU)	
<b>SODIUM CHLORIDE</b> (UNII: 451W47IQ8X)	
<b>TRISODIUM CITRATE DIHYDRATE</b> (UNII: B22547B95K)	
<b>SUCROSE</b> (UNII: C151H8M554)	
<b>D&amp;C RED NO. 33</b> (UNII: 9DBA0SBB0L)	
<b>FD&amp;C RED NO. 40</b> (UNII: WZB9127XOA)	

**Product Characteristics**

<b>Color</b>		<b>Score</b>	
<b>Shape</b>		<b>Size</b>	
<b>Flavor</b>	CHERRY	<b>Imprint Code</b>	
<b>Contains</b>			

**Packaging**

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:55301-092-04	1 in 1 BOX	09/30/2015	
1		118 mL in 1 BOTTLE, PLASTIC; Type 0: Not a Combination Product		

**Marketing Information**

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M012	09/30/2015	

**Labeler -** AAFES/Your Military Exchanges (001695568)