

**QUIT SMOKING PATCHES- quit smoking patches patch**  
**Guangzhou Yixin Cross-border E-commerce Co., Ltd.**

-----

**Active ingredients**

ALCOHOL 62%

**USES**

Use reduces withdrawal symptoms, including nicotine craving, associated with quitting smoking

**Purpose**

Use reduces withdrawal symptoms, including associated with nicotine craving □ quitting smoking

**WARNINGS**

If you are pregnant or breast-feeding, only use this medicine on the advice of your health care provider. Smoking can seriously harm your child. Try to stop smoking without using any nicotine replacement medicine. This medicine is believed to be safer than smoking. However, the risks to your child from this medicine are not fully known.

**DOSAGE AND ADMINISTRATION SECTION**

Heart disease, recent heart attack, or irregular heartbeat, Nicotine can increase your heart rate  
High blood pressure not controlled with medication, Nicotine can increase your blood pressure.  
An allergy to adhesive tape or have skin problems. because you are more likely to get rashes.  
Stomach ulcer or diabetes. History of seizures.

**DO NOT USE SECTION**

Using a non-nicotine stop smoking rug  
Taking a prescription medicine for depression or asthma. Your prescription dose may need to be adjusted.

**WHEN USING SECTION**

Using a non-nicotine stop smoking rug  
Taking a prescription medicine for depression or asthma. Your prescription dose may need to be adjusted. to maintain skin health, especially in winter or if you have skin sensitivity.

**STOP USE**

Stop use and ask a doctor if Feeling uncomfortable or experiencing other sensitive

dizziness symptoms

## KEEP OUT OF REACH OF CHILDREN.

Keep out of reach of children and pets.

## INACTIVE INGREDIENT

POLYACRYLATE-13, PEGOTERATE, POWDERED CELLULOSE, BUTYL ACRYLATE/METHYL METHACRYLATE/METHACRYLIC ACID COPOLYMER (18000 MW)

## LABEL

**Aikaplus<sup>®</sup>**

**1 STEP**

**QUIT SMOKING Patches**

**1 STEP**

**QUIT SMOKING PATCHES**

**STOP SMOKING AID**

**24**

**30 PCS**

**21mg**

**7 clear patches (1-week kit)**

**STOP SMOKING AID**

**Aikaplus<sup>®</sup>**

Drug Facts		
Active Ingredient (in each patch) Purpose		
• Nicotine, 21mg delivered over 24 hours step 1 stop smoking aid.		
• Nicotine, 14mg delivered over 24 hours step 2 stop smoking aid.		
• Nicotine, 7mg delivered over 24 hours step 3 stop smoking aid.		
Use reduces withdrawal symptoms, including nicotine craving, associated with quitting smoking.		
<b>Warnings</b>		
If you are pregnant or breast-feeding, only use this medicine on the advice of your health care provider. Smoking can seriously harm your child. Try to stop smoking without using any nicotine replacement medicine. This medicine is believed to be safer than smoking. However, the risks to your child from this medicine are not fully known.		
<b>Ask a doctor before use if you have</b>		
• Heart disease, recent heart attack, or irregular heartbeat. Nicotine can increase your heart rate.		
• High blood pressure not controlled with medication. Nicotine can increase your blood pressure.		
• An allergy to adhesive tape or have skin problems, because you are more likely to get rashes.		
• Stomach ulcer or diabetes.		
• History of seizures.		
<b>Ask a doctor or pharmacist before use if you are:</b>		
• Using a non-nicotine stop smoking rug.		
• Taking a prescription medicine for depression or asthma. Your prescription dose may need to be adjusted.		
<b>When using this product</b>		
• If you have vivid dreams or other sleep disturbances remove this patch in bedtime.		
<b>Stop use and ask a doctor if Feeling uncomfortable or experiencing other sensitive dizziness symptoms.</b>		
<b>Keep out of reach of children and pets.</b>		

Drug Facts		
<b>Directions</b>		
• If you are under 18 years of age, ask a doctor before use.		
• Before using this product, read the enclosed self-help guide for complete directions and other information.		
• Begin using the patch on your quit day.		
• If you smoke more than 10 cigarettes per day, use the following schedule below.		
<b>Weeks 1-4</b>	<b>Weeks 5-6</b>	<b>Weeks 7-8</b>
<b>Step 1</b>	<b>Step 2</b>	<b>Step 3</b>
<b>Use one 21 mg patch/day</b>	<b>Use one 14 mg patch/day</b>	<b>Use one 7 mg patch/day</b>
• If you smoke 10 or less cigarettes per day, start with Step 2 for 6 weeks, then step 3 for 2 weeks.		
• Apply one new patch every 24 hours on skin that is dry, clean and hairless.		
• Remove backing from patch and immediately press onto skin. Hold for 10 seconds.		
• Wash hands after applying or removing patch. Save pouch to use for patch disposal. Dispose of the used patches by folding sticky ends together and putting in pouch.		
• The used patch should be removed and a new one applied to a different skin site at the same time each day.		
• If you have vivid dreams, you may remove the patch at bedtime and apply a new one in the morning.		
• Do not wear more than one patch at a time.		
• Do not cut patch in half or into smaller pieces.		
• Do not leave patch on for more than 24 hours, because it may irritate your skin and loses strength after 24 hours.		
• To avoid possible burns, remove patch before undergoing any MRI (magnetic resonance imaging) procedures.		
• It is important to complete treatment, if you feel you need to use the patch for a longer period to keep from smoking, talk to your health care provider.		
<b>Other information, store at 20-25°C</b>		
<b>Inactive ingredients:</b> Polyacrylate-13, butyl acrylate/methyl methacrylate /methacrylic acid copolymer(18000mw), pegoterate, powdered cellulosemer (18000 mw)		
<b>Manufacturer</b>		
Guangzhou Yixin Cross-border E-commerce Co., Ltd.		
<b>Address</b>		
Room 201, second floor, Building B, No. 61, Dongpu Erma Road, Tianhe District, Guangzhou, self-edited Y11		

## QUIT SMOKING PATCHES

quit smoking patches patch

Product Information				
<b>Product Type</b>		HUMAN OTC DRUG	<b>Item Code (Source)</b> NDC:84778-076	
<b>Route of Administration</b>		CUTANEOUS		
Active Ingredient/Active Moiety				
<b>Ingredient Name</b>			<b>Basis of Strength</b>	<b>Strength</b>
NICOTINE (UNII: 6M3C89ZY6R) (NICOTINE - UNII:6M3C89ZY6R)			NICOTINE	1 U in 1 U
Inactive Ingredients				
<b>Ingredient Name</b>				<b>Strength</b>
POLYACRYLATE-13 (UNII: FS2D4T67EA)				
BUTYL ACRYLATE/METHYL METHACRYLATE/METHACRYLIC ACID COPOLYMER (18000 MW) (UNII: JZ1374NL9E)				
PEGOTERATE (UNII: JHW12Q65DD)				
POWDERED CELLULOSE (UNII: SMD1X3XO9M)				
Packaging				
<b>#</b>	<b>Item Code</b>	<b>Package Description</b>	<b>Marketing Start Date</b>	<b>Marketing End Date</b>
1	NDC:84778-076-01	30 U in 1 PATCH; Type 0: Not a Combination Product	08/08/2025	
Marketing Information				
<b>Marketing Category</b>		<b>Application Number or Monograph Citation</b>	<b>Marketing Start Date</b>	<b>Marketing End Date</b>
OTC Monograph Drug		505G(a)(3)	08/08/2025	

**Labeler** - Guangzhou Yixin Cross-border E-commerce Co., Ltd. (455800881)

### Establishment

Name	Address	ID/FEI	Business Operations
Guangzhou Yixin Cross-border E-commerce Co., Ltd		455800881	manufacture(84778-076)

Revised: 8/2025

Guangzhou Yixin Cross-border E-commerce Co., Ltd.