

**CLE DE PEAU BEAUTE RADIANT FOUNDATION N M O30- octinoxate and titanium dioxide cream**  
**CLE DE PEAU BEAUTE RADIANT FOUNDATION N M O90- octinoxate and titanium dioxide cream**  
**CLE DE PEAU BEAUTE RADIANT FOUNDATION N M O20- octinoxate and titanium dioxide cream**  
**CLE DE PEAU BEAUTE RADIANT FOUNDATION N M O70- octinoxate and titanium dioxide cream**  
**CLE DE PEAU BEAUTE RADIANT FOUNDATION N M B20- octinoxate and titanium dioxide cream**  
**CLE DE PEAU BEAUTE RADIANT FOUNDATION N M BF60- octinoxate and titanium dioxide cream**  
**CLE DE PEAU BEAUTE RADIANT FOUNDATION N M B80- octinoxate and titanium dioxide cream**  
**CLE DE PEAU BEAUTE RADIANT FOUNDATION N M B10- octinoxate and titanium dioxide cream**  
**CLE DE PEAU BEAUTE RADIANT FOUNDATION N M B60- octinoxate and titanium dioxide cream**  
**CLE DE PEAU BEAUTE RADIANT FOUNDATION N M I10- octinoxate and titanium dioxide cream**  
**CLE DE PEAU BEAUTE RADIANT FOUNDATION N M B90- octinoxate and titanium dioxide cream**  
**CLE DE PEAU BEAUTE RADIANT FOUNDATION N M O50- octinoxate and titanium dioxide cream**  
**CLE DE PEAU BEAUTE RADIANT FOUNDATION N M O60- octinoxate and titanium dioxide cream**  
**CLE DE PEAU BEAUTE RADIANT FOUNDATION N M B100- octinoxate and titanium dioxide cream**  
**CLE DE PEAU BEAUTE RADIANT FOUNDATION N M BF10- octinoxate and titanium dioxide cream**  
**CLE DE PEAU BEAUTE RADIANT FOUNDATION N M O80- octinoxate and titanium dioxide cream**  
**CLE DE PEAU BEAUTE RADIANT FOUNDATION N M O100- octinoxate and titanium dioxide cream**  
**CLE DE PEAU BEAUTE RADIANT FOUNDATION N M B30- octinoxate and titanium dioxide cream**  
**CLE DE PEAU BEAUTE RADIANT FOUNDATION N M B70- octinoxate and titanium dioxide cream**  
**CLE DE PEAU BEAUTE RADIANT FOUNDATION N M O10- octinoxate and titanium dioxide cream**  
**CLE DE PEAU BEAUTE RADIANT FOUNDATION N M B50- octinoxate and titanium dioxide cream**  
**CLE DE PEAU BEAUTE RADIANT FOUNDATION N M B40- octinoxate and titanium dioxide cream**  
**CLE DE PEAU BEAUTE RADIANT FOUNDATION N M BF50- octinoxate and titanium dioxide cream**  
**CLE DE PEAU BEAUTE RADIANT FOUNDATION N M O40- octinoxate and titanium dioxide cream**

**Shiseido Americas Corporation**

-----  
**cle de peau BEAUTE RADIANT FOUNDATION N M**

**Drug Facts**

---

**Active Ingredients**

Octinoxate 4.4%  
Titanium Dioxide 1.2%

**Purpose**

Sunscreen  
Sunscreen

---

**Uses**

- helps prevent sunburn
- if used as directed with other sun protection measures (see Directions) decreases the risk of skin cancer and early skin aging caused by the sun

**Warnings**

**For external use only**

**Do not use** on damaged or broken skin

**When using this product** keep out of eyes. Rinse with water to remove.

**Stop use and ask a doctor** if rash occurs

**Keep out of reach of children.** If product is swallowed, get medical help or contact a Poison Control Center right away.

**Directions**

For sunscreen use:

- apply liberally 15 minutes before sun exposure
- use a water resistant sunscreen if swimming or sweating.
- reapply at least every 2 hours.
- **Sun Protection Measures.** Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF of 15 or higher and other sun protection measures including:
  - limit time in the sun, especially from 10 a.m. - 2 p.m.
  - wear long-sleeve shirts, pants, hats, and sunglasses
- children under 6 months: Ask a doctor

WATER □ DIMETHICONE □ DIPHENYLSILOXY PHENYL TRIMETHICONE □ DIPROPYLENE  
GLYCOL □ GLYCERIN □ BUTYLENE GLYCOL □ PEG-10 DIMETHICONE □ PEG-20 □ LAURYL PEG-9  
POLYDIMETHYLSILOXYETHYL DIMETHICONE □ PEG-6 □ PEG-32 □ DISTEARDIMONIUM  
HECTORITE □ BARIUM SULFATE □ DIPHENYL DIMETHICONE/VINYL DIPHENYL  
DIMETHICONE/SILSESQUIOXANE CROSSPOLYMER □ DIMETHICONE/VINYL DIMETHICONE  
CROSSPOLYMER □ HYDROGENATED POLYISOBUTENE □ TREHALOSE □ ARGANIA SPINOSA  
KERNEL OIL □ GLYCINE □ PEG/PPG-14/7 DIMETHYL ETHER □ POTENTILLA ERECTA ROOT  
EXTRACT □ TRIMETHYLSILOXYSILICATE □ ROSA ROXBURGHII FRUIT EXTRACT □ ANGELICA  
ACUTILOBA ROOT EXTRACT □ HYDROLYZED CONCHIOLIN PROTEIN □ HYDROLYZED SILK □  
PERILLA OCYMOIDES LEAF EXTRACT □ SORBITAN SESQUIISOSTEARATE □ DIISOSTEARYL  
MALATE □ BEHENIC ACID □ SYNTHETIC FLUORPHLOGOPITE □ ALUMINUM HYDROXIDE □  
DIMETHICONE/PHENYL VINYL DIMETHICONE CROSSPOLYMER □ TRISODIUM EDTA □ TALC □  
TRIETHOXYCAPRYLYLSILANE □ POLYSILICONE-2 □ STEARIC ACID □ TRIETHOXSILYLETHYL  
POLYDIMETHYLSILOXYETHYL DIMETHICONE □ HYDROGEN DIMETHICONE □ BHT □ SILICA □  
THEANINE □ TOCOPHEROL □ MICA □ POLYMETHYLSILSESQUIOXANE □ METHYLPARABEN □  
ETHYLPARABEN □ FRAGRANCE □ IRON OXIDES □ TITANIUM DIOXIDE □

### **Other information**

- protect this product in this container from excessive heat and direct sun.

### **Questions or Comments?**

Call toll free 1-800-906-7503

### **PRINCIPAL DISPLAY PANEL - 21mL Tube Carton - I10**

clé de peau

BEAUTÉ

RADIANT CREAM

FOUNDATION n

BROAD SPECTRUM

SPF 25

SUNSCREEN

21mL NET WT. .88 OZ.



CLÉ DE PEAU  
BEAUTÉ

RADIANT CREAM FOUNDATION n M  
BROAD SPECTRUM SPF 25  
SUNSCREEN

**Define your most radiant,  
most colorful life.**

A skincare-based cream foundation inspired by the radiance of a diamond provides flawless coverage with a silky, dewy finish.

- A hybrid of makeup and skincare, exclusive **Light-Empowering Enhancer** amplifies your radiant finish.
- Formulated with **Skin-Empowering Illuminator**, our exclusive skincare ingredient.
- NON-COMEDOGENIC. DERMATOLOGIST-TESTED.

**Drug Facts**

**Active Ingredients Purpose**

OCTINOXATE 4.4% ..... Sunscreen  
TITANIUM DIOXIDE 1.2% .... Sunscreen

**Uses**

■ helps prevent sunburn ■ if used as directed with other sun protection measures (see *Directions*), decreases the risk of skin cancer and early skin aging caused by the sun

**Warnings**

For external use only

Do not use on damaged or broken skin

When using this product keep out of eyes. Rinse with water to remove.

Stop use and ask a doctor if rash occurs

Keep out of reach of children. If product is swallowed, get medical help or contact a Poison Control Center right away.

**Directions**

For sunscreen use:

- apply liberally 15 minutes before sun exposure
- use a water resistant sunscreen if swimming or sweating
- reapply at least every 2 hours ▶

SHISEIDO AMERICAS CORPORATION DIST.  
NEW YORK, NY 10017  
MADE IN U.S.A.  
www.cledepeau-beaute.com

**Drug Facts  
(continued)**

**Directions**

■ Sun Protection

**Measures.** Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF of 15 or higher and other sun protection measures including:  
- limit time in the sun, especially from 10 a.m. -2 p.m. - wear long-sleeve shirts, pants, hats, and sunglasses  
■ children under 6 months:  
Ask a doctor

**Inactive  
Ingredients**

WATER • DIMETHICONE • DIPHENYLSILOXY PHENYL TRIMETHICONE • DIPROPYLENE GLYCOL • GLYCERIN • BUTYLENE GLYCOL • PEG-10 DIMETHICONE • PEG-20 • LAURYL PEG-9 POLYDIMETHYLSILOXYETHYL DIMETHICONE • PEG-6 • PEG-32 • DISTEARDIMONIUM HECTORITE • BARIUM SULFATE • DIPHENYL DIMETHICONE/VINYL DIPHENYL DIMETHICONE/SILSESQUOXANE CROSSPOLYMER • DIMETHICONE/VINYL DIMETHICONE CROSSPOLYMER • HYDROGENATED POLYISOBUTENE • TREHALOSE • ARGANIA SPINOSA KERNEL OIL • GLYCINE • PEG/PPG-14/7 DIMETHYL ETHER • POTENTILLA ERECTA ROOT EXTRACT • TRIMETHYLSILOXYSILICATE • ROSA ROXBURGHII FRUIT EXTRACT • ANGELICA ACUTILOBA ROOT EXTRACT • HYDROLYZED CONCHOLIN PROTEIN • HYDROLYZED SILK • PERILLA OCYMOIDES LEAF EXTRACT • SORBITAN SESQUINOSTEARATE • DIISOSTEARYL MALATE • BEHENIC ACID • SYNTHETIC FLUORPHLOGOPITE ▶

clé de peau  
BEAUTÉ

RADIANT CREAM  
FOUNDATION n  
BROAD SPECTRUM  
SPF 25  
SUNSCREEN

21mL NET WT. .88 OZ.

**Drug Facts  
(continued)**

**Inactive  
Ingredients**

ALUMINUM HYDROXIDE • DIMETHICONE/PHENYL VINYL DIMETHICONE CROSSPOLYMER • TRISODIUM EDTA • TALC • TRIETHOXYCAPRYLYLSILANE • POLYSILOXANE-2 • STEARIC ACID • TRIETHOXYSILYLETHYL POLYDIMETHYLSILOXYETHYL DIMETHICONE • HYDROGEN DIMETHICONE • BHT • SILICA • THEANINE • TOCOPHEROL • MICA • POLYMETHYLSILSESQUOXANE • METHYLPARABEN • ETHYLPARABEN • FRAGRANCE • IRON OXIDES • TITANIUM DIOXIDE • <N130645-811>

**Other  
Information**

■ protect this product in this container from excessive heat and direct sun.

**Questions or  
Comments?**

Call toll free 1-800-906-7503

QRコード

<http://cpb1982.com/17730CP>  
See our website  
for more information.

2次元  
コード



FSC  
マーク

**PRINCIPAL DISPLAY PANEL - 21mL Tube Carton - B10**

clé de peau  
BEAUTÉ  
RADIANT CREAM  
FOUNDATION n  
BROAD SPECTRUM  
SPF 25  
SUNSCREEN

21mL NET WT. .88 OZ.



CLÉ DE PEAU  
BEAUTÉ  
RADIANT CREAM FOUNDATION n M  
BROAD SPECTRUM SPF 25  
SUNSCREEN

**Define your most radiant, most colorful life.**  
A skincare-based cream foundation inspired by the radiance of a diamond provides flawless coverage with a silky, dewy finish.

- A hybrid of makeup and skincare, exclusive **Light-Empowering Enhancer** amplifies your radiant finish.
- Formulated with **Skin-Empowering Illuminator**, our exclusive skincare ingredient.
- NON-COMEDOGENIC. DERMATOLOGIST-TESTED.

**Drug Facts**

**Active Ingredients Purpose**  
OCTINOXATE 4.4% ..... Sunscreen  
TITANIUM DIOXIDE 1.2% .... Sunscreen

**Uses**  
■ helps prevent sunburn ■ if used as directed with other sun protection measures (see *Directions*), decreases the risk of skin cancer and early skin aging caused by the sun

**Warnings**  
For external use only  
Do not use on damaged or broken skin  
When using this product keep out of eyes. Rinse with water to remove.  
Stop use and ask a doctor if rash occurs  
Keep out of reach of children. If product is swallowed, get medical help or contact a Poison Control Center right away.

**Directions**  
For sunscreen use:  
■ apply liberally 15 minutes before sun exposure  
■ use a water resistant sunscreen if swimming or sweating ■ reapply at least every 2 hours ▶

SHISEIDO AMERICAS CORPORATION DIST.  
NEW YORK, NY 10017  
MADE IN U.S.A.  
www.cledepeau-beaute.com

  
**clé de peau**  
BEAUTÉ

RADIANT CREAM  
FOUNDATION n  
BROAD SPECTRUM  
SPF 25  
SUNSCREEN

**Drug Facts (continued)**

**Directions**  
■ Sun Protection  
**Measures.** Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF of 15 or higher and other sun protection measures including:  
- limit time in the sun, especially from 10 a.m. -2 p.m. - wear long-sleeve shirts, pants, hats, and sunglasses  
■ children under 6 months: Ask a doctor

**Inactive Ingredients**  
WATER • DIMETHICONE • DIPHENYLSILOXY PHENYL TRIMETHICONE • DIPROPYLENE GLYCOL • GLYCERIN • BUTYLENE GLYCOL • PEG-10 DIMETHICONE • PEG-20 • LAURYL PEG-9 POLYDIMETHYLSILOXYETHYL DIMETHICONE • PEG-6 • PEG-32 • DISTEARDIMONIUM HECTORITE • BARIUM SULFATE • DIPHENYL DIMETHICONE/VINYL DIPHENYL DIMETHICONE/SILSESQUOXANE CROSSPOLYMER • DIMETHICONE/VINYL DIMETHICONE CROSSPOLYMER • HYDROGENATED POLYISOBUTENE • TREHALOSE • ARGANIA SPINOSA KERNEL OIL • GLYCINE • PEG/PPG-14/7 DIMETHYL ETHER • POTENTILLA RECTA ROOT EXTRACT • TRIMETHYLSILOXYSILICATE • ROSA ROXBURGHII FRUIT EXTRACT • ANGELICA ACUTILOBA ROOT EXTRACT • HYDROLYZED CONCHOLIN PROTEIN • HYDROLYZED SILK • PERILLA OCYMOIDES LEAF EXTRACT • SORBITAN SESQUISOESTEARATE • DIISOSTEARYL MALATE • BEHENIC ACID • SYNTHETIC FLUORPHLOGOPITE ▶

**Drug Facts (continued)**

**Inactive Ingredients**  
ALUMINUM HYDROXIDE • DIMETHICONE/PHENYL VINYL DIMETHICONE CROSSPOLYMER • TRISODIUM EDTA • TALC • TRIETHOXYCAPRYLYLSILANE • POLYSILOXANE-2 • STEARIC ACID • TRIETHOXYSILOXYETHYL POLYDIMETHYLSILOXYETHYL DIMETHICONE • HYDROGEN DIMETHICONE • BHT • SILICA • THEANINE • TOCOPHEROL • MICA • POLYMETHYLSILSESQUOXANE • METHYLPARABEN • ETHYLPARABEN • FRAGRANCE • IRON OXIDES • TITANIUM DIOXIDE • <M30645-811>

**Other Information**  
■ protect this product in this container from excessive heat and direct sun.

**Questions or Comments?**  
Call toll free 1-800-906-7503



QRコード

<http://cpb1982.com/17730CP>  
See our website for more information.

2次元コード

RECOMMENDED SKIN CANCER FOUNDATION DAILY USE

FSC マーク

21mL NET WT. .88 OZ.

**PRINCIPAL DISPLAY PANEL - 21mL Tube Carton - B20**

clé de peau  
BEAUTÉ  
RADIANT CREAM  
FOUNDATION n  
BROAD SPECTRUM  
SPF 25

# SUNSCREEN

21mL NET WT. .88 OZ.

  
CLÉ DE PEAU  
BEAUTÉ  
RADIANT CREAM FOUNDATION n M  
BROAD SPECTRUM SPF 25  
SUNSCREEN

**Define your most radiant, most colorful life.**  
A skincare-based cream foundation inspired by the radiance of a diamond provides flawless coverage with a silky, dewy finish.

- A hybrid of makeup and skincare, exclusive **Light-Empowering Enhancer** amplifies your radiant finish.
- Formulated with **Skin-Empowering Illuminator**, our exclusive skincare ingredient.
- NON-COMEDOGENIC. DERMATOLOGIST-TESTED.

**Drug Facts**

Active Ingredients	Purpose
OCTINOXATE 4.4%	Sunscreen
TITANIUM DIOXIDE 1.2%	Sunscreen

**Uses**  
■ helps prevent sunburn ■ if used as directed with other sun protection measures (see *Directions*), decreases the risk of skin cancer and early skin aging caused by the sun

**Warnings**  
For external use only  
**Do not use** on damaged or broken skin  
**When using this product** keep out of eyes. Rinse with water to remove.  
**Stop use and ask a doctor** if rash occurs  
**Keep out of reach of children.** If product is swallowed, get medical help or contact a Poison Control Center right away.

**Directions**  
For sunscreen use:  
■ apply liberally 15 minutes before sun exposure  
■ use a water resistant sunscreen if swimming or sweating ■ reapply at least every 2 hours ▶

SHISEIDO AMERICAS CORPORATION DIST.  
NEW YORK, NY 10017  
MADE IN U.S.A.  
www.cledepeau-beaute.com

**Drug Facts**  
(continued)

**Directions**  
■ Sun Protection  
**Measures.** Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF of 15 or higher and other sun protection measures including:  
• limit time in the sun, especially from 10 a.m. -2 p.m. • wear long-sleeve shirts, pants, hats, and sunglasses  
■ children under 6 months: Ask a doctor

**Inactive Ingredients**  
WATER • DIMETHICONE • DIPHENYLSILOXY PHENYL TRIMETHICONE • DIPROPYLENE GLYCOL • GLYCERIN • BUTYLENE GLYCOL • PEG-10 DIMETHICONE • PEG-20 • LAURYL PEG-9 POLYDIMETHYLSILOXYETHYL DIMETHICONE • PEG-6 • PEG-32 • DISTEARDMONIUM HECTORITE • BARIUM SULFATE • DIPHENYL DIMETHICONE/VINYL DIPHENYL DIMETHICONE/SILSESQUOXANE CROSSPOLYMER • DIMETHICONE/VINYL DIMETHICONE CROSSPOLYMER • HYDROGENATED POLYISOBUTENE • TREHALOSE • ARGANIA SPINOSA KERNEL OIL • GLYCINE • PEG/PPG-14/7 DIMETHYL ETHER • POTENTILLA RECTA ROOT EXTRACT • TRIMETHYLSILOXYLICATE • ROSA ROXBURGHII FRUIT EXTRACT • ANGELICA ACUTILOBA ROOT EXTRACT • HYDROLYZED CONCHILIN PROTEIN • HYDROLYZED SILK • PERILLA OCYNOIDES LEAF EXTRACT • SORBITAN SESQUISOSTEARATE • DIISOSTEARYL MALATE • BEHENIC ACID • SYNTHETIC FLUORPHLOGOPITE ▶

  
clé de peau  
BEAUTÉ  
RADIANT CREAM  
FOUNDATION n  
BROAD SPECTRUM  
SPF 25  
SUNSCREEN

**Drug Facts**  
(continued)

**Inactive Ingredients**  
ALUMINUM HYDROXIDE • DIMETHICONE/PHENYL VINYL DIMETHICONE CROSSPOLYMER • TRISODIUM EDTA • TALC • TRIETHOXYCAPRYLYLSILANE • POLYSILOXANE-2 • STEARIC ACID • TRIETHOXYSYLLETHYL POLYDIMETHYLSILOXYETHYL DIMETHICONE • HYDROGEN DIMETHICONE • BHT • SILICA • THEANINE • TOCOPHEROL • MICA • POLYMETHYLSILSESQUOXANE • METHYLPARABEN • ETHYLPARABEN • FRAGRANCE • IRON OXIDES • TITANIUM DIOXIDE <M30645-B1>

**Other Information**  
■ protect this product in this container from excessive heat and direct sun.

**Questions or Comments?**  
Call toll free 1-800-906-7503

  
QRコード

<http://cpb1982.com/17730CP>  
See our website for more information.

2次元コード

RECOMMENDED  
  
DAILY USE

FSC  
マーク

21mL NET WT. .88 OZ.

## PRINCIPAL DISPLAY PANEL - 21mL Tube Carton - B30

clé de peau

BEAUTÉ

RADIANT CREAM

FOUNDATION n

BROAD SPECTRUM

SPF 25

SUNSCREEN

21mL NET WT. .88 OZ.



CLÉ DE PEAU  
BEAUTÉ

RADIANT CREAM FOUNDATION n M  
BROAD SPECTRUM SPF 25  
SUNSCREEN

**Define your most radiant,  
most colorful life.**

A skincare-based cream foundation inspired by the radiance of a diamond provides flawless coverage with a silky, dewy finish.

- A hybrid of makeup and skincare, exclusive **Light-Empowering Enhancer** amplifies your radiant finish.
- Formulated with **Skin-Empowering Illuminator**, our exclusive skincare ingredient.
- NON-COMEDOGENIC. DERMATOLOGIST-TESTED.

**Drug Facts**

**Active Ingredients Purpose**

OCTINOXATE 4.4% ..... Sunscreen

TITANIUM DIOXIDE 1.2% .... Sunscreen

**Uses**

■ helps prevent sunburn ■ if used as directed with other sun protection measures (see *Directions*), decreases the risk of skin cancer and early skin aging caused by the sun

**Warnings**

For external use only

Do not use on damaged or broken skin

When using this product keep out of eyes. Rinse with water to remove.

Stop use and ask a doctor if rash occurs

Keep out of reach of children. If product is swallowed, get medical help or contact a Poison Control Center right away.

**Directions**

For sunscreen use:

■ apply liberally 15 minutes before sun exposure

■ use a water resistant sunscreen if swimming or sweating ■ reapply at least every 2 hours ▶

SHISEIDO AMERICAS CORPORATION DIST.  
NEW YORK, NY 10017  
MADE IN U.S.A.  
[www.cledepeau-beaute.com](http://www.cledepeau-beaute.com)



clé de peau  
BEAUTÉ

RADIANT CREAM  
FOUNDATION n  
BROAD SPECTRUM  
SPF 25  
SUNSCREEN

**Drug Facts**  
(continued)

**Directions**

■ Sun Protection

**Measures.** Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF of 15 or higher and other sun protection measures including:

- limit time in the sun, especially from 10 a.m. -2 p.m.
- wear long-sleeve shirts, pants, hats, and sunglasses
- children under 6 months: Ask a doctor

**Inactive Ingredients**

WATER • DIMETHICONE • DIPHENYLSILOXY PHENYL TRIMETHICONE • DIPROPYLENE GLYCOL • GLYCERIN • BUTYLENE GLYCOL • PEG-10 DIMETHICONE • PEG-20 • LAURYL PEG-9 POLYDIMETHYLSILOXYETHYL DIMETHICONE • PEG-6 • PEG-32 • DISTEARDMONIUM HECTORITE • BARLIUM SULFATE • DIPHENYL DIMETHICONE/VINYL DIPHENYL DIMETHICONE/SILSESQUOXANE CROSSPOLYMER • DIMETHICONE/VINYL DIMETHICONE CROSSPOLYMER • HYDROGENATED POLYISOBUTENE • TREHALOSE • ARGAMA SPINOSA KERNEL OIL • GLYCINE • PEG/PPG-14/7 DIMETHYL ETHER • POTENTILLA ERECTA ROOT EXTRACT • TRIMETHYLSILOXYLICATE • ROSA ROXBURGHII FRUIT EXTRACT • ANGELICA ACUTILOBA ROOT EXTRACT • HYDROLYZED CONCHILIN PROTEIN • HYDROLYZED SILK • PERILLA OCYMOIDES LEAF EXTRACT • SORBITAN SESQUINOSTEARATE • DIISOSTEARYL MALATE • BEHENIC ACID • SYNTHETIC FLUORPHLOGPITE • ▶

**Drug Facts**  
(continued)

**Inactive Ingredients**

ALUMINUM HYDROXIDE • DIMETHICONE/PHENYL VINYL DIMETHICONE CROSSPOLYMER • TRISODIUM EDTA • TALC • TRIETHOXYCAPRYLYLSILANE • POLYSILOXANE-2 • STEARIC ACID • TRIETHOXYSILYLETHYL POLYDIMETHYLSILOXYETHYL DIMETHICONE • HYDROGEN DIMETHICONE • BHT • SILICA • THEANINE • TOCOPHEROL • MICA • POLYMETHYLSILSESQUOXANE • METHYLPARABEN • ETHYLPARABEN • FRAGRANCE • IRON OXIDES • TITANIUM DIOXIDE • <M30645-811>

**Other Information**

■ protect this product in this container from excessive heat and direct sun.

**Questions or Comments?**

Call toll free 1-800-906-7503

QRコード

<http://cpb1982.com/17730CP>  
See our website for more information.

2次元コード

RECOMMENDED SKIN CANCER FOUNDATION DAILY USE

FSC マーク

21mL NET WT. .88 OZ.

**PRINCIPAL DISPLAY PANEL - 21mL Tube Carton - B40**

clé de peau

BEAUTÉ

RADIANT CREAM

FOUNDATION n

BROAD SPECTRUM

SPF 25

SUNSCREEN

21mL NET WT. .88 OZ.



CLÉ DE PEAU  
BEAUTÉ

RADIANT CREAM FOUNDATION n M  
BROAD SPECTRUM SPF 25  
SUNSCREEN

**Define your most radiant,  
most colorful life.**

A skincare-based cream foundation inspired by the radiance of a diamond provides flawless coverage with a silky, dewy finish.

- A hybrid of makeup and skincare, exclusive **Light-Empowering Enhancer** amplifies your radiant finish.
- Formulated with **Skin-Empowering Illuminator**, our exclusive skincare ingredient.
- NON-COMEDOGENIC. DERMATOLOGIST-TESTED.

**Drug Facts**

**Active Ingredients Purpose**

OCTINOXATE 4.4% ..... Sunscreen

TITANIUM DIOXIDE 1.2% .... Sunscreen

**Uses**

■ helps prevent sunburn ■ if used as directed with other sun protection measures (see *Directions*), decreases the risk of skin cancer and early skin aging caused by the sun

**Warnings**

For external use only

Do not use on damaged or broken skin

When using this product keep out of eyes. Rinse with water to remove.

Stop use and ask a doctor if rash occurs

Keep out of reach of children. If product is swallowed, get medical help or contact a Poison Control Center right away.

**Directions**

For sunscreen use:

■ apply liberally 15 minutes before sun exposure

■ use a water resistant sunscreen if swimming or sweating ■ reapply at least every 2 hours ▶

SHISEIDO AMERICAS CORPORATION DIST.  
NEW YORK, NY 10017  
MADE IN U.S.A.  
[www.cledepeau-beaute.com](http://www.cledepeau-beaute.com)

**Drug Facts (continued)**

**Directions**

■ **Sun Protection Measures.** Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF of 15 or higher and other sun protection measures including:

- limit time in the sun, especially from 10 a.m. -2 p.m. - wear long-sleeve shirts, pants, hats, and sunglasses
- children under 6 months: Ask a doctor

**Inactive Ingredients**

WATER • DIMETHICONE • DIPHENYLSILOXY PHENYL TRIMETHICONE • DIPROPYLENE GLYCOL • GLYCERIN • BUTYLENE GLYCOL • PEG-10 DIMETHICONE • PEG-20 • LAURYL PEG-9 POLYDIMETHYLSILOXYETHYL DIMETHICONE • PEG-6 • PEG-32 • DISTEARDIMONIUM HECTORITE • BARIUM SULFATE • DIPHENYL DIMETHICONE/VINYL DIPHENYL DIMETHICONE/SILSESQUOXANE CROSSPOLYMER • DIMETHICONE/VINYL DIMETHICONE CROSSPOLYMER • HYDROGENATED POLYISOBUTENE • TREHALOSE • ARGANIA SPINOSA KERNEL OIL • GLYCINE • PEG/PPG-14/7 DIMETHYL ETHER • POTENTILLA RECTA ROOT EXTRACT • TRIMETHYLSILOXYSILICATE • ROSA ROXBURGHII FRUIT EXTRACT • ANGELICA ACUTILOBA ROOT EXTRACT • HYDROLYZED CONCHOLIN PROTEIN • HYDROLYZED SILK • PERILLA OCYMOIDES LEAF EXTRACT • SORBITAN SESQUISOESTEARATE • DIISOSTEARYL MALATE • BEHENIC ACID • SYNTHETIC FLUORPHLOGOPITE • ▶



clé de peau

BEAUTÉ

RADIANT CREAM  
FOUNDATION n

BROAD SPECTRUM  
SPF 25  
SUNSCREEN

**Drug Facts (continued)**

**Inactive Ingredients**

ALUMINUM HYDROXIDE • DIMETHICONE/PHENYL VINYL DIMETHICONE CROSSPOLYMER • TRISODIUM EDTA • TALC • TRIETHOXYCAPRYLYLSILANE • POLYSILOXANE-2 • STEARIC ACID • TRIETHOXYSYLLETHYL POLYDIMETHYLSILOXYETHYL DIMETHICONE • HYDROGEN DIMETHICONE • BHT • SILICA • THEANINE • TOCOPHEROL • MICA • POLYMETHYLSILSESQUOXANE • METHYLPARABEN • ETHYLPARABEN • FRAGRANCE • IRON OXIDES • TITANIUM DIOXIDE • <M30645-811>

**Other Information**

■ protect this product in this container from excessive heat and direct sun.

**Questions or Comments?**

Call toll free 1-800-906-7503

QRコード

<http://cpb1982.com/17730CP>  
See our website for more information.

2次元コード

RECOMMENDED SKIN CANCER FOUNDATION DAILY USE

FSC マーク

21mL NET WT. .88 OZ.

**PRINCIPAL DISPLAY PANEL - 21mL Tube Carton - B50**

clé de peau  
BEAUTÉ  
RADIANT CREAM

FOUNDATION n  
 BROAD SPECTRUM  
 SPF 25  
 SUNSCREEN  
 21mL NET WT. .88 OZ.

  
 CLÉ DE PEAU  
 BEAUTÉ  
 RADIANT CREAM FOUNDATION n M  
 BROAD SPECTRUM SPF 25  
 SUNSCREEN

**Define your most radiant, most colorful life.**  
 A skincare-based cream foundation inspired by the radiance of a diamond provides flawless coverage with a silky, dewy finish.

- A hybrid of makeup and skincare, exclusive **Light-Empowering Enhancer** amplifies your radiant finish.
- Formulated with **Skin-Empowering Illuminator**, our exclusive skincare ingredient.
- NON-COMEDOGENIC. DERMATOLOGIST-TESTED.

**Drug Facts**  
(continued)

**Directions**  
**■ Sun Protection Measures.** Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF of 15 or higher and other sun protection measures including:  
 • limit time in the sun, especially from 10 a.m. -2 p.m. • wear long-sleeve shirts, pants, hats, and sunglasses  
**■ children under 6 months:**  
 Ask a doctor

**Inactive Ingredients**  
 WATER • DIMETHICONE • DIPHENYLSILOXY PHENYL TRIMETHICONE • DIPROPYLENE GLYCOL • GLYCERIN • BUTYLENE GLYCOL • PEG-10 DIMETHICONE • PEG-20 • LAURYL PEG-9 POLYDIMETHYLSILOXYETHYL DIMETHICONE • PEG-6 • PEG-32 • DISTEARDMONIUM HECTORITE • BARIUM SULFATE • DIPHENYL DIMETHICONE/VINYL DIPHENYL DIMETHICONE/SILSESQUOXANE CROSSPOLYMER • DIMETHICONE/VINYL DIMETHICONE CROSSPOLYMER • HYDROGENATED POLYISOBUTENE • TREHALOSE • ARGANIA SPINOSA KERNEL OIL • GLYCINE • PEG/PPG-14/7 DIMETHYL ETHER • POTENTILLA ERECTA ROOT EXTRACT • TRIMETHYLSILOXY-SILICATE • ROSA ROXBURGHII FRUIT EXTRACT • ANGELICA ACUTILOBA ROOT EXTRACT • HYDROLYZED CONCHOLIN PROTEIN • HYDROLYZED SILK • PERILLA OCYMOIDES LEAF EXTRACT • SORBITAN SESQUISOESTEARATE • DIISOSTEARYL MALATE • BEHENIC ACID • SYNTHETIC FLUORPHLOGOPITE •

  
 clé de peau  
 BEAUTÉ  
 RADIANT CREAM  
 FOUNDATION n  
 BROAD SPECTRUM  
 SPF 25  
 SUNSCREEN

**Drug Facts**  
(continued)

**Inactive Ingredients**  
 ALUMINUM HYDROXIDE • DIMETHICONE/PHENYL VINYL DIMETHICONE CROSSPOLYMER • TRISODIUM EDTA • TALC • TRIETHOXYCAPRYLYLSILANE • POLYSILOXANE-2 • STEARIC ACID • TRIETHOXY-SILYLETHYL POLYDIMETHYLSILOXYETHYL DIMETHICONE • HYDROGEN DIMETHICONE • BHT • SILICA • THEANINE • TOCOPHEROL • NIACA • POLYMETHYLSILSESQUOXANE • METHYLPARABEN • ETHYLPARABEN • FRAGRANCE • IRON OXIDES • TITANIUM DIOXIDE • <M30645-811>

**Other Information**  
**■** protect this product in this container from excessive heat and direct sun.

**Questions or Comments?**  
 Call toll free 1-800-906-7503

QRコード

<http://cpb1982.com/17730CP>  
 See our website for more information.

2次元コード

RECOMMENDED  
  
 DAILY USE

FSC  
マーク

21mL NET WT. .88 OZ.

**PRINCIPAL DISPLAY PANEL - 21mL Tube Carton - B60**  
 clé de peau  
 BEAUTÉ

RADIANT CREAM  
 FOUNDATION n  
 BROAD SPECTRUM  
 SPF 25  
 SUNSCREEN  
 21mL NET WT. .88 OZ.



CLÉ DE PEAU  
BEAUTÉ

RADIANT CREAM FOUNDATION n M  
BROAD SPECTRUM SPF 25  
SUNSCREEN

**Define your most radiant, most colorful life.**  
 A skincare-based cream foundation inspired by the radiance of a diamond provides flawless coverage with a silky, dewy finish.

- A hybrid of makeup and skincare, exclusive **Light-Empowering Enhancer** amplifies your radiant finish.
- Formulated with **Skin-Empowering Illuminator**, our exclusive skincare ingredient.
- NON-COMEDOGENIC. DERMATOLOGIST-TESTED.

**Drug Facts**  
(continued)

**Directions**  
**■ Sun Protection**  
**Measures.** Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF of 15 or higher and other sun protection measures including:  
 • limit time in the sun, especially from 10 a.m. -2 p.m. • wear long-sleeve shirts, pants, hats, and sunglasses  
**■ children under 6 months:**  
 Ask a doctor

**Inactive Ingredients**  
 WATER • DIMETHICONE • DIPHENYLSILOXY PHENYL TRIMETHICONE • DIPROPYLENE GLYCOL • GLYCERIN • BUTYLENE GLYCOL • PEG-10 DIMETHICONE • PEG-20 • LAURYL PEG-9 POLYDIMETHYLSILOXYETHYL DIMETHICONE • PEG-6 • PEG-32 • DISTEARDMONIUM HECTORITE • BARIUM SULFATE • DIPHENYL DIMETHICONE/VINYL DIMETHICONE/SILSESQUOXANE CROSSPOLYMER • DIMETHICONE/VINYL DIMETHICONE CROSSPOLYMER • HYDROGENATED POLYISOBUTENE • TREHALOSE • ARGANIA SPINOSA KERNEL OIL • GLYCINE • PEG/PPG-14/7 DIMETHYL ETHER • POTENTILLA ERECTA ROOT EXTRACT • TRIMETHYLSILOXYSILICATE • ROSA ROXBURGHII FRUIT EXTRACT • ANGELICA ACUTILOBA ROOT EXTRACT • HYDROLYZED CONCHILIN PROTEIN • HYDROLYZED SILK • PERILLA OCYNOIDES LEAF EXTRACT • SORBITAN SESQUISOESTEARATE • DIISOSTEARYL MALATE • BEHENIC ACID • SYNTHETIC FLUORPHLOGOPITE



clé de peau

BEAUTÉ

RADIANT CREAM  
FOUNDATION n  
BROAD SPECTRUM  
SPF 25  
SUNSCREEN

**Drug Facts**  
(continued)

**Inactive Ingredients**  
 ALUMINUM HYDROXIDE • DIMETHICONE/PHENYL VINYL DIMETHICONE CROSSPOLYMER • TRISODIUM EDTA • TALC • TRIETHOXYCAPRYLYLSILANE • POLYSILICONE-2 • STEARIC ACID • TRIETHOXYSILYLETHYL POLYDIMETHYLSILOXYETHYL DIMETHICONE • HYDROGEN DIMETHICONE • BHT • SILICA • THEANINE • TOCOPHEROL • MICA • POLYMETHYLSILSESQUOXANE • METHYLPARABEN • ETHYLPARABEN • FRAGRANCE • IRON OXIDES • TITANIUM DIOXIDE • <M30645-811>

**Other Information**  
**■** protect this product in this container from excessive heat and direct sun.

**Questions or Comments?**  
 Call toll free 1-800-906-7503

QRコード

http://cpb1982.com/17730CP  
See our website for more information.

2次元  
コード

RECOMMENDED  
SKIN  
CANCER  
FOUNDATION  
DAILY USE

FSC  
マーク

**Drug Facts**

Active Ingredients	Purpose
OCTINOXATE 4.4% .....	Sunscreen
TITANIUM DIOXIDE 1.2% ....	Sunscreen

**Uses**  
**■** helps prevent sunburn **■** if used as directed with other sun protection measures (see **Directions**), decreases the risk of skin cancer and early skin aging caused by the sun

**Warnings**  
 For external use only  
**Do not use** on damaged or broken skin  
**When using this product** keep out of eyes. Rinse with water to remove.  
**Stop use and ask a doctor** if rash occurs  
**Keep out of reach of children.** If product is swallowed, get medical help or contact a Poison Control Center right away.

**Directions**  
 For sunscreen use:  
**■** apply liberally 15 minutes before sun exposure  
**■** use a water resistant sunscreen if swimming or sweating **■** reapply at least every 2 hours ▶

SHISEIDO AMERICAS CORPORATION DIST.  
NEW YORK, NY 10017  
MADE IN U.S.A.  
www.cledepeau-beaute.com

21mL NET WT. .88 OZ.

**PRINCIPAL DISPLAY PANEL - 21mL Tube Carton - B70**

clé de peau

BEAUTÉ  
 RADIANT CREAM  
 FOUNDATION n  
 BROAD SPECTRUM  
 SPF 25  
 SUNSCREEN  
 21mL NET WT. .88 OZ.

  
 CLÉ DE PEAU  
 BEAUTÉ  
 RADIANT CREAM FOUNDATION n M  
 BROAD SPECTRUM SPF 25  
 SUNSCREEN

**Define your most radiant, most colorful life.**  
 A skincare-based cream foundation inspired by the radiance of a diamond provides flawless coverage with a silky, dewy finish.

- A hybrid of makeup and skincare, exclusive **Light-Empowering Enhancer** amplifies your radiant finish.
- Formulated with **Skin-Empowering Illuminator**, our exclusive skincare ingredient.
- NON-COMEDOGENIC. DERMATOLOGIST-TESTED.

**Drug Facts**

**Active Ingredients Purpose**  
 OCTINOXATE 4.4% ..... Sunscreen  
 TITANIUM DIOXIDE 1.2% .... Sunscreen

**Uses**  
 ■ helps prevent sunburn ■ if used as directed with other sun protection measures (see *Directions*), decreases the risk of skin cancer and early skin aging caused by the sun

**Warnings**  
 For external use only  
 Do not use on damaged or broken skin  
 When using this product keep out of eyes. Rinse with water to remove.  
 Stop use and ask a doctor if rash occurs  
 Keep out of reach of children. If product is swallowed, get medical help or contact a Poison Control Center right away.

**Directions**  
 For sunscreen use:  
 ■ apply liberally 15 minutes before sun exposure  
 ■ use a water resistant sunscreen if swimming or sweating ■ reapply at least every 2 hours ▶

SHISEIDO AMERICAS CORPORATION DIST.  
 NEW YORK, NY 10017  
 MADE IN U.S.A.  
[www.cledepeau-beaute.com](http://www.cledepeau-beaute.com)

**Drug Facts (continued)**

**Directions**  
**■ Sun Protection Measures.** Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF of 15 or higher and other sun protection measures including:  
 - limit time in the sun, especially from 10 a.m. -2 p.m. - wear long-sleeve shirts, pants, hats, and sunglasses  
**■ children under 6 months:**  
 Ask a doctor

**Inactive Ingredients**  
 WATER • DIMETHICONE • DIPHENYLSILOXY PHENYL TRIMETHICONE • DIPROPYLENE GLYCOL • GLYCERIN • BUTYLENE GLYCOL • PEG-10 DIMETHICONE • PEG-20 • LAURYL PEG-9 POLYDIMETHYLSILOXYETHYL DIMETHICONE • PEG-6 • PEG-32 • DISTEARDIMONIUM HECTORITE • BARIUM SULFATE • DIPHENYL DIMETHICONE/VINYL DIPHENYL DIMETHICONE/SILSESQUOXANE CROSSPOLYMER • DIMETHICONE/VINYL DIMETHICONE CROSSPOLYMER • HYDROGENATED POLYSOBUTENE • TREHALOSE • ARGANIA SPINOSA KERNEL OIL • GLYCINE • PEG/PPG-14/7 DIMETHYL ETHER • POTENTILLA ERECTA ROOT EXTRACT • TRIMETHYLSILOXYSILICATE • ROSA ROXBURGHII FRUIT EXTRACT • ANGELICA ACUTILOBA ROOT EXTRACT • HYDROLYZED CONCHOLIN PROTEIN • HYDROLYZED SILK • PERILLA OCYMOIDES LEAF EXTRACT • SORBITAN SESQUISOESTEARATE • DIISOSTEARYL MALATE • BEHENIC ACID • SYNTHETIC FLUORPHLOGOPITE ▶

  
 clé de peau  
 BEAUTÉ  
 RADIANT CREAM  
 FOUNDATION n  
 BROAD SPECTRUM  
 SPF 25  
 SUNSCREEN

21mL NET WT. .88 OZ.

**Drug Facts (continued)**

**Inactive Ingredients**  
 ALUMINUM HYDROXIDE • DIMETHICONE/PHENYL VINYL DIMETHICONE CROSSPOLYMER • TRISODIUM EDTA • TALC • TRIETHOXYCAPRYLYLSILANE • POLYSILOXANE-2 • STEARIC ACID • TRIETHOXYSILYLETHYL POLYDIMETHYLSILOXYETHYL DIMETHICONE • HYDROGEN DIMETHICONE • BHT • SILICA • THEANINE • TOCOPHEROL • MICA • POLYMETHYLSILSESQUOXANE • METHYLPARABEN • ETHYLPARABEN • FRAGRANCE • IRON OXIDES • TITANIUM DIOXIDE • <N130645-811>

**Other Information**  
 ■ protect this product in this container from excessive heat and direct sun.

**Questions or Comments?**  
 Call toll free 1-800-906-7503

QRコード

<http://cpb1982.com/17730CP>  
 See our website for more information.

2次元コード

RECOMMENDED

SKIN CANCER FOUNDATION

DAILY USE

FSC  
 マーク

PRINCIPAL DISPLAY PANEL - 21mL Tube Carton - B80

clé de peau  
 BEAUTÉ  
 RADIANT CREAM  
 FOUNDATION n  
 BROAD SPECTRUM  
 SPF 25  
 SUNSCREEN  
 21mL NET WT. .88 OZ.



CLÉ DE PEAU  
 BEAUTÉ

RADIANT CREAM FOUNDATION n M  
 BROAD SPECTRUM SPF 25  
 SUNSCREEN

**Define your most radiant,  
 most colorful life.**

A skincare-based cream foundation inspired by the radiance of a diamond provides flawless coverage with a silky, dewy finish.

- A hybrid of makeup and skincare, exclusive **Light-Empowering Enhancer** amplifies your radiant finish.
- Formulated with **Skin-Empowering Illuminator**, our exclusive skincare ingredient.
- NON-COMEDOGENIC. DERMATOLOGIST-TESTED.

**Drug Facts**

**Active Ingredients Purpose**  
 OCTINOXATE 4.4% ..... Sunscreen  
 TITANIUM DIOXIDE 1.2% .... Sunscreen

**Uses**

■ helps prevent sunburn ■ if used as directed with other sun protection measures (see *Directions*), decreases the risk of skin cancer and early skin aging caused by the sun

**Warnings**

For external use only

Do not use on damaged or broken skin

When using this product keep out of eyes. Rinse with water to remove.

Stop use and ask a doctor if rash occurs

Keep out of reach of children. If product is swallowed, get medical help or contact a Poison Control Center right away.

**Directions**

For sunscreen use:

- apply liberally 15 minutes before sun exposure
- use a water resistant sunscreen if swimming or sweating
- reapply at least every 2 hours ▶

SHISEIDO AMERICAS CORPORATION DIST.  
 NEW YORK, NY 10017  
 MADE IN U.S.A.  
 www.cledepeau-beaute.com

**Drug Facts  
 (continued)**

**Directions**

■ **Sun Protection Measures.** Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF of 15 or higher and other sun protection measures including:  
 • limit time in the sun, especially from 10 a.m. -2 p.m. • wear long-sleeve shirts, pants, hats, and sunglasses  
 ■ children under 6 months:  
 Ask a doctor

**Inactive Ingredients**

WATER • DIMETHICONE • DIPHENYLSILOXY PHENYL TRIMETHICONE • DIPROPYLENE GLYCOL • GLYCERIN • BUTYLENE GLYCOL • PEG-10 DIMETHICONE • PEG-20 • LAURYL PEG-9 POLYDIMETHYLSILOXYETHYL DIMETHICONE • PEG-6 • PEG-32 • DISTEARDMONIUM HECTORITE • BARIUM SULFATE • DIPHENYL DIMETHICONE/VINYL DIPHENYL DIMETHICONE/SILSESQUOXANE CROSSPOLYMER • DIMETHICONE/VINYL DIMETHICONE CROSSPOLYMER • HYDROGENATED POLYISOBUTENE • TREHALOSE • ARGANIA SPINOSA KERNEL OIL • GLYCINE • PEG/PPG-14/7 DIMETHYL ETHER • POTENTILLA ERECTA ROOT EXTRACT • TRIMETHYLSILOXYSILICATE • ROSA ROXBURGHII FRUIT EXTRACT • ANGELICA ACUTILOBA ROOT EXTRACT • HYDROLYZED CONCHOLIN PROTEIN • HYDROLYZED SILK • PERILLA OCYNOIDES LEAF EXTRACT • SORBITAN SESQUISOSEARATE • DIISOSTEARYL MALATE • BEHENIC ACID • SYNTHETIC FLUORPHLOGOPITE ▶



RADIANT CREAM  
 FOUNDATION n  
 BROAD SPECTRUM  
 SPF 25  
 SUNSCREEN

21mL NET WT. .88 OZ.

**Drug Facts  
 (continued)**

**Inactive Ingredients**

ALUMINUM HYDROXIDE • DIMETHICONE/PHENYL VINYL DIMETHICONE CROSSPOLYMER • TRISODIUM EDTA • TALC • TRIETHOXYCAPRYLYLSILANE • POLYSILOXANE-2 • STEARIC ACID • TRIETHOXYSILYLETHYL POLYDIMETHYLSILOXYETHYL DIMETHICONE • HYDROGEN DIMETHICONE • BHT • SILICA • THEANINE • TOCOPHEROL • MICA • POLYMETHYLSILSESQUOXANE • METHYLPARABEN • ETHYLPARABEN • FRAGRANCE • IRON OXIDES • TITANIUM DIOXIDE • <M30645-B1>

**Other Information**

■ protect this product in this container from excessive heat and direct sun.

**Questions or Comments?**

Call toll free 1-800-906-7503

QRコード

<http://cpb1982.com/17730CP>  
 See our website for more information.

2次元コード



FSC  
 マーク

**PRINCIPAL DISPLAY PANEL - 21mL Tube Carton - B90**

clé de peau

BEAUTÉ

RADIANT CREAM

FOUNDATION n

BROAD SPECTRUM

SPF 25

SUNSCREEN

21mL NET WT. .88 OZ.



CLÉ DE PEAU  
BEAUTÉ

RADIANT CREAM FOUNDATION n M  
BROAD SPECTRUM SPF 25  
SUNSCREEN

**Define your most radiant, most colorful life.**  
A skincare-based cream foundation inspired by the radiance of a diamond provides flawless coverage with a silky, dewy finish.

- A hybrid of makeup and skincare, exclusive **Light-Empowering Enhancer** amplifies your radiant finish.
- Formulated with **Skin-Empowering Illuminator**, our exclusive skincare ingredient.
- NON-COMEDOGENIC. DERMATOLOGIST-TESTED.

**Drug Facts**

**Active Ingredients Purpose**

OCTINOXATE 4.4% ..... Sunscreen

TITANIUM DIOXIDE 1.2% .... Sunscreen

**Uses**

■ helps prevent sunburn ■ if used as directed with other sun protection measures (see *Directions*), decreases the risk of skin cancer and early skin aging caused by the sun

**Warnings**

For external use only

Do not use on damaged or broken skin

When using this product keep out of eyes. Rinse with water to remove.

Stop use and ask a doctor if rash occurs

Keep out of reach of children. If product is swallowed, get medical help or contact a Poison Control Center right away.

**Directions**

For sunscreen use:

■ apply liberally 15 minutes before sun exposure

■ use a water resistant sunscreen if swimming or sweating ■ reapply at least every 2 hours ▶

SHISEIDO AMERICAS CORPORATION DIST.  
NEW YORK, NY 10017  
MADE IN U.S.A.  
[www.cledepeau-beaute.com](http://www.cledepeau-beaute.com)

**Drug Facts**  
(continued)

**Directions**

■ Sun Protection Measures. Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF of 15 or higher and other sun protection measures including:

- limit time in the sun, especially from 10 a.m. -2 p.m.
- wear long-sleeve shirts, pants, hats, and sunglasses
- children under 6 months: Ask a doctor

**Inactive Ingredients**

WATER • DIMETHICONE • DIPHENYLSILOXY PHENYL TRIMETHICONE • DIPROPYLENE GLYCOL • GLYCERIN • BUTYLENE GLYCOL • PEG-10 DIMETHICONE • PEG-20 • LAURYL PEG-9 POLYDIMETHYLSILOXYETHYL DIMETHICONE • PEG-6 • PEG-32 • DISTEARDMONIUM HECTORITE • BARIUM SULFATE • DIPHENYL DIMETHICONE/VINYL DIPHENYL DIMETHICONE/SILSESQUOXANE CROSSPOLYMER • DIMETHICONE/VINYL DIMETHICONE CROSSPOLYMER • HYDROGENATED POLYISOBUTENE • TREHALOSE • ARGANIA SPINOSA KERNEL OIL • GLYCINE • PEG/PPG-14/7 DIMETHYL ETHER • POTENTILLA ERECTA ROOT EXTRACT • TRIMETHYLSILOXYSILICATE • ROSA ROXBURGHII FRUIT EXTRACT • ANGELICA ACUTILOBA ROOT EXTRACT • HYDROLYZED CONCHOLIN PROTEIN • HYDROLYZED SILK • PERILLA OCYNOIDES LEAF EXTRACT • SORBITAN SESQUISOSEARATE • DISOSTEARYL MALATE • BEHENIC ACID • SYNTHETIC FLUORPHLOGPITE ▶



clé de peau

BEAUTÉ

RADIANT CREAM  
FOUNDATION n  
BROAD SPECTRUM  
SPF 25  
SUNSCREEN

**Drug Facts**  
(continued)

**Inactive Ingredients**

ALUMINUM HYDROXIDE • DIMETHICONE/PHEVYL VINYL DIMETHICONE CROSSPOLYMER • TRISODIUM EDTA • TALC • TRIETHOXYCAPRYLYLSILANE • POLYSILOXANE-2 • STEARIC ACID • TRIETHOXYSILYLETHYL POLYDIMETHYLSILOXYETHYL DIMETHICONE • HYDROGEN DIMETHICONE • BHT • SILICA • THEANINE • TOCOPHEROL • MICA • POLYMETHYLSILSESQUOXANE • METHYLPARABEN • ETHYLPARABEN • FRAGRANCE • IRON OXIDES • TITANIUM DIOXIDE • <M30645-81B>

**Other Information**

■ protect this product in this container from excessive heat and direct sun.

**Questions or Comments?**  
Call toll free 1-800-906-7503

QRコード

<http://cpb1982.com/17730CP>  
See our website for more information.

2次元  
コード

RECOMMENDED  
SKIN  
CANCER  
prevention  
DAILY USE

FSC  
マーク

21mL NET WT. .88 OZ.

**PRINCIPAL DISPLAY PANEL - 21mL Tube Carton - B100**

clé de peau

BEAUTÉ

RADIANT CREAM

FOUNDATION n

BROAD SPECTRUM

SPF 25

SUNSCREEN

21mL NET WT. .88 OZ.



CLÉ DE PEAU  
BEAUTÉ

RADIANT CREAM FOUNDATION n M  
BROAD SPECTRUM SPF 25  
SUNSCREEN

**Define your most radiant,  
most colorful life.**

A skincare-based cream foundation inspired by the radiance of a diamond provides flawless coverage with a silky, dewy finish.

- A hybrid of makeup and skincare, exclusive **Light-Empowering Enhancer** amplifies your radiant finish.
- Formulated with **Skin-Empowering Illuminator**, our exclusive skincare ingredient.
- NON-COMEDOGENIC. DERMATOLOGIST-TESTED.

**Drug Facts**

**Active Ingredients Purpose**

OCTINOXATE 4.4% ..... Sunscreen  
TITANIUM DIOXIDE 1.2% .... Sunscreen

**Uses**

■ helps prevent sunburn ■ if used as directed with other sun protection measures (see *Directions*), decreases the risk of skin cancer and early skin aging caused by the sun

**Warnings**

For external use only

Do not use on damaged or broken skin

When using this product keep out of eyes. Rinse with water to remove.

Stop use and ask a doctor if rash occurs

Keep out of reach of children. If product is swallowed, get medical help or contact a Poison Control Center right away.

**Directions**

For sunscreen use:

- apply liberally 15 minutes before sun exposure
- use a water resistant sunscreen if swimming or sweating
- reapply at least every 2 hours ▶

SHISEIDO AMERICAS CORPORATION DIST.  
NEW YORK, NY 10017  
MADE IN U.S.A.  
www.cledepeau-beaute.com

**Drug Facts  
(continued)**

**Directions**

■ Sun Protection

**Measures.** Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF of 15 or higher and other sun protection measures including:  
- limit time in the sun, especially from 10 a.m. -2 p.m. - wear long-sleeve shirts, pants, hats, and sunglasses  
■ children under 6 months: Ask a doctor

**Inactive Ingredients**

WATER • DIMETHICONE • DIPHENYLSILOXY PHENYL TRIMETHICONE • DIPROPYLENE GLYCOL • GLYCERIN • BUTYLENE GLYCOL • PEG-10 DIMETHICONE • PEG-20 • LAURYL PEG-9 POLYDIMETHYLSILOXYETHYL DIMETHICONE • PEG-6 • PEG-32 • DISTEARDIMONIUM HECTORITE • BARIUM SULFATE • DIPHENYL DIMETHICONE/VINYL DIPHENYL DIMETHICONE/SILSESQUOXANE COPOLYMER • DIMETHICONE/VINYL DIMETHICONE COPOLYMER • HYDROGENATED POLYISOBUTENE • TREHALOSE • ARGANIA SPINOSA KERNEL OIL • GLYCINE • PEG/PPG-14/7 DIMETHYL ETHER • POTENTILLA ERECTA ROOT EXTRACT • TRIMETHYLSILOXYSILICATE • ROSA ROXBURGHII FRUIT EXTRACT • ANGELICA ACUTILOBA ROOT EXTRACT • HYDROLYZED CONCHOLIN PROTEIN • HYDROLYZED SILK • PERILLA OCYMOIDES LEAF EXTRACT • SORBITAN SESQUINOSTEARATE • DIISOSTEARYL MALATE • BEHENIC ACID • SYNTHETIC FLUORPHLOGOPITE ▶

clé de peau  
BEAUTÉ

RADIANT CREAM  
FOUNDATION n  
BROAD SPECTRUM  
SPF 25  
SUNSCREEN

21mL NET WT. .88 OZ.

**Drug Facts  
(continued)**

**Inactive Ingredients**

ALUMINUM HYDROXIDE • DIMETHICONE/PHENYL VINYL DIMETHICONE COPOLYMER • TRISODIUM EDTA • TALC • TRIETHOXYCAPRYLYLSILANE • POLYSILOXANE-2 • STEARIC ACID • TRIETHOXYSILYLETHYL POLYDIMETHYLSILOXYETHYL DIMETHICONE • HYDROGEN DIMETHICONE • BHT • SILICA • THEANINE • TOCOPHEROL • MICA • POLYMETHYLSILSESQUOXANE • METHYLPARABEN • ETHYLPARABEN • FRAGRANCE • IRON OXIDES • TITANIUM DIOXIDE • <N130645-811>

**Other Information**

■ protect this product in this container from excessive heat and direct sun.

**Questions or Comments?**

Call toll free 1-800-906-7503

QRコード

<http://cpb1982.com/17730CP>  
See our website for more information.

2次元  
コード



FSC  
マーク

**PRINCIPAL DISPLAY PANEL - 21mL Tube Carton - BF10**

clé de peau

BEAUTÉ

RADIANT CREAM

FOUNDATION n

BROAD SPECTRUM

SPF 25

SUNSCREEN

21mL NET WT. .88 OZ.



CLÉ DE PEAU  
BEAUTÉ

RADIANT CREAM FOUNDATION n M  
BROAD SPECTRUM SPF 25  
SUNSCREEN

**Define your most radiant, most colorful life.**  
A skincare-based cream foundation inspired by the radiance of a diamond provides flawless coverage with a silky, dewy finish.

- A hybrid of makeup and skincare, exclusive **Light-Empowering Enhancer** amplifies your radiant finish.
- Formulated with **Skin-Empowering Illuminator**, our exclusive skincare ingredient.
- NON-COMEDOGENIC. DERMATOLOGIST-TESTED.

**clé de peau**  
BEAUTÉ

RADIANT CREAM  
FOUNDATION n  
BROAD SPECTRUM  
SPF 25  
SUNSCREEN

**Drug Facts**  
(continued)

**Directions**  
■ **Sun Protection Measures.** Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF of 15 or higher and other sun protection measures including:  
- limit time in the sun, especially from 10 a.m. -2 p.m. - wear long-sleeve shirts, pants, hats, and sunglasses  
■ children under 6 months: Ask a doctor

**Inactive Ingredients**  
WATER • DIMETHICONE • DIPHENYLSILOXY PHENYL TRIMETHICONE • DIPROPYLENE GLYCOL • GLYCERIN • BUTYLENE GLYCOL • PEG-10 DIMETHICONE • PEG-20 • LAURYL PEG-9 POLYDIMETHYLSILOXYETHYL DIMETHICONE • PEG-6 • PEG-32 • DISTEARDIMONIUM HECTORITE • BARIUM SULFATE • DIPHENYL DIMETHICONE/VINYL DIPHENYL DIMETHICONE/SILSESQUOXANE CROSSPOLYMER • DIMETHICONE/VINYL DIMETHICONE CROSSPOLYMER • HYDROGENATED POLYISOBUTENE • TREHALOSE • ARGANIA SPINOSA KERNEL OIL • GLYCINE • PEG/PPG-14/7 DIMETHYL ETHER • POTENTILLA RECTA ROOT EXTRACT • TRIMETHYLSILOXYSILICATE • ROSA ROXBURGHII FRUIT EXTRACT • ANGELICA ACUTILOBA ROOT EXTRACT • HYDROLYZED CONCHOLIN PROTEIN • HYDROLYZED SILK • PERILLA OCYMOIDES LEAF EXTRACT • SORBITAN SESQUISOESTEARATE • DIISOSTEARYL MALATE • BEHENIC ACID • SYNTHETIC FLUORPHLOGOPITE

**Drug Facts**

Active Ingredients	Purpose
OCTINOXATE 4.4% .....	Sunscreen
TITANIUM DIOXIDE 1.2% ....	Sunscreen

**Uses**  
■ helps prevent sunburn ■ if used as directed with other sun protection measures (see *Directions*), decreases the risk of skin cancer and early skin aging caused by the sun

**Warnings**  
For external use only  
Do not use on damaged or broken skin  
When using this product keep out of eyes. Rinse with water to remove.  
Stop use and ask a doctor if rash occurs  
Keep out of reach of children. If product is swallowed, get medical help or contact a Poison Control Center right away.

**Directions**  
For sunscreen use:  
■ apply liberally 15 minutes before sun exposure  
■ use a water resistant sunscreen if swimming or sweating ■ reapply at least every 2 hours ▶

SHISEIDO AMERICAS CORPORATION DIST.  
NEW YORK, NY 10017  
MADE IN U.S.A.  
www.cledepeau-beaute.com

**Drug Facts**  
(continued)

**Inactive Ingredients**  
ALUMINUM HYDROXIDE • DIMETHICONE/PHENYL VINYL DIMETHICONE CROSSPOLYMER • TRISODIUM EDTA • TALC • TRIETHOXYCAPRYLYLSILANE • POLYSILOXANE-2 • STEARIC ACID • TRIETHOXYSILOXYETHYL POLYDIMETHYLSILOXYETHYL DIMETHICONE • HYDROGEN DIMETHICONE • BHT • SILICA • THEANINE • TOCOPHEROL • MICA • POLYMETHYLSILSESQUOXANE • METHYLPARABEN • ETHYLPARABEN • FRAGRANCE • IRON OXIDES • TITANIUM DIOXIDE • <M30645-811>

**Other Information**  
■ protect this product in this container from excessive heat and direct sun.

**Questions or Comments?**  
Call toll free 1-800-906-7503

QRコード

http://cpb1982.com/17730CP  
See our website for more information.

2次元  
コード



DAILY USE

FSC  
マーク

## PRINCIPAL DISPLAY PANEL - 21mL Tube Carton - BF50

clé de peau  
BEAUTÉ  
RADIANT CREAM  
FOUNDATION n  
BROAD SPECTRUM  
SPF 25

# SUNSCREEN

21mL NET WT. .88 OZ.

  
CLÉ DE PEAU  
BEAUTÉ  
RADIANT CREAM FOUNDATION n M  
BROAD SPECTRUM SPF 25  
SUNSCREEN

**Define your most radiant, most colorful life.**  
A skincare-based cream foundation inspired by the radiance of a diamond provides flawless coverage with a silky, dewy finish.

- A hybrid of makeup and skincare, exclusive **Light-Empowering Enhancer** amplifies your radiant finish.
- Formulated with **Skin-Empowering Illuminator**, our exclusive skincare ingredient.
- NON-COMEDOGENIC. DERMATOLOGIST-TESTED.

**Drug Facts**  
(continued)

**Directions**  
■ **Sun Protection Measures.** Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF of 15 or higher and other sun protection measures including:  
• limit time in the sun, especially from 10 a.m. -2 p.m. • wear long-sleeve shirts, pants, hats, and sunglasses  
■ children under 6 months: Ask a doctor

**Inactive Ingredients**  
WATER • DIMETHICONE • DIPHENYLSILOXY PHENYL TRIMETHICONE • DIPROPYLENE GLYCOL • GLYCERIN • BUTYLENE GLYCOL • PEG-10 DIMETHICONE • PEG-20 • LAURYL PEG-9 POLYDIMETHYLSILOXYETHYL DIMETHICONE • PEG-6 • PEG-32 • DISTEARDMONIUM HECTORITE • BARIUM SULFATE • DIPHENYL DIMETHICONE/VINYL DIPHENYL DIMETHICONE/SILSESQUOXANE CROSSPOLYMER • DIMETHICONE/VINYL DIMETHICONE CROSSPOLYMER • HYDROGENATED POLYISOBUTENE • TREHALOSE • ARGANIA SPINOSA KERNEL OIL • GLYCINE • PEG/PPG-14/7 DIMETHYL ETHER • POTENTILLA RECTA ROOT EXTRACT • TRIMETHYLSILOXYLICATE • ROSA ROXBURGHII FRUIT EXTRACT • ANGELICA ACUTILOBA ROOT EXTRACT • HYDROLYZED CONCHILIN PROTEIN • HYDROLYZED SILK • PERILLA OCYNOIDES LEAF EXTRACT • SORBITAN SESQUISOSTEARATE • DIISOSTEARYL MALATE • BEHENIC ACID • SYNTHETIC FLUORPHLOGOPITE

  
clé de peau  
BEAUTÉ  
RADIANT CREAM  
FOUNDATION n  
BROAD SPECTRUM  
SPF 25  
SUNSCREEN

21mL NET WT. .88 OZ.

**Drug Facts**  
(continued)

**Inactive Ingredients**  
ALUMINUM HYDROXIDE • DIMETHICONE/PHENYL VINYL DIMETHICONE CROSSPOLYMER • TRISODIUM EDTA • TALC • TRIETHOXYCAPRYLYLSILANE • POLYSILOXANE-2 • STEARIC ACID • TRIETHOXYSYLILETHYL POLYDIMETHYLSILOXYETHYL DIMETHICONE • HYDROGEN DIMETHICONE • BHT • SILICA • THEANINE • TOCOPHEROL • MICA • POLYMETHYLSILSESQUOXANE • METHYLPARABEN • ETHYLPARABEN • FRAGRANCE • IRON OXIDES • TITANIUM DIOXIDE <M30645-B1>

**Other Information**  
■ protect this product in this container from excessive heat and direct sun.

**Questions or Comments?**  
Call toll free 1-800-906-7503

  
QRコード

<http://cpb1982.com/17730CP>  
See our website for more information.

2次元  
コード



RECOMMENDED  
SKIN  
CANCER  
FOUNDATION  
DAILY USE

FSC  
マーク

## PRINCIPAL DISPLAY PANEL - 21mL Tube Carton - BF60

clé de peau

BEAUTÉ

RADIANT CREAM

FOUNDATION n

BROAD SPECTRUM

SPF 25

SUNSCREEN

21mL NET WT. .88 OZ.



CLÉ DE PEAU  
BEAUTÉ

RADIANT CREAM FOUNDATION n M  
BROAD SPECTRUM SPF 25  
SUNSCREEN

**Define your most radiant,  
most colorful life.**

A skincare-based cream foundation inspired by the radiance of a diamond provides flawless coverage with a silky, dewy finish.

- A hybrid of makeup and skincare, exclusive **Light-Empowering Enhancer** amplifies your radiant finish.
- Formulated with **Skin-Empowering Illuminator**, our exclusive skincare ingredient.
- NON-COMEDOGENIC. DERMATOLOGIST-TESTED.

**Drug Facts**

**Active Ingredients Purpose**

OCTINOXATE 4.4% ..... Sunscreen

TITANIUM DIOXIDE 1.2% .... Sunscreen

**Uses**

■ helps prevent sunburn ■ if used as directed with other sun protection measures (see *Directions*), decreases the risk of skin cancer and early skin aging caused by the sun

**Warnings**

For external use only

**Do not use** on damaged or broken skin

**When using this product** keep out of eyes. Rinse with water to remove.

**Stop use and ask a doctor** if rash occurs

**Keep out of reach of children.** If product is swallowed, get medical help or contact a Poison Control Center right away.

**Directions**

For sunscreen use:

- apply liberally 15 minutes before sun exposure
- use a water resistant sunscreen if swimming or sweating
- reapply at least every 2 hours ▶

SHISEIDO AMERICAS CORPORATION DIST.  
NEW YORK, NY 10017  
MADE IN U.S.A.  
[www.cledepeau-beaute.com](http://www.cledepeau-beaute.com)

**Drug Facts**  
(continued)

**Directions**

■ **Sun Protection Measures.** Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF of 15 or higher and other sun protection measures including:

- limit time in the sun, especially from 10 a.m. -2 p.m. - wear long-sleeve shirts, pants, hats, and sunglasses
- children under 6 months: Ask a doctor

**Inactive Ingredients**

WATER • DIMETHICONE • DIPHENYLSILOXY PHENYL TRIMETHICONE • DIPROPYLENE GLYCOL • GLYCERIN • BUTYLENE GLYCOL • PEG-10 DIMETHICONE • PEG-20 • LAURYL PEG-9 POLYDIMETHYLSILOXYETHYL DIMETHICONE • PEG-6 • PEG-32 • DISTEARDMONIUM HECTORITE • BARLIUM SULFATE • DIPHENYL DIMETHICONE/VINYL DIPHENYL DIMETHICONE/SILSESQUOXANE CROSSPOLYMER • DIMETHICONE/VINYL DIMETHICONE CROSSPOLYMER • HYDROGENATED POLYISOBUTENE • TREHALOSE • ARGAMA SPINOSA KERNEL OIL • GLYCINE • PEG/PPG-14/7 DIMETHYL ETHER • POTENTILLA ERECTA ROOT EXTRACT • TRIMETHYLSILOXYSILICATE • ROSA ROXBURGHII FRUIT EXTRACT • ANGELICA ACUTILOBA ROOT EXTRACT • HYDROLYZED CONCHILIN PROTEIN • HYDROLYZED SILK • PERILLA OCYMOIDES LEAF EXTRACT • SORBITAN SESQUINOSTEARATE • DIISOSTEARYL MALATE • BEHENIC ACID • SYNTHETIC FLUORPHLOGPITE • ▶



clé de peau

BEAUTÉ

RADIANT CREAM  
FOUNDATION n  
BROAD SPECTRUM  
SPF 25  
SUNSCREEN

**Drug Facts**  
(continued)

**Inactive Ingredients**

ALUMINUM HYDROXIDE • DIMETHICONE/PHENYL VINYL DIMETHICONE CROSSPOLYMER • TRISODIUM EDTA • TALC • TRIETHOXYCAPRYLYLSILANE • POLYSILOXANE-2 • STEARIC ACID • TRIETHOXYSILYLETHYL POLYDIMETHYLSILOXYETHYL DIMETHICONE • HYDROGEN DIMETHICONE • BHT • SILICA • THEANINE • TOCOPHEROL • MICA • POLYMETHYLSILSESQUOXANE • METHYLPARABEN • ETHYLPARABEN • FRAGRANCE • IRON OXIDES • TITANIUM DIOXIDE • <M30645-811>

**Other Information**

■ protect this product in this container from excessive heat and direct sun.

**Questions or Comments?**

Call toll free 1-800-906-7503

QRコード

<http://cpb1982.com/17730CP>  
See our website for more information.

2次元  
コード

RECOMMENDED  
  
DAILY USE

FSC  
マーク

21mL NET WT. .88 OZ.

**PRINCIPAL DISPLAY PANEL - 21mL Tube Carton - O10**

clé de peau

BEAUTÉ

RADIANT CREAM

FOUNDATION n

BROAD SPECTRUM

SPF 25

SUNSCREEN

21mL NET WT. .88 OZ.



CLÉ DE PEAU  
BEAUTÉ

RADIANT CREAM FOUNDATION n M  
BROAD SPECTRUM SPF 25  
SUNSCREEN

**Define your most radiant, most colorful life.**  
A skincare-based cream foundation inspired by the radiance of a diamond provides flawless coverage with a silky, dewy finish.

- A hybrid of makeup and skincare, exclusive **Light-Empowering Enhancer** amplifies your radiant finish.
- Formulated with **Skin-Empowering Illuminator**, our exclusive skincare ingredient.
- NON-COMEDOGENIC. DERMATOLOGIST-TESTED.

**Drug Facts**

**Active Ingredients Purpose**  
OCTINOXATE 4.4% ..... Sunscreen  
TITANIUM DIOXIDE 1.2% .... Sunscreen

**Uses**  
■ helps prevent sunburn ■ if used as directed with other sun protection measures (see *Directions*), decreases the risk of skin cancer and early skin aging caused by the sun

**Warnings**  
For external use only  
Do not use on damaged or broken skin  
When using this product keep out of eyes. Rinse with water to remove.  
Stop use and ask a doctor if rash occurs  
Keep out of reach of children. If product is swallowed, get medical help or contact a Poison Control Center right away.

**Directions**  
For sunscreen use:  
■ apply liberally 15 minutes before sun exposure  
■ use a water resistant sunscreen if swimming or sweating ■ reapply at least every 2 hours ▶

SHISEIDO AMERICAS CORPORATION DIST.  
NEW YORK, NY 10017  
MADE IN U.S.A.  
[www.cledepeau-beaute.com](http://www.cledepeau-beaute.com)

**Drug Facts (continued)**

**Directions**  
■ Sun Protection  
**Measures.** Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF of 15 or higher and other sun protection measures including:  
- limit time in the sun, especially from 10 a.m. -2 p.m. - wear long-sleeve shirts, pants, hats, and sunglasses  
■ children under 6 months:  
Ask a doctor

**Inactive Ingredients**  
WATER • DIMETHICONE • DIPHENYLSILOXY PHENYL TRIMETHICONE • DIPROPYLENE GLYCOL • GLYCERIN • BUTYLENE GLYCOL • PEG-10 DIMETHICONE • PEG-20 • LAURYL PEG-9 POLYDIMETHYLSILOXYETHYL DIMETHICONE • PEG-6 • PEG-32 • DISTEARDIMONIUM HECTORITE • BARIUM SULFATE • DIPHENYL DIMETHICONE/VINYL DIPHENYL DIMETHICONE/SILSESQUOXANE CROSSPOLYMER • DIMETHICONE/VINYL DIMETHICONE CROSSPOLYMER • HYDROGENATED POLYISOBUTENE • TREHALOSE • ARGANIA SPINOSA KERNEL OIL • GLYCINE • PEG/PPG-14/7 DIMETHYL ETHER • POTENTILLA RECTA ROOT EXTRACT • TRIMETHYLSILOXYSILICATE • ROSA ROXBURGHII FRUIT EXTRACT • ANGELICA ACUTILOBA ROOT EXTRACT • HYDROLYZED CONCHOLIN PROTEIN • HYDROLYZED SILK • PERILLA OCYMOIDES LEAF EXTRACT • SORBITAN SESQUISOESTEARATE • DIISOSTEARYL MALATE • BEHENIC ACID • SYNTHETIC FLUORPHLOGOPITE • ▶



clé de peau

BEAUTÉ

RADIANT CREAM  
FOUNDATION n  
BROAD SPECTRUM  
SPF 25  
SUNSCREEN

**Drug Facts (continued)**

**Inactive Ingredients**  
ALUMINUM HYDROXIDE • DIMETHICONE/PHENYL VINYL DIMETHICONE CROSSPOLYMER • TRISODIUM EDTA • TALC • TRIETHOXYCAPRYLYLSILANE • POLYSILOXANE-2 • STEARIC ACID • TRIETHOXYSYLLETHYL POLYDIMETHYLSILOXYETHYL DIMETHICONE • HYDROGEN DIMETHICONE • BHT • SILICA • THEANINE • TOCOPHEROL • MICA • POLYMETHYLSILSESQUOXANE • METHYLPARABEN • ETHYLPARABEN • FRAGRANCE • IRON OXIDES • TITANIUM DIOXIDE • <M30645-811>

**Other Information**  
■ protect this product in this container from excessive heat and direct sun.

**Questions or Comments?**  
Call toll free 1-800-906-7503

QRコード

<http://cpb1982.com/17730CP>  
See our website for more information.

2次元コード

RECOMMENDED SKIN CANCER FOUNDATION DAILY USE

FSC マーク

21mL NET WT. .88 OZ.

PRINCIPAL DISPLAY PANEL - 21mL Tube Carton - O20

clé de peau

BEAUTÉ

RADIANT CREAM

FOUNDATION n  
 BROAD SPECTRUM  
 SPF 25  
 SUNSCREEN  
 21mL NET WT. .88 OZ.



CLÉ DE PEAU  
BEAUTÉ

RADIANT CREAM FOUNDATION n M  
BROAD SPECTRUM SPF 25  
SUNSCREEN

**Define your most radiant, most colorful life.**  
 A skincare-based cream foundation inspired by the radiance of a diamond provides flawless coverage with a silky, dewy finish.

- A hybrid of makeup and skincare, exclusive **Light-Empowering Enhancer** amplifies your radiant finish.
- Formulated with **Skin-Empowering Illuminator**, our exclusive skincare ingredient.
- NON-COMEDOGENIC. DERMATOLOGIST-TESTED.

**Drug Facts**

Active Ingredients	Purpose
OCTINOXATE 4.4%	Sunscreen
TITANIUM DIOXIDE 1.2%	Sunscreen

**Uses**  
 ■ helps prevent sunburn ■ If used as directed with other sun protection measures (see *Directions*), decreases the risk of skin cancer and early skin aging caused by the sun

**Warnings**  
 For external use only  
 Do not use on damaged or broken skin  
 When using this product keep out of eyes. Rinse with water to remove.  
 Stop use and ask a doctor if rash occurs  
 Keep out of reach of children. If product is swallowed, get medical help or contact a Poison Control Center right away.

**Directions**  
 For sunscreen use:  
 ■ apply liberally 15 minutes before sun exposure  
 ■ use a water resistant sunscreen if swimming or sweating ■ reapply at least every 2 hours ▶

SHISEIDO AMERICAS CORPORATION DIST.  
NEW YORK, NY 10017  
MADE IN U.S.A.  
www.cledepeau-beaute.com

**Drug Facts (continued)**

**Directions**  
**■ Sun Protection Measures.** Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF of 15 or higher and other sun protection measures including:  
 • limit time in the sun, especially from 10 a.m. -2 p.m. • wear long-sleeve shirts, pants, hats, and sunglasses  
**■ children under 6 months:**  
 Ask a doctor

**Inactive Ingredients**  
 WATER • DIMETHICONE • DIPHENYLSILOXY PHENYL TRIMETHICONE • DIPROPYLENE GLYCOL • GLYCERIN • BUTYLENE GLYCOL • PEG-10 DIMETHICONE • PEG-20 • LAURYL PEG-9 POLYDIMETHYLSILOXYETHYL DIMETHICONE • PEG-6 • PEG-32 • DISTEARDMONIUM HECTORITE • BARIUM SULFATE • DIPHENYL DIMETHICONE/VINYL DIPHENYL DIMETHICONE/SILSESQUOXANE CROSSPOLYMER • DIMETHICONE/VINYL DIMETHICONE CROSSPOLYMER • HYDROGENATED POLYISOBUTENE • TREHALOSE • ARGANIA SPINOSA KERNEL OIL • GLYCINE • PEG/PPG-14/7 DIMETHYL ETHER • POTENTILLA ERECTA ROOT EXTRACT • TRIMETHYLSILOXY-SILICATE • ROSA ROXBURGHII FRUIT EXTRACT • ANGELICA ACUTILOBA ROOT EXTRACT • HYDROLYZED CONCHOLIN PROTEIN • HYDROLYZED SILK • PERILLA OCYMOIDES LEAF EXTRACT • SORBITAN SESQUISOSEARATE • DIISOSTEARYL MALATE • BEHENIC ACID • SYNTHETIC FLUORPHLOGOPITE • ▶



clé de peau

BEAUTÉ

RADIANT CREAM  
FOUNDATION n  
BROAD SPECTRUM  
SPF 25  
SUNSCREEN

**Drug Facts (continued)**

**Inactive Ingredients**  
 ALUMINUM HYDROXIDE • DIMETHICONE/PHENYL VINYL DIMETHICONE CROSSPOLYMER • TRISODIUM EDTA • TALC • TRIETHOXYCAPRYLYLSILANE • POLYSILOXANE-2 • STEARIC ACID • TRIETHOXY-SILYLETHYL POLYDIMETHYLSILOXYETHYL DIMETHICONE • HYDROGEN DIMETHICONE • BHT • SILICA • THEANINE • TOCOPHEROL • NIACA • POLYMETHYLSILSESQUOXANE • METHYLPARABEN • ETHYLPARABEN • FRAGRANCE • IRON OXIDES • TITANIUM DIOXIDE • <M30645-811>

**Other Information**  
**■** protect this product in this container from excessive heat and direct sun.

**Questions or Comments?**  
 Call toll free 1-800-906-7503

QRコード

http://cpb1982.com/17730CP  
 See our website for more information.

2次元コード

RECOMMENDED SKIN CANCER FOUNDATION DAILY USE

FSC マーク

21mL NET WT. .88 OZ.

**PRINCIPAL DISPLAY PANEL - 21mL Tube Carton - O30**  
 clé de peau  
 BEAUTÉ

RADIANT CREAM  
 FOUNDATION n  
 BROAD SPECTRUM  
 SPF 25  
 SUNSCREEN  
 21mL NET WT. .88 OZ.



CLÉ DE PEAU  
BEAUTÉ

RADIANT CREAM FOUNDATION n M  
BROAD SPECTRUM SPF 25  
SUNSCREEN

**Define your most radiant, most colorful life.**  
 A skincare-based cream foundation inspired by the radiance of a diamond provides flawless coverage with a silky, dewy finish.

- A hybrid of makeup and skincare, exclusive **Light-Empowering Enhancer** amplifies your radiant finish.
- Formulated with **Skin-Empowering Illuminator**, our exclusive skincare ingredient.
- NON-COMEDOGENIC. DERMATOLOGIST-TESTED.

**Drug Facts**  
(continued)

**Directions**  
**■ Sun Protection**  
**Measures.** Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF of 15 or higher and other sun protection measures including:  
 • limit time in the sun, especially from 10 a.m. -2 p.m. • wear long-sleeve shirts, pants, hats, and sunglasses  
**■ children under 6 months:**  
 Ask a doctor

**Inactive Ingredients**  
 WATER • DIMETHICONE • DIPHENYLSILOXY PHENYL TRIMETHICONE • DIPROPYLENE GLYCOL • GLYCERIN • BUTYLENE GLYCOL • PEG-10 DIMETHICONE • PEG-20 • LAURYL PEG-9 POLYDIMETHYLSILOXYETHYL DIMETHICONE • PEG-6 • PEG-32 • DISTEARDMONIUM HECTORITE • BARIUM SULFATE • DIPHENYL DIMETHICONE/VINYL DIPHENYL DIMETHICONE/SILSESQUOXANE COPOLYMER • DIMETHICONE/VINYL DIMETHICONE COPOLYMER • HYDROGENATED POLYISOBUTENE • TREHALOSE • ARGANIA SPINOSA KERNEL OIL • GLYCINE • PEG/PPG-14/7 DIMETHYL ETHER • POTENTILLA ERECTA ROOT EXTRACT • TRIMETHYLSILOXYSILICATE • ROSA ROXBURGHII FRUIT EXTRACT • ANGELICA ACUTILOBA ROOT EXTRACT • HYDROLYZED CONCHILIN PROTEIN • HYDROLYZED SILK • PERILLA OCYNOIDES LEAF EXTRACT • SORBITAN SESQUISOESTEARATE • DIISOSTEARYL MALATE • BEHENIC ACID • SYNTHETIC FLUORPHLOGOPITE



clé de peau

BEAUTÉ

RADIANT CREAM  
FOUNDATION n  
BROAD SPECTRUM  
SPF 25  
SUNSCREEN

**Drug Facts**  
(continued)

**Inactive Ingredients**  
 ALUMINUM HYDROXIDE • DIMETHICONE/PHENYL VINYL DIMETHICONE COPOLYMER • TRISODIUM EDTA • TALC • TRIETHOXYCAPRYLYLSILANE • POLYSILOXANE-2 • STEARIC ACID • TRIETHOXYSILYLETHYL POLYDIMETHYLSILOXYETHYL DIMETHICONE • BHT • SILICA • THEANINE • TOCOPHEROL • MICA • POLYMETHYLSILSESQUOXANE • METHYLPARABEN • ETHYLPARABEN • FRAGRANCE • IRON OXIDES • TITANIUM DIOXIDE • <M30645-811>

**Other Information**  
**■** protect this product in this container from excessive heat and direct sun.

**Questions or Comments?**  
 Call toll free 1-800-906-7503

QRコード

http://cpb1982.com/17730CP  
See our website for more information.

2次元  
コード

RECOMMENDED  
SKIN  
CANCER  
FOUNDATION  
DAILY USE

FSC  
マーク

**Drug Facts**

Active Ingredients	Purpose
OCTINOXATE 4.4% .....	Sunscreen
TITANIUM DIOXIDE 1.2% ....	Sunscreen

**Uses**  
**■** helps prevent sunburn **■** if used as directed with other sun protection measures (see *Directions*), decreases the risk of skin cancer and early skin aging caused by the sun

**Warnings**  
 For external use only  
**Do not use** on damaged or broken skin  
**When using this product** keep out of eyes. Rinse with water to remove.  
**Stop use and ask a doctor** if rash occurs  
**Keep out of reach of children.** If product is swallowed, get medical help or contact a Poison Control Center right away.

**Directions**  
 For sunscreen use:  
**■** apply liberally 15 minutes before sun exposure  
**■** use a water resistant sunscreen if swimming or sweating **■** reapply at least every 2 hours ▶

SHISEIDO AMERICAS CORPORATION DIST.  
NEW YORK, NY 10017  
MADE IN U.S.A.  
www.cledepeau-beaute.com

21mL NET WT. .88 OZ.

**PRINCIPAL DISPLAY PANEL - 21mL Tube Carton - O40**

clé de peau

BEAUTÉ  
 RADIANT CREAM  
 FOUNDATION n  
 BROAD SPECTRUM  
 SPF 25  
 SUNSCREEN  
 21mL NET WT. .88 OZ.

  
 CLÉ DE PEAU  
 BEAUTÉ  
 RADIANT CREAM FOUNDATION n M  
 BROAD SPECTRUM SPF 25  
 SUNSCREEN

**Define your most radiant, most colorful life.**  
 A skincare-based cream foundation inspired by the radiance of a diamond provides flawless coverage with a silky, dewy finish.

- A hybrid of makeup and skincare, exclusive **Light-Empowering Enhancer** amplifies your radiant finish.
- Formulated with **Skin-Empowering Illuminator**, our exclusive skincare ingredient.
- NON-COMEDOGENIC. DERMATOLOGIST-TESTED.

**Drug Facts**

**Active Ingredients Purpose**  
 OCTINOXATE 4.4% ..... Sunscreen  
 TITANIUM DIOXIDE 1.2% .... Sunscreen

**Uses**  
 ■ helps prevent sunburn ■ if used as directed with other sun protection measures (see *Directions*), decreases the risk of skin cancer and early skin aging caused by the sun

**Warnings**  
 For external use only  
 Do not use on damaged or broken skin  
 When using this product keep out of eyes. Rinse with water to remove.  
 Stop use and ask a doctor if rash occurs  
 Keep out of reach of children. If product is swallowed, get medical help or contact a Poison Control Center right away.

**Directions**  
 For sunscreen use:  
 ■ apply liberally 15 minutes before sun exposure  
 ■ use a water resistant sunscreen if swimming or sweating ■ reapply at least every 2 hours ▶

SHISEIDO AMERICAS CORPORATION DIST.  
 NEW YORK, NY 10017  
 MADE IN U.S.A.  
 www.cledepeau-beaute.com

**Drug Facts (continued)**

**Directions**  
 ■ Sun Protection  
**Measures.** Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF of 15 or higher and other sun protection measures including:  
 - limit time in the sun, especially from 10 a.m. -2 p.m. - wear long-sleeve shirts, pants, hats, and sunglasses  
 ■ children under 6 months: Ask a doctor

**Inactive Ingredients**  
 WATER • DIMETHICONE • DIPHENYLSILOXY PHENYL TRIMETHICONE • DIPROPYLENE GLYCOL • GLYCERIN • BUTYLENE GLYCOL • PEG-10 DIMETHICONE • PEG-20 • LAURYL PEG-9 POLYDIMETHYLSILOXYETHYL DIMETHICONE • PEG-6 • PEG-32 • DISTEARDIMONIUM HECTORITE • BARIUM SULFATE • DIPHENYL DIMETHICONE/VINYL DIPHENYL DIMETHICONE/SILSESQUOXANE CROSSPOLYMER • DIMETHICONE/VINYL DIMETHICONE CROSSPOLYMER • HYDROGENATED POLYSOBUTENE • TREHALOSE • ARGANIA SPINOSA KERNEL OIL • GLYCINE • PEG/PPG-14/7 DIMETHYL ETHER • POTENTILLA ERECTA ROOT EXTRACT • TRIMETHYLSILOXYSILICATE • ROSA ROXBURGHII FRUIT EXTRACT • ANGELICA ACUTILOBA ROOT EXTRACT • HYDROLYZED CONCHOLIN PROTEIN • HYDROLYZED SILK • PERILLA OCYMOIDES LEAF EXTRACT • SORBITAN SESQUISOESTEARATE • DIISOSTEARYL MALATE • BEHENIC ACID • SYNTHETIC FLUORPHLOGOPITE ▶

  
 clé de peau  
 BEAUTÉ  
 RADIANT CREAM  
 FOUNDATION n  
 BROAD SPECTRUM  
 SPF 25  
 SUNSCREEN


21mL NET WT. .88 OZ.

**Drug Facts (continued)**

**Inactive Ingredients**  
 ALUMINUM HYDROXIDE • DIMETHICONE/PHENYL VINYL DIMETHICONE CROSSPOLYMER • TRISODIUM EDTA • TALC • TRIETHOXYCAPRYLYLSILANE • POLYSILOXANE-2 • STEARIC ACID • TRIETHOXYSILYLETHYL POLYDIMETHYLSILOXYETHYL DIMETHICONE • HYDROGEN DIMETHICONE • BHT • SILICA • THEANINE • TOCOPHEROL • MICA • POLYMETHYLSILSESQUOXANE • METHYLPARABEN • ETHYLPARABEN • FRAGRANCE • IRON OXIDES • TITANIUM DIOXIDE • <N130645-811>

**Other Information**  
 ■ protect this product in this container from excessive heat and direct sun.

**Questions or Comments?**  
 Call toll free 1-800-906-7503

  
 QRコード

<http://cpb1982.com/17730CP>  
 See our website for more information.

2次元コード

  
 RECOMMENDED  
 SKIN CANCER FOUNDATION  
 DAILY USE

  
 FSC  
 マーク

clé de peau  
 BEAUTÉ  
 RADIANT CREAM  
 FOUNDATION n  
 BROAD SPECTRUM  
 SPF 25  
 SUNSCREEN  
 21mL NET WT. .88 OZ.



CLÉ DE PEAU  
 BEAUTÉ

RADIANT CREAM FOUNDATION n M  
 BROAD SPECTRUM SPF 25  
 SUNSCREEN

**Define your most radiant,  
 most colorful life.**

A skincare-based cream foundation inspired by the radiance of a diamond provides flawless coverage with a silky, dewy finish.

- A hybrid of makeup and skincare, exclusive **Light-Empowering Enhancer** amplifies your radiant finish.
- Formulated with **Skin-Empowering Illuminator**, our exclusive skincare ingredient.
- NON-COMEDOGENIC. DERMATOLOGIST-TESTED.

### Drug Facts

#### Active Ingredients Purpose

OCTINOXATE 4.4% ..... Sunscreen  
 TITANIUM DIOXIDE 1.2% .... Sunscreen

#### Uses

■ helps prevent sunburn ■ if used as directed with other sun protection measures (see *Directions*), decreases the risk of skin cancer and early skin aging caused by the sun

#### Warnings

For external use only

Do not use on damaged or broken skin

When using this product keep out of eyes. Rinse with water to remove.

Stop use and ask a doctor if rash occurs

Keep out of reach of children. If product is swallowed, get medical help or contact a Poison Control Center right away.

#### Directions

For sunscreen use:

- apply liberally 15 minutes before sun exposure
- use a water resistant sunscreen if swimming or sweating
- reapply at least every 2 hours ▶

SHISEIDO AMERICAS CORPORATION DIST.  
 NEW YORK, NY 10017  
 MADE IN U.S.A.

www.cledepeau-beaute.com

### Drug Facts (continued)

#### Directions

■ **Sun Protection Measures.** Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF of 15 or higher and other sun protection measures including:  
 • limit time in the sun, especially from 10 a.m. -2 p.m. • wear long-sleeve shirts, pants, hats, and sunglasses  
 ■ children under 6 months:  
 Ask a doctor

#### Inactive Ingredients

WATER • DIMETHICONE • DIPHENYLSILOXY PHENYL TRIMETHICONE • DIPROPYLENE GLYCOL • GLYCERIN • BUTYLENE GLYCOL • PEG-10 DIMETHICONE • PEG-20 • LAURYL PEG-9 POLYDIMETHYLSILOXYETHYL DIMETHICONE • PEG-6 • PEG-32 • DISTEARDIMONIUM HECTORITE • BARIUM SULFATE • DIPHENYL DIMETHICONE/VINYL DIPHENYL DIMETHICONE/SILSESQUOXANE CROSSPOLYMER • DIMETHICONE/VINYL DIMETHICONE CROSSPOLYMER • HYDROGENATED POLYISOBUTENE • TREHALOSE • ARGANIA SPINOSA KERNEL OIL • GLYCINE • PEG/PPG-14/7 DIMETHYL ETHER • POTENTILLA ERECTA ROOT EXTRACT • TRIMETHYLSILOXYLICATE • ROSA ROXBURGHII FRUIT EXTRACT • ANGELICA ACUTILOBA ROOT EXTRACT • HYDROLYZED CONCHOLIN PROTEIN • HYDROLYZED SILK • PERILLA OCYMOIDES LEAF EXTRACT • SORBITAN SESQUISOSEARATE • DIISOSTEARYL MALATE • BEHENIC ACID • SYNTHETIC FLUORPHLOGOPITE ▶

clé de peau  
 BEAUTÉ

RADIANT CREAM  
 FOUNDATION n  
 BROAD SPECTRUM  
 SPF 25  
 SUNSCREEN

21mL NET WT. .88 OZ.

### Drug Facts (continued)

#### Inactive Ingredients

ALUMINUM HYDROXIDE • DIMETHICONE/PHENYL VINYL DIMETHICONE CROSSPOLYMER • TRISODIUM EDTA • TALC • TRIETHOXYCAPRYLYLSILANE • POLYSILOXANE-2 • STEARIC ACID • TRIETHOXYSILYLETHYL POLYDIMETHYLSILOXYETHYL DIMETHICONE • HYDROGEN DIMETHICONE • BHT • SILICA • THEANINE • TOCOPHEROL • MICA • POLYMETHYLSILSESQUOXANE • METHYLPARABEN • ETHYLPARABEN • FRAGRANCE • IRON OXIDES • TITANIUM DIOXIDE • <M30645-811>

#### Other Information

■ protect this product in this container from excessive heat and direct sun.

#### Questions or Comments?

Call toll free 1-800-906-7503

QRコード

<http://cpb1982.com/17730CP>  
 See our website for more information.

2次元  
 コード



FSC  
 マーク

# PRINCIPAL DISPLAY PANEL - 21mL Tube Carton - O60

clé de peau

BEAUTÉ

RADIANT CREAM

FOUNDATION n

BROAD SPECTRUM

SPF 25

SUNSCREEN

21mL NET WT. .88 OZ.



CLÉ DE PEAU  
BEAUTÉ

RADIANT CREAM FOUNDATION n M  
BROAD SPECTRUM SPF 25  
SUNSCREEN

Define your most radiant,  
most colorful life.

A skincare-based cream foundation inspired by the radiance of a diamond provides flawless coverage with a silky, dewy finish.

- A hybrid of makeup and skincare, exclusive **Light-Empowering Enhancer** amplifies your radiant finish.
- Formulated with **Skin-Empowering Illuminator**, our exclusive skincare ingredient.
- NON-COMEDOGENIC. DERMATOLOGIST-TESTED.

**Drug Facts**

Active Ingredients	Purpose
OCTINOXATE 4.4%	Sunscreen
TITANIUM DIOXIDE 1.2%	Sunscreen

**Uses**

- helps prevent sunburn ■ if used as directed with other sun protection measures (see *Directions*), decreases the risk of skin cancer and early skin aging caused by the sun

**Warnings**

For external use only

Do not use on damaged or broken skin

When using this product keep out of eyes. Rinse with water to remove.

Stop use and ask a doctor if rash occurs

Keep out of reach of children. If product is swallowed, get medical help or contact a Poison Control Center right away.

**Directions**

For sunscreen use:

- apply liberally 15 minutes before sun exposure
- use a water resistant sunscreen if swimming or sweating
- reapply at least every 2 hours

SHISEIDO AMERICAS CORPORATION DIST.  
NEW YORK, NY 10017  
MADE IN U.S.A.  
www.cledepeau-beaute.com

**Drug Facts**  
(continued)

**Directions**

■ Sun Protection  
**Measures.** Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF of 15 or higher and other sun protection measures including:

- limit time in the sun, especially from 10 a.m. -2 p.m.
- wear long-sleeve shirts, pants, hats, and sunglasses
- children under 6 months: Ask a doctor

**Inactive Ingredients**

WATER • DIMETHICONE • DIPHENYLSILOXY PHENYL TRIMETHICONE • DIPROPYLENE GLYCOL • GLYCERIN • BUTYLENE GLYCOL • PEG-10 DIMETHICONE • PEG-20 • LAURYL PEG-9 POLYDIMETHYLSILOXYETHYL DIMETHICONE • PEG-6 • PEG-32 • DISTEARDMONIUM HECTORITE • BARIUM SULFATE • DIPHENYL DIMETHICONE/VINYL DIPHENYL DIMETHICONE/SILSESQUOXANE CROSSPOLYMER • DIMETHICONE/VINYL DIMETHICONE CROSSPOLYMER • HYDROGENATED POLYISOBUTENE • TREHALOSE • ARGANIA SPINOSA KERNEL OIL • GLYCINE • PEG/PPG-14/7 DIMETHYL ETHER • POTENTILLA ERECTA ROOT EXTRACT • TRIMETHYLSILOXYSILICATE • ROSA ROXBURGHII FRUIT EXTRACT • ANGELICA ACUTILOBA ROOT EXTRACT • HYDROLYZED CONCHOLIN PROTEIN • HYDROLYZED SILK • PERILLA OCYNOIDES LEAF EXTRACT • SORBITAN SESQUISOSEARATE • DISOSTEARYL MALATE • BEHENIC ACID • SYNTHETIC FLUORPHLOGPITE



clé de peau  
BEAUTÉ

RADIANT CREAM  
FOUNDATION n  
BROAD SPECTRUM  
SPF 25  
SUNSCREEN

**Drug Facts**  
(continued)

**Inactive Ingredients**

ALUMINUM HYDROXIDE • DIMETHICONE/PHENYL VINYL DIMETHICONE CROSSPOLYMER • TRISODIUM EDTA • TALC • TRIETHOXYCAPRYLYLSILANE • POLYSILOXANE-2 • STEARIC ACID • TRIETHOXYSILYLETHYL POLYDIMETHYLSILOXYETHYL DIMETHICONE • HYDROGEN DIMETHICONE • BHT • SILICA • THEANINE • TOCOPHEROL • MICA • POLYMETHYLSILSESQUOXANE • METHYLPARABEN • ETHYLPARABEN • FRAGRANCE • IRON OXIDES • TITANIUM DIOXIDE • <M30645-81B>

**Other Information**

- protect this product in this container from excessive heat and direct sun.

**Questions or Comments?**  
Call toll free 1-800-906-7503

QRコード

<http://cpb1982.com/17730CP>  
See our website for more information.

2次元コード

RECOMMENDED SKIN CANCER FOUNDATION DAILY USE

FSC マーク

21mL NET WT. .88 OZ.

**PRINCIPAL DISPLAY PANEL - 21mL Tube Carton - O70**

clé de peau

BEAUTÉ

RADIANT CREAM

FOUNDATION n

BROAD SPECTRUM

SPF 25

SUNSCREEN

21mL NET WT. .88 OZ.



CLÉ DE PEAU  
BEAUTÉ

RADIANT CREAM FOUNDATION n M  
BROAD SPECTRUM SPF 25  
SUNSCREEN

**Define your most radiant,  
most colorful life.**

A skincare-based cream foundation inspired by the radiance of a diamond provides flawless coverage with a silky, dewy finish.

- A hybrid of makeup and skincare, exclusive **Light-Empowering Enhancer** amplifies your radiant finish.
- Formulated with **Skin-Empowering Illuminator**, our exclusive skincare ingredient.
- NON-COMEDOGENIC. DERMATOLOGIST-TESTED.

**Drug Facts**

**Active Ingredients Purpose**

OCTINOXATE 4.4% ..... Sunscreen  
TITANIUM DIOXIDE 1.2% .... Sunscreen

**Uses**

■ helps prevent sunburn ■ if used as directed with other sun protection measures (see *Directions*), decreases the risk of skin cancer and early skin aging caused by the sun

**Warnings**

For external use only

Do not use on damaged or broken skin

When using this product keep out of eyes. Rinse with water to remove.

Stop use and ask a doctor if rash occurs

Keep out of reach of children. If product is swallowed, get medical help or contact a Poison Control Center right away.

**Directions**

For sunscreen use:

- apply liberally 15 minutes before sun exposure
- use a water resistant sunscreen if swimming or sweating
- reapply at least every 2 hours ▶

SHISEIDO AMERICAS CORPORATION DIST.  
NEW YORK, NY 10017  
MADE IN U.S.A.  
www.cledepeau-beaute.com

**Drug Facts  
(continued)**

**Directions**

■ Sun Protection

**Measures.** Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF of 15 or higher and other sun protection measures including:  
- limit time in the sun, especially from 10 a.m. -2 p.m. - wear long-sleeve shirts, pants, hats, and sunglasses  
■ children under 6 months:  
Ask a doctor

**Inactive  
Ingredients**

WATER • DIMETHICONE • DIPHENYLSILOXY PHENYL TRIMETHICONE • DIPROPYLENE GLYCOL • GLYCERIN • BUTYLENE GLYCOL • PEG-10 DIMETHICONE • PEG-20 • LAURYL PEG-9 POLYDIMETHYLSILOXYETHYL DIMETHICONE • PEG-6 • PEG-32 • DISTEARDIMONIUM HECTORITE • BARIUM SULFATE • DIPHENYL DIMETHICONE/VINYL DIPHENYL DIMETHICONE/SILSESQUOXANE CROSSPOLYMER • DIMETHICONE/VINYL DIMETHICONE CROSSPOLYMER • HYDROGENATED POLYISOBUTENE • TREHALOSE • ARGANIA SPINOSA KERNEL OIL • GLYCINE • PEG/PPG-14/7 DIMETHYL ETHER • POTENTILLA ERECTA ROOT EXTRACT • TRIMETHYLSILOXYSILICATE • ROSA ROXBURGHII FRUIT EXTRACT • ANGELICA ACUTILOBA ROOT EXTRACT • HYDROLYZED CONCHOLIN PROTEIN • HYDROLYZED SILK • PERILLA OCYMOIDES LEAF EXTRACT • SORBITAN SESQUINOSTEARATE • DIISOSTEARYL MALATE • BEHENIC ACID • SYNTHETIC FLUORPHLOGOPITE ▶

clé de peau  
BEAUTÉ

RADIANT CREAM  
FOUNDATION n  
BROAD SPECTRUM  
SPF 25  
SUNSCREEN

21mL NET WT. .88 OZ.

**Drug Facts  
(continued)**

**Inactive  
Ingredients**

ALUMINUM HYDROXIDE • DIMETHICONE/PHENYL VINYL DIMETHICONE CROSSPOLYMER • TRISODIUM EDTA • TALC • TRIETHOXYCAPRYLYLSILANE • POLYSILOXANE-2 • STEARIC ACID • TRIETHOXYSILYLETHYL POLYDIMETHYLSILOXYETHYL DIMETHICONE • HYDROGEN DIMETHICONE • BHT • SILICA • THEANINE • TOCOPHEROL • MICA • POLYMETHYLSILSESQUOXANE • METHYLPARABEN • ETHYLPARABEN • FRAGRANCE • IRON OXIDES • TITANIUM DIOXIDE • <N130645-811>

**Other  
Information**

■ protect this product in this container from excessive heat and direct sun.

**Questions or  
Comments?**

Call toll free 1-800-906-7503

QRコード

<http://cpb1982.com/17730CP>  
See our website  
for more information.

2次元  
コード



FSC  
マーク

**PRINCIPAL DISPLAY PANEL - 21mL Tube Carton - O80**

clé de peau  
BEAUTÉ  
RADIANT CREAM  
FOUNDATION n  
BROAD SPECTRUM  
SPF 25  
SUNSCREEN

21mL NET WT. .88 OZ.

  
 CLÉ DE PEAU  
 BEAUTÉ  
 RADIANT CREAM FOUNDATION n M  
 BROAD SPECTRUM SPF 25  
 SUNSCREEN

**Define your most radiant, most colorful life.**  
 A skincare-based cream foundation inspired by the radiance of a diamond provides flawless coverage with a silky, dewy finish.

- A hybrid of makeup and skincare, exclusive **Light-Empowering Enhancer** amplifies your radiant finish.
- Formulated with **Skin-Empowering Illuminator**, our exclusive skincare ingredient.
- NON-COMEDOGENIC. DERMATOLOGIST-TESTED.

**Drug Facts**

**Active Ingredients Purpose**  
 OCTINOXATE 4.4% ..... Sunscreen  
 TITANIUM DIOXIDE 1.2% .... Sunscreen

**Uses**  
 helps prevent sunburn  if used as directed with other sun protection measures (see *Directions*), decreases the risk of skin cancer and early skin aging caused by the sun

**Warnings**  
 For external use only  
 Do not use on damaged or broken skin  
 When using this product keep out of eyes. Rinse with water to remove.  
 Stop use and ask a doctor if rash occurs  
 Keep out of reach of children. If product is swallowed, get medical help or contact a Poison Control Center right away.

**Directions**  
 For sunscreen use:  
 apply liberally 15 minutes before sun exposure  
 use a water resistant sunscreen if swimming or sweating  reapply at least every 2 hours ▶

SHISEIDO AMERICAS CORPORATION DIST.  
 NEW YORK, NY 10017  
 MADE IN U.S.A.  
 www.cledepeau-beaute.com

clé de peau

BEAUTÉ

RADIANT CREAM  
 FOUNDATION n  
 BROAD SPECTRUM  
 SPF 25  
 SUNSCREEN

21mL NET WT. .88 OZ.

**Drug Facts**  
(continued)

**Directions**  
 **Sun Protection Measures.** Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF of 15 or higher and other sun protection measures including:  
 - limit time in the sun, especially from 10 a.m. -2 p.m. - wear long-sleeve shirts, pants, hats, and sunglasses  
 children under 6 months:  
 Ask a doctor

**Inactive Ingredients**  
 WATER • DIMETHICONE • DIPHENYLSILOXY PHENYL TRIMETHICONE • DIPROPYLENE GLYCOL • GLYCERIN • BUTYLENE GLYCOL • PEG-10 DIMETHICONE • PEG-20 • LAURYL PEG-9 POLYDIMETHYLSILOXYETHYL DIMETHICONE • PEG-6 • PEG-32 • DISTEARDIMONIUM HECTORITE • BARIUM SULFATE • DIPHENYL DIMETHICONE/VINYL DIPHENYL DIMETHICONE/SILSESQUOXANE CROSSPOLYMER • DIMETHICONE/VINYL DIMETHICONE CROSSPOLYMER • HYDROGENATED POLYISOBUTENE • TREHALOSE • ARGANIA SPINOSA KERNEL OIL • GLYCINE • PEG/PPG-14/7 DIMETHYL ETHER • POTENTILLA ERECTA ROOT EXTRACT • TRIMETHYLSILOXYSILICATE • ROSA ROXBURGHII FRUIT EXTRACT • ANGELICA ACUTILOBA ROOT EXTRACT • HYDROLYZED CONCHOLIN PROTEIN • HYDROLYZED SILK • PERILLA OCYMOIDES LEAF EXTRACT • SORBITAN SESQUISOSTEARATE • DIISOSTEARYL MALATE • BEHENIC ACID • SYNTHETIC FLUORPHLOGOPITE ▶

**Drug Facts**  
(continued)

**Inactive Ingredients**  
 ALUMINUM HYDROXIDE • DIMETHICONE/PHENYL VINYL DIMETHICONE CROSSPOLYMER • TRISODIUM EDTA • TALC • TRIETHOXYCAPRYLYLSILANE • POLYSILOXANE-2 • STEARIC ACID • TRIETHOXYSILOXYETHYL POLYDIMETHYLSILOXYETHYL DIMETHICONE • HYDROGEN DIMETHICONE • BHT • SILICA • THEANINE • TOCOPHEROL • MICA • POLYMETHYLSILSESQUOXANE • METHYLPARABEN • ETHYLPARABEN • FRAGRANCE • IRON OXIDES • TITANIUM DIOXIDE • <M30645-811>

**Other Information**  
 protect this product in this container from excessive heat and direct sun.

**Questions or Comments?**  
 Call toll free 1-800-906-7503

QRコード

<http://cpb1982.com/17730CP>  
 See our website for more information.

2次元コード

RECOMMENDED SKIN CANCER FOUNDATION DAILY USE

FSC マーク

**PRINCIPAL DISPLAY PANEL - 21mL Tube Carton - O90**

clé de peau  
 BEAUTÉ  
 RADIANT CREAM  
 FOUNDATION n  
 BROAD SPECTRUM  
 SPF 25

# SUNSCREEN

21mL NET WT. .88 OZ.

  
CLÉ DE PEAU  
BEAUTÉ  
RADIANT CREAM FOUNDATION n M  
BROAD SPECTRUM SPF 25  
SUNSCREEN

Define your most radiant,  
most colorful life.  
A skincare-based cream foundation inspired by the radiance of a diamond provides flawless coverage with a silky, dewy finish.

- A hybrid of makeup and skincare, exclusive **Light-Empowering Enhancer** amplifies your radiant finish.
- Formulated with **Skin-Empowering Illuminator**, our exclusive skincare ingredient.
- NON-COMEDOGENIC. DERMATOLOGIST-TESTED.

**Drug Facts**

Active Ingredients	Purpose
OCTINOXATE 4.4%	Sunscreen
TITANIUM DIOXIDE 1.2%	Sunscreen

**Uses**  
■ helps prevent sunburn ■ if used as directed with other sun protection measures (see *Directions*), decreases the risk of skin cancer and early skin aging caused by the sun

**Warnings**  
For external use only  
Do not use on damaged or broken skin  
When using this product keep out of eyes. Rinse with water to remove.  
Stop use and ask a doctor if rash occurs  
Keep out of reach of children. If product is swallowed, get medical help or contact a Poison Control Center right away.

**Directions**  
For sunscreen use:  
■ apply liberally 15 minutes before sun exposure  
■ use a water resistant sunscreen if swimming or sweating ■ reapply at least every 2 hours ▶

SHISEIDO AMERICAS CORPORATION DIST.  
NEW YORK, NY 10017  
MADE IN U.S.A.  
www.cledepeau-beaute.com

**Drug Facts**  
(continued)

**Directions**  
■ Sun Protection  
**Measures.** Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF of 15 or higher and other sun protection measures including:  
• limit time in the sun, especially from 10 a.m. -2 p.m. • wear long-sleeve shirts, pants, hats, and sunglasses  
■ children under 6 months: Ask a doctor

**Inactive Ingredients**  
WATER • DIMETHICONE • DIPHENYLSILOXY PHENYL TRIMETHICONE • DIPROPYLENE GLYCOL • GLYCERIN • BUTYLENE GLYCOL • PEG-10 DIMETHICONE • PEG-20 • LAURYL PEG-9 POLYDIMETHYLSILOXYETHYL DIMETHICONE • PEG-6 • PEG-32 • DISTEARDMONIUM HECTORITE • BARIUM SULFATE • DIPHENYL DIMETHICONE/VINYL DIPHENYL DIMETHICONE/SILSESQUOXANE CROSSPOLYMER • DIMETHICONE/VINYL DIMETHICONE CROSSPOLYMER • HYDROGENATED POLYISOBUTENE • TREHALOSE • ARGANIA SPINOSA KERNEL OIL • GLYCINE • PEG/PPG-14/7 DIMETHYL ETHER • POTENTILLA RECTA ROOT EXTRACT • TRIMETHYLSILOXY SILICATE • ROSA ROXBURGHII FRUIT EXTRACT • ANGELICA ACUTILOBA ROOT EXTRACT • HYDROLYZED CONCHILIN PROTEIN • HYDROLYZED SILK • PERILLA OCYNOIDES LEAF EXTRACT • SORBITAN SESQUISOSEARATE • DIOSTEARYL MALATE • BEHENIC ACID • SYNTHETIC FLUORPHLOGOPITE ▶

  
clé de peau  
BEAUTÉ  
RADIANT CREAM  
FOUNDATION n  
BROAD SPECTRUM  
SPF 25  
SUNSCREEN


21mL NET WT. .88 OZ.

**Drug Facts**  
(continued)

**Inactive Ingredients**  
ALUMINUM HYDROXIDE • DIMETHICONE/PHENYL VINYL DIMETHICONE CROSSPOLYMER • TRISODIUM EDTA • TALC • TRIETHOXYCAPRYLYLSILANE • POLYSILOXANE-2 • STEARIC ACID • TRIETHOXYSYLLETHYL POLYDIMETHYLSILOXYETHYL DIMETHICONE • HYDROGEN DIMETHICONE • BHT • SILICA • THEANINE • TOCOPHEROL • MICA • POLYMETHYLSILSESQUOXANE • METHYLPARABEN • ETHYLPARABEN • FRAGRANCE • IRON OXIDES • TITANIUM DIOXIDE <M30645-B1>

**Other Information**  
■ protect this product in this container from excessive heat and direct sun.

**Questions or Comments?**  
Call toll free 1-800-906-7503

  
QRコード

<http://cpb1982.com/17730CP>  
See our website for more information.

2次元コード

RECOMMENDED  
  
DAILY USE

FSC  
マーク

## PRINCIPAL DISPLAY PANEL - 21mL Tube Carton - O100

clé de peau

BEAUTÉ

RADIANT CREAM

FOUNDATION n

BROAD SPECTRUM

SPF 25

SUNSCREEN

21mL NET WT. .88 OZ.



CLÉ DE PEAU  
BEAUTÉ

RADIANT CREAM FOUNDATION n M  
BROAD SPECTRUM SPF 25  
SUNSCREEN

**Define your most radiant, most colorful life.**

A skincare-based cream foundation inspired by the radiance of a diamond provides flawless coverage with a silky, dewy finish.

- A hybrid of makeup and skincare, exclusive **Light-Empowering Enhancer** amplifies your radiant finish.
- Formulated with **Skin-Empowering Illuminator**, our exclusive skincare ingredient.
- NON-COMEDOGENIC. DERMATOLOGIST-TESTED.



clé de peau  
BEAUTÉ

RADIANT CREAM  
FOUNDATION n  
BROAD SPECTRUM  
SPF 25  
SUNSCREEN

**Drug Facts**  
(continued)

**Directions**  
■ **Sun Protection**  
**Measures.** Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF of 15 or higher and other sun protection measures including:  
- limit time in the sun, especially from 10 a.m. -2 p.m. - wear long-sleeve shirts, pants, hats, and sunglasses  
■ children under 6 months:  
Ask a doctor

**Inactive Ingredients**  
WATER • DIMETHICONE • DIPHENYLSILOXY PHENYL TRIMETHICONE • DIPROPYLENE GLYCOL • GLYCERIN • BUTYLENE GLYCOL • PEG-10 DIMETHICONE • PEG-20 • LAURYL PEG-9 POLYDIMETHYLSILOXYETHYL DIMETHICONE • PEG-6 • PEG-32 • DISTEARDMONIUM HECTORITE • BARLIUM SULFATE • DIPHENYL DIMETHICONE/VINYL DIPHENYL DIMETHICONE/SILSESQUOXANE CROSSPOLYMER • DIMETHICONE/VINYL DIMETHICONE CROSSPOLYMER • HYDROGENATED POLYISOBUTENE • TREHALOSE • ARGAMA SPINOSA KERNEL OIL • GLYCINE • PEG/PPG-14/7 DIMETHYL ETHER • POTENTILLA ERECTA ROOT EXTRACT • TRIMETHYLSILOXYLICATE • ROSA ROXBURGHII FRUIT EXTRACT • ANGELICA ACUTILOBA ROOT EXTRACT • HYDROLYZED CONCHOLIN PROTEIN • HYDROLYZED SILK • PERILLA OCYMOIDES LEAF EXTRACT • SORBITAN SESQUISOESTEARATE • DIISOSTEARYL MALATE • BEHENIC ACID • SYNTHETIC FLUORPHLOGPITE

**Drug Facts**  
(continued)

**Inactive Ingredients**  
ALUMINUM HYDROXIDE • DIMETHICONE/PHENYL VINYL DIMETHICONE CROSSPOLYMER • TRISODIUM EDTA • TALC • TRIETHOXYCAPRYLYLSILANE • POLYSILOXANE-2 • STEARIC ACID • TRIETHOXYSILYLETHYL POLYDIMETHYLSILOXYETHYL DIMETHICONE • HYDROGEN DIMETHICONE • BHT • SILICA • THEANINE • TOCOPHEROL • MICA • POLYMETHYLSILSESQUOXANE • METHYLPARABEN • ETHYLPARABEN • FRAGRANCE • IRON OXIDES • TITANIUM DIOXIDE • <M130645-811>

**Other Information**  
■ protect this product in this container from excessive heat and direct sun.

**Questions or Comments?**  
Call toll free 1-800-906-7503

QRコード

http://cpb1982.com/17730CP  
See our website for more information.

2次元コード

RECOMMENDED  
SKIN CANCER FOUNDATION  
DAILY USE

FSC  
マーク

21mL NET WT. .88 OZ.

**CLE DE PEAU BEAUTE RADIANT FOUNDATION N M O30**  
octinoxate and titanium dioxide cream

<b>Product Information</b>			
<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:58411-976
<b>Route of Administration</b>	TOPICAL		

**Active Ingredient/Active Moiety**

<b>Ingredient Name</b>	<b>Basis of Strength</b>	<b>Strength</b>
<b>OCTINOXATE</b> (UNII: 4Y5P7MUD51) (ETHYLHEXYL METHOXYCINNAMATE - UNII:4Y5P7MUD51)	OCTINOXATE	1.06 g in 21 mL
<b>TITANIUM DIOXIDE</b> (UNII: 15FIX9V2JP) (TITANIUM DIOXIDE - UNII:15FIX9V2JP)	TITANIUM DIOXIDE	0.29 g in 21 mL

**Inactive Ingredients**

<b>Ingredient Name</b>	<b>Strength</b>
<b>WATER</b> (UNII: 059QF0KO0R)	
<b>DIMETHICONE</b> (UNII: 92RU3N3Y1O)	
<b>DIPHENYLSILOXY PHENYL TRIMETHICONE</b> (UNII: I445L28B12)	
<b>DIPROPYLENE GLYCOL</b> (UNII: E107L85C40)	
<b>GLYCERIN</b> (UNII: PDC6A3C0OX)	
<b>BUTYLENE GLYCOL</b> (UNII: 3XUS85K0RA)	
<b>PEG-10 DIMETHICONE (200 CST)</b> (UNII: 287GF3Y3WC)	
<b>PEG-20</b> (UNII: U076Q6Q621)	
<b>LAURYL PEG-9 POLYDIMETHYLSILOXYETHYL DIMETHICONE</b> (UNII: 25G622K2RA)	
<b>PEG-6</b> (UNII: 5655G9Y8AQ)	
<b>PEG-32</b> (UNII: 1212Z7S33A)	
<b>DISTEARDIMONIUM HECTORITE</b> (UNII: X687XDK09L)	
<b>BARIUM SULFATE</b> (UNII: 25BB7EKE2E)	
<b>DIMETHICONE/VINYL DIMETHICONE CROSSPOLYMER (SOFT PARTICLE)</b> (UNII: 9E4CO0W6C5)	
<b>HYDROGENATED POLYISOBUTENE (1300 MW)</b> (UNII: 7D1YQ9Y5EZ)	
<b>TREHALOSE</b> (UNII: B8WCK70T7I)	
<b>ARGANIA SPINOSA KERNEL OIL</b> (UNII: 4V59G5UW9X)	
<b>GLYCINE</b> (UNII: TE7660XO1C)	
<b>PEG/PPG-14/7 DIMETHYL ETHER</b> (UNII: 6DNW9T7YT2)	
<b>POTENTILLA ERECTA ROOT</b> (UNII: BI896CKT6B)	
<b>TRIMETHYLSILOXYSILICATE (M/Q 0.6-0.8)</b> (UNII: 5041RX63GN)	
<b>ROSA ROXBURGHII FRUIT</b> (UNII: CVT1AA87FF)	
<b>ANGELICA ACUTILOBA ROOT</b> (UNII: 3W51R3EK30)	
<b>PERILLA OCYMOIDES SEED OIL</b> (UNII: 322MS57V7Z)	
<b>SORBITAN SESQUIISOSTEARATE</b> (UNII: VU97D01BF9)	
<b>DIISOSTEARYL MALATE</b> (UNII: QBS8A3XZGQ)	
<b>BEHENIC ACID</b> (UNII: H390488X0A)	
<b>ALUMINUM HYDROXIDE</b> (UNII: 5QB0T2IUN0)	
<b>DIMETHICONE/PHENYL VINYL DIMETHICONE CROSSPOLYMER</b> (UNII: ST6ZC4KVH2)	
<b>TRISODIUM EDTA</b> (UNII: 420IP921MB)	
<b>TALC</b> (UNII: 7SEV7J4R1U)	
<b>TRIETHOXYCAPRYLYLSILANE</b> (UNII: LDC331P08E)	
<b>STEARIC ACID</b> (UNII: 4ELV7Z65AP)	
<b>HYDROGEN DIMETHICONE (13 CST)</b> (UNII: 4QGR4P2YOI)	
<b>BUTYLATED HYDROXYTOLUENE</b> (UNII: 1P9D0Z171K)	
<b>SILICA</b> (UNII: ETJ7Z6XBU4)	
<b>THEANINE</b> (UNII: 8021PR16QO)	
<b>TOCOPHEROL</b> (UNII: ROZB2556P8)	

<b>MICA</b> (UNII: V8A1AW0880)	
<b>POLYMETHYLSILSESQUIOXANE (11 MICRONS)</b> (UNII: Z570VEV8XK)	
<b>METHYLPARABEN</b> (UNII: A2I8C7HI9T)	
<b>FERRIC OXIDE RED</b> (UNII: 1K09F3G675)	

### Product Characteristics

<b>Color</b>	brown	<b>Score</b>	
<b>Shape</b>		<b>Size</b>	
<b>Flavor</b>		<b>Imprint Code</b>	
<b>Contains</b>			

### Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:58411-976-60	1 in 1 BOX	12/02/2024	
1		21 mL in 1 TUBE; Type 0: Not a Combination Product		

### Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M020	12/02/2024	

## CLE DE PEAU BEAUTE RADIANT FOUNDATION N M O90

octinoxate and titanium dioxide cream

### Product Information

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:58411-982
<b>Route of Administration</b>	TOPICAL		

### Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
<b>OCTINOXATE</b> (UNII: 4Y5P7MUD51) (ETHYLHEXYL METHOXYCINNAMATE - UNII:4Y5P7MUD51)	OCTINOXATE	1.06 g in 21 mL
<b>TITANIUM DIOXIDE</b> (UNII: 15FIX9V2JP) (TITANIUM DIOXIDE - UNII:15FIX9V2JP)	TITANIUM DIOXIDE	0.29 g in 21 mL

### Inactive Ingredients

Ingredient Name	Strength
<b>WATER</b> (UNII: 059QF0KO0R)	

<b>DIMETHICONE</b> (UNII: 92RU3N3Y1O)	
<b>DIPHENYLSILOXY PHENYL TRIMETHICONE</b> (UNII: I445L28B12)	
<b>DIPROPYLENE GLYCOL</b> (UNII: E107L85C40)	
<b>GLYCERIN</b> (UNII: PDC6A3C0OX)	
<b>BUTYLENE GLYCOL</b> (UNII: 3XUS85K0RA)	
<b>PEG-10 DIMETHICONE (200 CST)</b> (UNII: 287GF3Y3WC)	
<b>PEG-20</b> (UNII: U076Q6Q621)	
<b>LAURYL PEG-9 POLYDIMETHYLSILOXYETHYL DIMETHICONE</b> (UNII: 25G622K2RA)	
<b>PEG-6</b> (UNII: 5655G9Y8AQ)	
<b>PEG-32</b> (UNII: 1212Z7S33A)	
<b>DISTEARDIMONIUM HECTORITE</b> (UNII: X687XDK09L)	
<b>BARIUM SULFATE</b> (UNII: 25BB7EKE2E)	
<b>DIMETHICONE/VINYL DIMETHICONE CROSSPOLYMER (SOFT PARTICLE)</b> (UNII: 9E4CO0W6C5)	
<b>HYDROGENATED POLYISOBUTENE (1300 MW)</b> (UNII: 7D1YQ9Y5EZ)	
<b>TREHALOSE</b> (UNII: B8WCK70T7I)	
<b>ARGANIA SPINOSA KERNEL OIL</b> (UNII: 4V59G5UW9X)	
<b>GLYCINE</b> (UNII: TE7660XO1C)	
<b>PEG/PPG-14/7 DIMETHYL ETHER</b> (UNII: 6DNW9T7YT2)	
<b>POTENTILLA ERECTA ROOT</b> (UNII: BI896CKT6B)	
<b>TRIMETHYLSILOXSILICATE (M/Q 0.6-0.8)</b> (UNII: 5041RX63GN)	
<b>ROSA ROXBURGHII FRUIT</b> (UNII: CVT1AA87FF)	
<b>ANGELICA ACUTILOBA ROOT</b> (UNII: 3W51R3EK30)	
<b>PERILLA OCYMOIDES SEED OIL</b> (UNII: 322MS57V7Z)	
<b>SORBITAN SESQUIISOSTEARATE</b> (UNII: VU97D01BF9)	
<b>DIISOSTEARYL MALATE</b> (UNII: QBS8A3XZGQ)	
<b>BEHENIC ACID</b> (UNII: H390488X0A)	
<b>ALUMINUM HYDROXIDE</b> (UNII: 5QB0T2IUN0)	
<b>DIMETHICONE/PHENYL VINYL DIMETHICONE CROSSPOLYMER</b> (UNII: ST6ZC4KVH2)	
<b>TRISODIUM EDTA</b> (UNII: 420IP921MB)	
<b>TALC</b> (UNII: 7SEV7J4R1U)	
<b>TRIETHOXYCAPRYLYLSILANE</b> (UNII: LDC331P08E)	
<b>STEARIC ACID</b> (UNII: 4ELV7Z65AP)	
<b>HYDROGEN DIMETHICONE (13 CST)</b> (UNII: 4QGR4P2YOI)	
<b>BUTYLATED HYDROXYTOLUENE</b> (UNII: 1P9D0Z171K)	
<b>SILICA</b> (UNII: ETJ7Z6XBU4)	
<b>THEANINE</b> (UNII: 8021PR16QO)	
<b>TOCOPHEROL</b> (UNII: R0ZB2556P8)	
<b>MICA</b> (UNII: V8A1AW0880)	
<b>POLYMETHYLSILSESQUIOXANE (11 MICRONS)</b> (UNII: Z570VEV8XK)	
<b>METHYLPARABEN</b> (UNII: A2I8C7HI9T)	
<b>FERRIC OXIDE RED</b> (UNII: 1K09F3G675)	

<b>Product Characteristics</b>			
<b>Color</b>	brown	<b>Score</b>	
<b>Shape</b>		<b>Size</b>	
<b>Flavor</b>		<b>Imprint Code</b>	
<b>Contains</b>			

## Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:58411-982-60	1 in 1 BOX	12/02/2024	
1		21 mL in 1 TUBE; Type 0: Not a Combination Product		

## Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M020	12/02/2024	

## CLE DE PEAU BEAUTE RADIANT FOUNDATION N M O20

octinoxate and titanium dioxide cream

### Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:58411-975
Route of Administration	TOPICAL		

### Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
<b>OCTINOXATE</b> (UNII: 4Y5P7MUD51) (ETHYLHEXYL METHOXYCINNAMATE - UNII:4Y5P7MUD51)	OCTINOXATE	1.06 g in 21 mL
<b>TITANIUM DIOXIDE</b> (UNII: 15FIX9V2JP) (TITANIUM DIOXIDE - UNII:15FIX9V2JP)	TITANIUM DIOXIDE	0.29 g in 21 mL

### Inactive Ingredients

Ingredient Name	Strength
<b>WATER</b> (UNII: 059QF0KO0R)	
<b>DIMETHICONE</b> (UNII: 92RU3N3Y1O)	
<b>DIPHENYLSILOXY PHENYL TRIMETHICONE</b> (UNII: I445L28B12)	
<b>DIPROPYLENE GLYCOL</b> (UNII: E107L85C40)	
<b>GLYCERIN</b> (UNII: PDC6A3C0OX)	
<b>BUTYLENE GLYCOL</b> (UNII: 3XUS85K0RA)	
<b>PEG-10 DIMETHICONE (200 CST)</b> (UNII: 287GF3Y3WC)	
<b>PEG-20</b> (UNII: U076Q6Q621)	
<b>LAURYL PEG-9 POLYDIMETHYLSILOXYETHYL DIMETHICONE</b> (UNII: 25G622K2RA)	
<b>PEG-6</b> (UNII: 5655G9Y8AQ)	
<b>PEG-32</b> (UNII: 1212Z7S33A)	
<b>DISTEARDIMONIUM HECTORITE</b> (UNII: X687XDK09L)	
<b>BARIUM SULFATE</b> (UNII: 25BB7EKE2E)	
<b>DIMETHICONE/VINYL DIMETHICONE CROSSPOLYMER (SOFT PARTICLE)</b> (UNII: 9E4CO0W6C5)	
<b>HYDROGENATED POLYISOBUTENE (1300 MW)</b> (UNII: 7D1YQ9Y5EZ)	

<b>TREHALOSE</b> (UNII: B8WCK70T7I)
<b>ARGANIA SPINOSA KERNEL OIL</b> (UNII: 4V59G5UW9X)
<b>GLYCINE</b> (UNII: TE7660XO1C)
<b>PEG/PPG-14/7 DIMETHYL ETHER</b> (UNII: 6DNW9T7YT2)
<b>POTENTILLA ERECTA ROOT</b> (UNII: BI896CKT6B)
<b>TRIMETHYLSILOXYSILICATE (M/Q 0.6-0.8)</b> (UNII: 5041RX63GN)
<b>ROSA ROXBURGHII FRUIT</b> (UNII: CVT1AA87FF)
<b>ANGELICA ACUTILOBA ROOT</b> (UNII: 3W51R3EK30)
<b>PERILLA OCYMOIDES SEED OIL</b> (UNII: 322MS57V7Z)
<b>SORBITAN SESQUIISOSTEARATE</b> (UNII: VU97D01BF9)
<b>DIISOSTEARYL MALATE</b> (UNII: QBS8A3XZGQ)
<b>BEHENIC ACID</b> (UNII: H390488X0A)
<b>ALUMINUM HYDROXIDE</b> (UNII: 5QB0T2IUN0)
<b>DIMETHICONE/PHENYL VINYL DIMETHICONE CROSSPOLYMER</b> (UNII: ST6ZC4KVH2)
<b>TRISODIUM EDTA</b> (UNII: 420IP921MB)
<b>TALC</b> (UNII: 7SEV7J4R1U)
<b>TRIETHOXYCAPRYLYLSILANE</b> (UNII: LDC331P08E)
<b>STEARIC ACID</b> (UNII: 4ELV7Z65AP)
<b>HYDROGEN DIMETHICONE (13 CST)</b> (UNII: 4QGR4P2YOI)
<b>BUTYLATED HYDROXYTOLUENE</b> (UNII: 1P9D0Z171K)
<b>SILICA</b> (UNII: ETJ7Z6XBU4)
<b>THEANINE</b> (UNII: 8021PR16QO)
<b>TOCOPHEROL</b> (UNII: R0ZB2556P8)
<b>MICA</b> (UNII: V8A1AW0880)
<b>POLYMETHYLSILSESQUIOXANE (11 MICRONS)</b> (UNII: Z570VEV8XK)
<b>METHYLPARABEN</b> (UNII: A2I8C7HI9T)
<b>FERRIC OXIDE RED</b> (UNII: 1K09F3G675)

### Product Characteristics

<b>Color</b>	brown	<b>Score</b>	
<b>Shape</b>		<b>Size</b>	
<b>Flavor</b>		<b>Imprint Code</b>	
<b>Contains</b>			

### Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:58411-975-60	1 in 1 BOX	12/02/2024	
1		21 mL in 1 TUBE; Type 0: Not a Combination Product		

### Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M020	12/02/2024	

# CLE DE PEAU BEAUTE RADIANT FOUNDATION N M 070

octinoxate and titanium dioxide cream

## Product Information

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:58411-980
<b>Route of Administration</b>	TOPICAL		

## Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
<b>OCTINOXATE</b> (UNII: 4Y5P7MUD51) (ETHYLHEXYL METHOXYCINNAMATE - UNII:4Y5P7MUD51)	OCTINOXATE	1.06 g in 21 mL
<b>TITANIUM DIOXIDE</b> (UNII: 15FIX9V2JP) (TITANIUM DIOXIDE - UNII:15FIX9V2JP)	TITANIUM DIOXIDE	0.29 g in 21 mL

## Inactive Ingredients

Ingredient Name	Strength
<b>WATER</b> (UNII: 059QF0KO0R)	
<b>DIMETHICONE</b> (UNII: 92RU3N3Y1O)	
<b>DIPHENYLSILOXY PHENYL TRIMETHICONE</b> (UNII: I445L28B12)	
<b>DIPROPYLENE GLYCOL</b> (UNII: E107L85C40)	
<b>GLYCERIN</b> (UNII: PDC6A3C0OX)	
<b>BUTYLENE GLYCOL</b> (UNII: 3XUS85K0RA)	
<b>PEG-10 DIMETHICONE (200 CST)</b> (UNII: 287GF3Y3WC)	
<b>PEG-20</b> (UNII: U076Q6Q621)	
<b>LAURYL PEG-9 POLYDIMETHYLSILOXYETHYL DIMETHICONE</b> (UNII: 25G622K2RA)	
<b>PEG-6</b> (UNII: 5655G9Y8AQ)	
<b>PEG-32</b> (UNII: 1212Z7S33A)	
<b>DISTEARDIMONIUM HECTORITE</b> (UNII: X687XDK09L)	
<b>BARIUM SULFATE</b> (UNII: 25BB7EKE2E)	
<b>DIMETHICONE/VINYL DIMETHICONE CROSSPOLYMER (SOFT PARTICLE)</b> (UNII: 9E4CO0W6C5)	
<b>HYDROGENATED POLYISOBUTENE (1300 MW)</b> (UNII: 7D1YQ9Y5EZ)	
<b>TREHALOSE</b> (UNII: B8WCK70T7I)	
<b>ARGANIA SPINOSA KERNEL OIL</b> (UNII: 4V59G5UW9X)	
<b>GLYCINE</b> (UNII: TE7660XO1C)	
<b>PEG/PPG-14/7 DIMETHYL ETHER</b> (UNII: 6DNW9T7YT2)	
<b>POTENTILLA ERECTA ROOT</b> (UNII: BI896CKT6B)	
<b>TRIMETHYLSILOXYSILICATE (M/Q 0.6-0.8)</b> (UNII: 5041RX63GN)	
<b>ROSA ROXBURGHII FRUIT</b> (UNII: CVT1AA87FF)	
<b>ANGELICA ACUTILOBA ROOT</b> (UNII: 3W51R3EK30)	
<b>PERILLA OCYMOIDES SEED OIL</b> (UNII: 322MS57V7Z)	
<b>SORBITAN SESQUIISOSTEARATE</b> (UNII: VU97D01BF9)	
<b>DIISOSTEARYL MALATE</b> (UNII: QBS8A3XZGQ)	
<b>BEHENIC ACID</b> (UNII: H390488X0A)	
<b>ALUMINUM HYDROXIDE</b> (UNII: 5QB0T2IUN0)	
<b>DIMETHICONE/PHENYL VINYL DIMETHICONE CROSSPOLYMER</b> (UNII: ST6ZC4KVH2)	

<b>TRISODIUM EDTA</b> (UNII: 420IP921MB)
<b>TALC</b> (UNII: 7SEV7J4R1U)
<b>TRIETHOXYCAPRYLYLSILANE</b> (UNII: LDC331P08E)
<b>STEARIC ACID</b> (UNII: 4ELV7Z65AP)
<b>HYDROGEN DIMETHICONE (13 CST)</b> (UNII: 4QGR4P2YOI)
<b>BUTYLATED HYDROXYTOLUENE</b> (UNII: 1P9D0Z171K)
<b>SILICA</b> (UNII: ETJ7Z6XBU4)
<b>THEANINE</b> (UNII: 8021PR16QO)
<b>TOCOPHEROL</b> (UNII: R0ZB2556P8)
<b>MICA</b> (UNII: V8A1AW0880)
<b>POLYMETHYLSILSESQUIOXANE (11 MICRONS)</b> (UNII: Z570VEV8XK)
<b>METHYLPARABEN</b> (UNII: A2I8C7HI9T)
<b>FERRIC OXIDE RED</b> (UNII: 1K09F3G675)

Product Characteristics			
<b>Color</b>	brown	<b>Score</b>	
<b>Shape</b>		<b>Size</b>	
<b>Flavor</b>		<b>Imprint Code</b>	
<b>Contains</b>			

Packaging				
#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:58411-980-60	1 in 1 BOX	12/02/2024	
1		21 mL in 1 TUBE; Type 0: Not a Combination Product		

Marketing Information			
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M020	12/02/2024	

**CLE DE PEAU BEAUTE RADIANT FOUNDATION N M B20**  
 octinoxate and titanium dioxide cream

Product Information			
<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:58411-985
<b>Route of Administration</b>	TOPICAL		

Active Ingredient/Active Moiety		
Ingredient Name	Basis of Strength	Strength

<b>OCTINOXATE</b> (UNII: 4Y5P7MUD51) (ETHYLHEXYL METHOXYCINNAMATE - UNII:4Y5P7MUD51)	OCTINOXATE	1.06 g in 21 mL
<b>TITANIUM DIOXIDE</b> (UNII: 15FIX9V2JP) (TITANIUM DIOXIDE - UNII:15FIX9V2JP)	TITANIUM DIOXIDE	0.29 g in 21 mL

## Inactive Ingredients

Ingredient Name	Strength
<b>PEG-32</b> (UNII: 1212Z7S33A)	
<b>WATER</b> (UNII: 059QF0KO0R)	
<b>DIMETHICONE</b> (UNII: 92RU3N3Y1O)	
<b>DIPHENYLSILOXY PHENYL TRIMETHICONE</b> (UNII: I445L28B12)	
<b>DIPROPYLENE GLYCOL</b> (UNII: E107L85C40)	
<b>GLYCERIN</b> (UNII: PDC6A3C0OX)	
<b>BUTYLENE GLYCOL</b> (UNII: 3XUS85K0RA)	
<b>PEG-10 DIMETHICONE (200 CST)</b> (UNII: 287GF3Y3WC)	
<b>PEG-20</b> (UNII: U076Q6Q621)	
<b>LAURYL PEG-9 POLYDIMETHYLSILOXYETHYL DIMETHICONE</b> (UNII: 25G622K2RA)	
<b>PEG-6</b> (UNII: 5655G9Y8AQ)	
<b>DISTEARDIMONIUM HECTORITE</b> (UNII: X687XDK09L)	
<b>BARIUM SULFATE</b> (UNII: 25BB7EKE2E)	
<b>DIMETHICONE/VINYL DIMETHICONE CROSSPOLYMER (SOFT PARTICLE)</b> (UNII: 9E4CO0W6C5)	
<b>HYDROGENATED POLYISOBUTENE (1300 MW)</b> (UNII: 7D1YQ9Y5EZ)	
<b>TREHALOSE</b> (UNII: B8WCK70T7I)	
<b>ARGANIA SPINOSA KERNEL OIL</b> (UNII: 4V59G5UW9X)	
<b>GLYCINE</b> (UNII: TE7660XO1C)	
<b>PEG/PPG-14/7 DIMETHYL ETHER</b> (UNII: 6DNW9T7YT2)	
<b>POTENTILLA ERECTA ROOT</b> (UNII: BI896CKT6B)	
<b>TRIMETHYLSILOXYSILICATE (M/Q 0.6-0.8)</b> (UNII: 5041RX63GN)	
<b>ROSA ROXBURGHII FRUIT</b> (UNII: CVT1AA87FF)	
<b>ANGELICA ACUTILOBA ROOT</b> (UNII: 3W51R3EK30)	
<b>PERILLA OCYMOIDES SEED OIL</b> (UNII: 322MS57V7Z)	
<b>SORBITAN SESQUIISOSTEARATE</b> (UNII: VU97D01BF9)	
<b>DIISOSTEARYL MALATE</b> (UNII: QBS8A3XZGQ)	
<b>BEHENIC ACID</b> (UNII: H390488X0A)	
<b>ALUMINUM HYDROXIDE</b> (UNII: 5QB0T2IUN0)	
<b>DIMETHICONE/PHENYL VINYL DIMETHICONE CROSSPOLYMER</b> (UNII: ST6ZC4KVH2)	
<b>TRISODIUM EDTA</b> (UNII: 420IP921MB)	
<b>TALC</b> (UNII: 7SEV7J4R1U)	
<b>TRIETHOXYCAPRYLYLSILANE</b> (UNII: LDC331P08E)	
<b>STEARIC ACID</b> (UNII: 4ELV7Z65AP)	
<b>HYDROGEN DIMETHICONE (13 CST)</b> (UNII: 4QGR4P2YOI)	
<b>BUTYLATED HYDROXYTOLUENE</b> (UNII: 1P9D0Z171K)	
<b>SILICA</b> (UNII: ETJ7Z6XBU4)	
<b>THEANINE</b> (UNII: 8021PR16QO)	
<b>TOCOPHEROL</b> (UNII: R0ZB2556P8)	
<b>MICA</b> (UNII: V8A1AW0880)	
<b>POLYMETHYLSILSESQUIOXANE (11 MICRONS)</b> (UNII: Z570VEV8XK)	
<b>METHYLPARABEN</b> (UNII: A2I8C7HI9T)	
<b>FERRIC OXIDE RED</b> (UNII: 1K09F3G675)	

## Product Characteristics

Color	brown	Score	
Shape		Size	
Flavor		Imprint Code	
Contains			

## Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:58411-985-60	1 in 1 BOX	12/02/2024	
1		21 mL in 1 TUBE; Type 0: Not a Combination Product		

## Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M020	12/02/2024	

## CLE DE PEAU BEAUTE RADIANT FOUNDATION N M BF60

octinoxate and titanium dioxide cream

## Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:58411-996
Route of Administration	TOPICAL		

## Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
<b>OCTINOXATE</b> (UNII: 4Y5P7MUD51) (ETHYLHEXYL METHOXYCINNAMATE - UNII:4Y5P7MUD51)	OCTINOXATE	1.06 g in 21 mL
<b>TITANIUM DIOXIDE</b> (UNII: 15FIX9V2JP) (TITANIUM DIOXIDE - UNII:15FIX9V2JP)	TITANIUM DIOXIDE	0.29 g in 21 mL

## Inactive Ingredients

Ingredient Name	Strength
<b>ALUMINUM HYDROXIDE</b> (UNII: 5QB0T2IUN0)	
<b>DIMETHICONE/PHENYL VINYL DIMETHICONE CROSSPOLYMER</b> (UNII: ST6ZC4KVH2)	
<b>TRISODIUM EDTA</b> (UNII: 420IP921MB)	
<b>TALC</b> (UNII: 7SEV7J4R1U)	
<b>TRIETHOXYCAPRYLYLSILANE</b> (UNII: LDC331P08E)	
<b>BEHENIC ACID</b> (UNII: H390488X0A)	

<b>STEARIC ACID</b> (UNII: 4ELV7Z65AP)	
<b>HYDROGEN DIMETHICONE (13 CST)</b> (UNII: 4QGR4P2YOI)	
<b>BUTYLATED HYDROXYTOLUENE</b> (UNII: 1P9D0Z171K)	
<b>SILICA</b> (UNII: ETJ7Z6XBU4)	
<b>THEANINE</b> (UNII: 8021PR16QO)	
<b>TOCOPHEROL</b> (UNII: ROZB2556P8)	
<b>MICA</b> (UNII: V8A1AW0880)	
<b>POLYMETHYLSILSESQUIOXANE (11 MICRONS)</b> (UNII: Z570VEV8XK)	
<b>METHYLPARABEN</b> (UNII: A2I8C7HI9T)	
<b>FERRIC OXIDE RED</b> (UNII: 1K09F3G675)	
<b>WATER</b> (UNII: 059QF0KO0R)	
<b>DIMETHICONE</b> (UNII: 92RU3N3Y1O)	
<b>DIPHENYLSILOXY PHENYL TRIMETHICONE</b> (UNII: I445L28B12)	
<b>DIPROPYLENE GLYCOL</b> (UNII: E107L85C40)	
<b>GLYCERIN</b> (UNII: PDC6A3C0OX)	
<b>BUTYLENE GLYCOL</b> (UNII: 3XUS85KORA)	
<b>PEG-10 DIMETHICONE (200 CST)</b> (UNII: 287GF3Y3WC)	
<b>PEG-20</b> (UNII: U076Q6Q621)	
<b>LAURYL PEG-9 POLYDIMETHYLSILOXYETHYL DIMETHICONE</b> (UNII: 25G622K2RA)	
<b>PEG-6</b> (UNII: 5655G9Y8AQ)	
<b>DISTEARDIMONIUM HECTORITE</b> (UNII: X687XDK09L)	
<b>BARIUM SULFATE</b> (UNII: 25BB7EKE2E)	
<b>DIMETHICONE/VINYL DIMETHICONE CROSSPOLYMER (SOFT PARTICLE)</b> (UNII: 9E4CO0W6C5)	
<b>HYDROGENATED POLYISOBUTENE (1300 MW)</b> (UNII: 7D1YQ9Y5EZ)	
<b>TREHALOSE</b> (UNII: B8WCK70T7I)	
<b>ARGANIA SPINOSA KERNEL OIL</b> (UNII: 4V59G5UW9X)	
<b>GLYCINE</b> (UNII: TE7660XO1C)	
<b>PEG/PPG-14/7 DIMETHYL ETHER</b> (UNII: 6DNW9T7YT2)	
<b>POTENTILLA ERECTA ROOT</b> (UNII: BI896CKT6B)	
<b>TRIMETHYLSILOXYSILICATE (M/Q 0.6-0.8)</b> (UNII: 5041RX63GN)	
<b>ROSA ROXBURGHII FRUIT</b> (UNII: CVT1AA87FF)	
<b>ANGELICA ACUTILOBA ROOT</b> (UNII: 3W51R3EK30)	
<b>PERILLA OCYMOIDES SEED OIL</b> (UNII: 322MS57V7Z)	
<b>SORBITAN SESQUIISOSTEARATE</b> (UNII: VU97D01BF9)	
<b>PEG-32</b> (UNII: 1212Z7S33A)	
<b>DIISOSTEARYL MALATE</b> (UNII: QBS8A3XZGQ)	

### Product Characteristics

<b>Color</b>	brown	<b>Score</b>	
<b>Shape</b>		<b>Size</b>	
<b>Flavor</b>		<b>Imprint Code</b>	
<b>Contains</b>			

### Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:58411-996-60	1 in 1 BOX	12/02/2024	

1	21 mL in 1 TUBE; Type 0: Not a Combination Product	
---	--	--

## Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M020	12/02/2024	

## CLE DE PEAU BEAUTE RADIANT FOUNDATION N M B80

octinoxate and titanium dioxide cream

### Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:58411-991
Route of Administration	TOPICAL		

### Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
<b>OCTINOXATE</b> (UNII: 4Y5P7MUD51) (ETHYLHEXYL METHOXYCINNAMATE - UNII:4Y5P7MUD51)	OCTINOXATE	1.06 g in 21 mL
<b>TITANIUM DIOXIDE</b> (UNII: 15FIX9V2JP) (TITANIUM DIOXIDE - UNII:15FIX9V2JP)	TITANIUM DIOXIDE	0.29 g in 21 mL

### Inactive Ingredients

Ingredient Name	Strength
<b>BEHENIC ACID</b> (UNII: H390488X0A)	
<b>ALUMINUM HYDROXIDE</b> (UNII: 5QB0T2IUN0)	
<b>DIMETHICONE/PHENYL VINYL DIMETHICONE CROSSPOLYMER</b> (UNII: ST6ZC4KVH2)	
<b>TRISODIUM EDTA</b> (UNII: 420IP921MB)	
<b>TALC</b> (UNII: 7SEV7J4R1U)	
<b>TRIETHOXYCAPRYLYLSILANE</b> (UNII: LDC331P08E)	
<b>STEARIC ACID</b> (UNII: 4ELV7Z65AP)	
<b>HYDROGEN DIMETHICONE (13 CST)</b> (UNII: 4QGR4P2YOI)	
<b>BUTYLATED HYDROXYTOLUENE</b> (UNII: 1P9D0Z171K)	
<b>SILICA</b> (UNII: ETJ7Z6XBU4)	
<b>THEANINE</b> (UNII: 8021PR16QO)	
<b>TOCOPHEROL</b> (UNII: R0ZB2556P8)	
<b>MICA</b> (UNII: V8A1AW0880)	
<b>POLYMETHYLSILSESQUIOXANE (11 MICRONS)</b> (UNII: Z570VEV8XK)	
<b>METHYLPARABEN</b> (UNII: A2I8C7HI9T)	
<b>FERRIC OXIDE RED</b> (UNII: 1K09F3G675)	
<b>WATER</b> (UNII: 059QF0KO0R)	
<b>DIMETHICONE</b> (UNII: 92RU3N3Y1O)	
<b>DIPHENYLSILOXY PHENYL TRIMETHICONE</b> (UNII: I445L28B12)	
<b>DIPROPYLENE GLYCOL</b> (UNII: E107L85C40)	

<b>GLYCERIN</b> (UNII: PDC6A3C0OX)
<b>BUTYLENE GLYCOL</b> (UNII: 3XUS85K0RA)
<b>PEG-10 DIMETHICONE (200 CST)</b> (UNII: 287GF3Y3WC)
<b>PEG-20</b> (UNII: U076Q6Q621)
<b>LAURYL PEG-9 POLYDIMETHYLSILOXYETHYL DIMETHICONE</b> (UNII: 25G622K2RA)
<b>PEG-6</b> (UNII: 5655G9Y8AQ)
<b>DISTEARDIMONIUM HECTORITE</b> (UNII: X687XDK09L)
<b>BARIUM SULFATE</b> (UNII: 25BB7EKE2E)
<b>DIMETHICONE/VINYL DIMETHICONE CROSSPOLYMER (SOFT PARTICLE)</b> (UNII: 9E4CO0W6C5)
<b>HYDROGENATED POLYISOBUTENE (1300 MW)</b> (UNII: 7D1YQ9Y5EZ)
<b>TREHALOSE</b> (UNII: B8WCK70T7I)
<b>ARGANIA SPINOSA KERNEL OIL</b> (UNII: 4V59G5UW9X)
<b>GLYCINE</b> (UNII: TE7660XO1C)
<b>PEG/PPG-14/7 DIMETHYL ETHER</b> (UNII: 6DNW9T7YT2)
<b>POTENTILLA ERECTA ROOT</b> (UNII: BI896CKT6B)
<b>TRIMETHYLSILOXYSILICATE (M/Q 0.6-0.8)</b> (UNII: 5041RX63GN)
<b>ROSA ROXBURGHII FRUIT</b> (UNII: CVT1AA87FF)
<b>ANGELICA ACUTILOBA ROOT</b> (UNII: 3W51R3EK30)
<b>PERILLA OCYMOIDES SEED OIL</b> (UNII: 322MS57V7Z)
<b>SORBITAN SESQUIISOSTEARATE</b> (UNII: VU97D01BF9)
<b>PEG-32</b> (UNII: 1212Z7S33A)
<b>DIISOSTEARYL MALATE</b> (UNII: QBS8A3XZGQ)

**Product Characteristics**

<b>Color</b>	brown	<b>Score</b>	
<b>Shape</b>		<b>Size</b>	
<b>Flavor</b>		<b>Imprint Code</b>	
<b>Contains</b>			

**Packaging**

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:58411-991-60	1 in 1 BOX	12/02/2024	
1		21 mL in 1 TUBE; Type 0: Not a Combination Product		

**Marketing Information**

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M020	12/02/2024	

**CLE DE PEAU BEAUTE RADIANT FOUNDATION N M B10**

octinoxate and titanium dioxide cream

**Product Information**

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:58411-984
<b>Route of Administration</b>	TOPICAL		

**Active Ingredient/Active Moiety**

<b>Ingredient Name</b>	<b>Basis of Strength</b>	<b>Strength</b>
<b>OCTINOXATE</b> (UNII: 4Y5P7MUD51) (ETHYLHEXYL METHOXYCINNAMATE - UNII:4Y5P7MUD51)	OCTINOXATE	1.06 g in 21 mL
<b>TITANIUM DIOXIDE</b> (UNII: 15FIX9V2JP) (TITANIUM DIOXIDE - UNII:15FIX9V2JP)	TITANIUM DIOXIDE	0.29 g in 21 mL

**Inactive Ingredients**

<b>Ingredient Name</b>	<b>Strength</b>
<b>PEG-32</b> (UNII: 1212Z7S33A)	
<b>WATER</b> (UNII: 059QF0KO0R)	
<b>DIMETHICONE</b> (UNII: 92RU3N3Y1O)	
<b>DIPHENYLSILOXY PHENYL TRIMETHICONE</b> (UNII: I445L28B12)	
<b>DIPROPYLENE GLYCOL</b> (UNII: E107L85C40)	
<b>GLYCERIN</b> (UNII: PDC6A3C0OX)	
<b>BUTYLENE GLYCOL</b> (UNII: 3XUS85K0RA)	
<b>PEG-10 DIMETHICONE (200 CST)</b> (UNII: 287GF3Y3WC)	
<b>PEG-20</b> (UNII: U076Q6Q621)	
<b>LAURYL PEG-9 POLYDIMETHYLSILOXYETHYL DIMETHICONE</b> (UNII: 25G622K2RA)	
<b>PEG-6</b> (UNII: 5655G9Y8AQ)	
<b>DISTEARDIMONIUM HECTORITE</b> (UNII: X687XDK09L)	
<b>BARIUM SULFATE</b> (UNII: 25BB7EKE2E)	
<b>DIMETHICONE/VINYL DIMETHICONE CROSSPOLYMER (SOFT PARTICLE)</b> (UNII: 9E4CO0W6C5)	
<b>HYDROGENATED POLYISOBUTENE (1300 MW)</b> (UNII: 7D1YQ9Y5EZ)	
<b>TREHALOSE</b> (UNII: B8WCK70T7I)	
<b>ARGANIA SPINOSA KERNEL OIL</b> (UNII: 4V59G5UW9X)	
<b>GLYCINE</b> (UNII: TE7660XO1C)	
<b>PEG/PPG-14/7 DIMETHYL ETHER</b> (UNII: 6DNW9T7YT2)	
<b>POTENTILLA ERECTA ROOT</b> (UNII: BI896CKT6B)	
<b>TRIMETHYLSILOXYSILICATE (M/Q 0.6-0.8)</b> (UNII: 5041RX63GN)	
<b>ROSA ROXBURGHII FRUIT</b> (UNII: CVT1AA87FF)	
<b>ANGELICA ACUTILOBA ROOT</b> (UNII: 3W51R3EK30)	
<b>PERILLA OCYMOIDES SEED OIL</b> (UNII: 322MS57V7Z)	
<b>SORBITAN SESQUIISOSTEARATE</b> (UNII: VU97D01BF9)	
<b>DIISOSTEARYL MALATE</b> (UNII: QBS8A3XZGQ)	
<b>BEHENIC ACID</b> (UNII: H390488X0A)	
<b>ALUMINUM HYDROXIDE</b> (UNII: 5QB0T2IUN0)	
<b>DIMETHICONE/PHENYL VINYL DIMETHICONE CROSSPOLYMER</b> (UNII: ST6ZC4KVH2)	
<b>TRISODIUM EDTA</b> (UNII: 420IP921MB)	
<b>TALC</b> (UNII: 7SEV7J4R1U)	
<b>TRIETHOXYCAPRYLYLSILANE</b> (UNII: LDC331P08E)	
<b>STEARIC ACID</b> (UNII: 4ELV7Z65AP)	
<b>HYDROGEN DIMETHICONE (13 CST)</b> (UNII: 4QGR4P2YOI)	

<b>BUTYLATED HYDROXYTOLUENE</b> (UNII: 1P9D0Z171K)
<b>SILICA</b> (UNII: ETJ7Z6XBU4)
<b>THEANINE</b> (UNII: 8021PR16QO)
<b>TOCOPHEROL</b> (UNII: R0ZB2556P8)
<b>MICA</b> (UNII: V8A1AW0880)
<b>POLYMETHYLSILSESQUIOXANE (11 MICRONS)</b> (UNII: Z570VEV8XK)
<b>METHYLPARABEN</b> (UNII: A2I8C7HI9T)
<b>FERRIC OXIDE RED</b> (UNII: 1K09F3G675)

Product Characteristics			
<b>Color</b>	brown	<b>Score</b>	
<b>Shape</b>		<b>Size</b>	
<b>Flavor</b>		<b>Imprint Code</b>	
<b>Contains</b>			

Packaging				
#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:58411-984-60	1 in 1 BOX	12/02/2024	
1		21 mL in 1 TUBE; Type 0: Not a Combination Product		

Marketing Information			
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M020	12/02/2024	

## CLE DE PEAU BEAUTE RADIANT FOUNDATION N M B60

octinoxate and titanium dioxide cream

Product Information			
<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:58411-989
<b>Route of Administration</b>	TOPICAL		

Active Ingredient/Active Moiety		
Ingredient Name	Basis of Strength	Strength
<b>OCTINOXATE</b> (UNII: 4Y5P7MUD51) (ETHYLHEXYL METHOXYCINNAMATE - UNII:4Y5P7MUD51)	OCTINOXATE	1.06 g in 21 mL
<b>TITANIUM DIOXIDE</b> (UNII: 15FIX9V2JP) (TITANIUM DIOXIDE - UNII:15FIX9V2JP)	TITANIUM DIOXIDE	0.29 g in 21 mL

## Inactive Ingredients

Ingredient Name	Strength
<b>WATER</b> (UNII: 059QF0KO0R)	
<b>DIMETHICONE</b> (UNII: 92RU3N3Y1O)	
<b>DIPHENYLSILOXY PHENYL TRIMETHICONE</b> (UNII: I445L28B12)	
<b>DIPROPYLENE GLYCOL</b> (UNII: E107L85C40)	
<b>GLYCERIN</b> (UNII: PDC6A3C0OX)	
<b>BUTYLENE GLYCOL</b> (UNII: 3XUS85K0RA)	
<b>PEG-10 DIMETHICONE (200 CST)</b> (UNII: 287GF3Y3WC)	
<b>PEG-20</b> (UNII: U076Q6Q621)	
<b>LAURYL PEG-9 POLYDIMETHYLSILOXYETHYL DIMETHICONE</b> (UNII: 25G622K2RA)	
<b>PEG-6</b> (UNII: 5655G9Y8AQ)	
<b>DISTEARDIMONIUM HECTORITE</b> (UNII: X687XDK09L)	
<b>BARIUM SULFATE</b> (UNII: 25BB7EKE2E)	
<b>DIMETHICONE/VINYL DIMETHICONE CROSSPOLYMER (SOFT PARTICLE)</b> (UNII: 9E4CO0W6C5)	
<b>HYDROGENATED POLYISOBUTENE (1300 MW)</b> (UNII: 7D1YQ9Y5EZ)	
<b>TREHALOSE</b> (UNII: B8WCK70T7I)	
<b>ARGANIA SPINOSA KERNEL OIL</b> (UNII: 4V59G5UW9X)	
<b>GLYCINE</b> (UNII: TE7660XO1C)	
<b>PEG/PPG-14/7 DIMETHYL ETHER</b> (UNII: 6DNW9T7YT2)	
<b>POTENTILLA ERECTA ROOT</b> (UNII: BI896CKT6B)	
<b>TRIMETHYLSILOXYSILICATE (M/Q 0.6-0.8)</b> (UNII: 5041RX63GN)	
<b>ROSA ROXBURGHII FRUIT</b> (UNII: CVT1AA87FF)	
<b>ANGELICA ACUTILOBA ROOT</b> (UNII: 3W51R3EK30)	
<b>PERILLA OCYMOIDES SEED OIL</b> (UNII: 322MS57V7Z)	
<b>SORBITAN SESQUIISOSTEARATE</b> (UNII: VU97D01BF9)	
<b>PEG-32</b> (UNII: 1212Z7S33A)	
<b>DIISOSTEARYL MALATE</b> (UNII: QBS8A3XZGQ)	
<b>BEHENIC ACID</b> (UNII: H390488X0A)	
<b>ALUMINUM HYDROXIDE</b> (UNII: 5QB0T2IUN0)	
<b>DIMETHICONE/PHENYL VINYL DIMETHICONE CROSSPOLYMER</b> (UNII: ST6ZC4KVH2)	
<b>TRISODIUM EDTA</b> (UNII: 420IP921MB)	
<b>TALC</b> (UNII: 7SEV7J4R1U)	
<b>TRIETHOXYCAPRYLYLSILANE</b> (UNII: LDC331P08E)	
<b>STEARIC ACID</b> (UNII: 4ELV7Z65AP)	
<b>HYDROGEN DIMETHICONE (13 CST)</b> (UNII: 4QGR4P2YOI)	
<b>BUTYLATED HYDROXYTOLUENE</b> (UNII: 1P9D0Z171K)	
<b>SILICA</b> (UNII: ETJ7Z6XBU4)	
<b>THEANINE</b> (UNII: 8021PR16QO)	
<b>TOCOPHEROL</b> (UNII: R0ZB2556P8)	
<b>MICA</b> (UNII: V8A1AW0880)	
<b>POLYMETHYLSILSESQUIOXANE (11 MICRONS)</b> (UNII: Z570VEV8XK)	
<b>METHYLPARABEN</b> (UNII: A2I8C7HI9T)	
<b>FERRIC OXIDE RED</b> (UNII: 1K09F3G675)	

## Product Characteristics

<b>Color</b>	brown	<b>Score</b>	
<b>Shape</b>		<b>Size</b>	

<b>Flavor</b>		<b>Imprint Code</b>		
<b>Contains</b>				
<b>Packaging</b>				
#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:58411-989-60	1 in 1 BOX	12/02/2024	
1		21 mL in 1 TUBE; Type 0: Not a Combination Product		
<b>Marketing Information</b>				
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date	
OTC Monograph Drug	M020	12/02/2024		

<b>CLE DE PEAU BEAUTE RADIANT FOUNDATION N M 110</b>			
octinoxate and titanium dioxide cream			
<b>Product Information</b>			
<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:58411-973
<b>Route of Administration</b>	TOPICAL		
<b>Active Ingredient/Active Moiety</b>			
Ingredient Name	Basis of Strength	Strength	
<b>OCTINOXATE</b> (UNII: 4Y5P7MUD51) (ETHYLHEXYL METHOXYCINNAMATE - UNII:4Y5P7MUD51)	OCTINOXATE	1.06 g in 21 mL	
<b>TITANIUM DIOXIDE</b> (UNII: 15FIX9V2JP) (TITANIUM DIOXIDE - UNII:15FIX9V2JP)	TITANIUM DIOXIDE	0.29 g in 21 mL	
<b>Inactive Ingredients</b>			
Ingredient Name	Strength		
<b>WATER</b> (UNII: 059QF0KO0R)			
<b>DIMETHICONE</b> (UNII: 92RU3N3Y1O)			
<b>DIPHENYLSILOXY PHENYL TRIMETHICONE</b> (UNII: I445L28B12)			
<b>DIPROPYLENE GLYCOL</b> (UNII: E107L85C40)			
<b>GLYCERIN</b> (UNII: PDC6A3C0OX)			
<b>BUTYLENE GLYCOL</b> (UNII: 3XUS85K0RA)			
<b>PEG-10 DIMETHICONE (200 CST)</b> (UNII: 287GF3Y3WC)			
<b>PEG-20</b> (UNII: U076Q6Q621)			
<b>LAURYL PEG-9 POLYDIMETHYLSILOXYETHYL DIMETHICONE</b> (UNII: 25G622K2RA)			
<b>PEG-6</b> (UNII: 5655G9Y8AQ)			
<b>PEG-32</b> (UNII: 1212Z7S33A)			

<b>DISTEARDIMONIUM HECTORITE</b> (UNII: X687XDK09L)
<b>BARIUM SULFATE</b> (UNII: 25BB7EKE2E)
<b>DIMETHICONE/VINYL DIMETHICONE CROSSPOLYMER (SOFT PARTICLE)</b> (UNII: 9E4CO0W6C5)
<b>HYDROGENATED POLYISOBUTENE (1300 MW)</b> (UNII: 7D1YQ9Y5EZ)
<b>TREHALOSE</b> (UNII: B8WCK70T7I)
<b>ARGANIA SPINOSA KERNEL OIL</b> (UNII: 4V59G5UW9X)
<b>GLYCINE</b> (UNII: TE7660XO1C)
<b>PEG/PPG-14/7 DIMETHYL ETHER</b> (UNII: 6DNW9T7YT2)
<b>POTENTILLA ERECTA ROOT</b> (UNII: BI896CKT6B)
<b>TRIMETHYLSILOXYSILICATE (M/Q 0.6-0.8)</b> (UNII: 5041RX63GN)
<b>ROSA ROXBURGHII FRUIT</b> (UNII: CVT1AA87FF)
<b>ANGELICA ACUTILOBA ROOT</b> (UNII: 3W51R3EK30)
<b>PERILLA OCYMOIDES SEED OIL</b> (UNII: 322MS57V7Z)
<b>SORBITAN SESQUIISOSTEARATE</b> (UNII: VU97D01BF9)
<b>DIISOSTEARYL MALATE</b> (UNII: QBS8A3XZGQ)
<b>BEHENIC ACID</b> (UNII: H390488X0A)
<b>ALUMINUM HYDROXIDE</b> (UNII: 5QB0T2IUN0)
<b>DIMETHICONE/PHENYL VINYL DIMETHICONE CROSSPOLYMER</b> (UNII: ST6ZC4KVH2)
<b>TRISODIUM EDTA</b> (UNII: 420IP921MB)
<b>TALC</b> (UNII: 7SEV7J4R1U)
<b>TRIETHOXYCAPRYLYLSILANE</b> (UNII: LDC331P08E)
<b>STEARIC ACID</b> (UNII: 4ELV7Z65AP)
<b>HYDROGEN DIMETHICONE (13 CST)</b> (UNII: 4QGR4P2YOI)
<b>BUTYLATED HYDROXYTOLUENE</b> (UNII: 1P9D0Z171K)
<b>SILICA</b> (UNII: ETJ7Z6XBU4)
<b>THEANINE</b> (UNII: 8021PR16QO)
<b>TOCOPHEROL</b> (UNII: R0ZB2556P8)
<b>MICA</b> (UNII: V8A1AW0880)
<b>POLYMETHYLSILSESQUIOXANE (11 MICRONS)</b> (UNII: Z570VEV8XK)
<b>METHYLPARABEN</b> (UNII: A2I8C7HI9T)
<b>FERRIC OXIDE RED</b> (UNII: 1K09F3G675)

### Product Characteristics

<b>Color</b>	brown	<b>Score</b>	
<b>Shape</b>		<b>Size</b>	
<b>Flavor</b>		<b>Imprint Code</b>	
<b>Contains</b>			

### Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:58411-973-60	1 in 1 BOX	12/02/2024	
1		21 mL in 1 TUBE; Type 0: Not a Combination Product		

### Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M020	12/02/2024	

## CLE DE PEAU BEAUTE RADIANT FOUNDATION N M B90

octinoxate and titanium dioxide cream

### Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:58411-992
Route of Administration	TOPICAL		

### Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
<b>OCTINOXATE</b> (UNII: 4Y5P7MUD51) (ETHYLHEXYL METHOXYCINNAMATE - UNII:4Y5P7MUD51)	OCTINOXATE	1.06 g in 21 mL
<b>TITANIUM DIOXIDE</b> (UNII: 15FIX9V2JP) (TITANIUM DIOXIDE - UNII:15FIX9V2JP)	TITANIUM DIOXIDE	0.29 g in 21 mL

### Inactive Ingredients

Ingredient Name	Strength
<b>ALUMINUM HYDROXIDE</b> (UNII: 5QB0T2IUN0)	
<b>DIMETHICONE/PHENYL VINYL DIMETHICONE CROSSPOLYMER</b> (UNII: ST6ZC4KVH2)	
<b>TRISODIUM EDTA</b> (UNII: 420IP921MB)	
<b>TALC</b> (UNII: 7SEV7J4R1U)	
<b>TRIETHOXYCAPRYLYLSILANE</b> (UNII: LDC331P08E)	
<b>BEHENIC ACID</b> (UNII: H390488X0A)	
<b>STEARIC ACID</b> (UNII: 4ELV7Z65AP)	
<b>HYDROGEN DIMETHICONE (13 CST)</b> (UNII: 4QGR4P2YOI)	
<b>BUTYLATED HYDROXYTOLUENE</b> (UNII: 1P9D0Z171K)	
<b>SILICA</b> (UNII: ETJ7Z6XBU4)	
<b>THEANINE</b> (UNII: 8021PR16QO)	
<b>TOCOPHEROL</b> (UNII: R0ZB2556P8)	
<b>MICA</b> (UNII: V8A1AW0880)	
<b>POLYMETHYLSILSESQUIOXANE (11 MICRONS)</b> (UNII: Z570VEV8XK)	
<b>METHYLPARABEN</b> (UNII: A2I8C7HI9T)	
<b>FERRIC OXIDE RED</b> (UNII: 1K09F3G675)	
<b>WATER</b> (UNII: 059QF0KO0R)	
<b>DIMETHICONE</b> (UNII: 92RU3N3Y1O)	
<b>DIPHENYLSILOXY PHENYL TRIMETHICONE</b> (UNII: I445L28B12)	
<b>DIPROPYLENE GLYCOL</b> (UNII: E107L85C40)	
<b>GLYCERIN</b> (UNII: PDC6A3C0OX)	
<b>BUTYLENE GLYCOL</b> (UNII: 3XUS85K0RA)	
<b>PEG-10 DIMETHICONE (200 CST)</b> (UNII: 287GF3Y3WC)	
<b>PEG-20</b> (UNII: U076Q6Q621)	
<b>LAURYL PEG-9 POLYDIMETHYLSILOXYETHYL DIMETHICONE</b> (UNII: 25G622K2RA)	

<b>PEG-6</b> (UNII: 5655G9Y8AQ)
<b>DISTEARDIMONIUM HECTORITE</b> (UNII: X687XDK09L)
<b>BARIUM SULFATE</b> (UNII: 25BB7EKE2E)
<b>DIMETHICONE/VINYL DIMETHICONE CROSSPOLYMER (SOFT PARTICLE)</b> (UNII: 9E4CO0W6C5)
<b>HYDROGENATED POLYISOBUTENE (1300 MW)</b> (UNII: 7D1YQ9Y5EZ)
<b>TREHALOSE</b> (UNII: B8WCK70T7I)
<b>ARGANIA SPINOSA KERNEL OIL</b> (UNII: 4V59G5UW9X)
<b>GLYCINE</b> (UNII: TE7660XO1C)
<b>PEG/PPG-14/7 DIMETHYL ETHER</b> (UNII: 6DNW9T7YT2)
<b>POTENTILLA ERECTA ROOT</b> (UNII: BI896CKT6B)
<b>TRIMETHYLSILOXYSILICATE (M/Q 0.6-0.8)</b> (UNII: 5041RX63GN)
<b>ROSA ROXBURGHII FRUIT</b> (UNII: CVT1AA87FF)
<b>ANGELICA ACUTILOBA ROOT</b> (UNII: 3W51R3EK30)
<b>PERILLA OCYMOIDES SEED OIL</b> (UNII: 322MS57V7Z)
<b>SORBITAN SESQUIISOSTEARATE</b> (UNII: VU97D01BF9)
<b>PEG-32</b> (UNII: 1212Z7S33A)
<b>DIISOSTEARYL MALATE</b> (UNII: QBS8A3XZGQ)

### Product Characteristics

<b>Color</b>	brown	<b>Score</b>	
<b>Shape</b>		<b>Size</b>	
<b>Flavor</b>		<b>Imprint Code</b>	
<b>Contains</b>			

### Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:58411-992-60	1 in 1 BOX	12/02/2024	
1		21 mL in 1 TUBE; Type 0: Not a Combination Product		

### Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M020	12/02/2024	

## CLE DE PEAU BEAUTE RADIANT FOUNDATION N M O50

octinoxate and titanium dioxide cream

### Product Information

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:58411-978
<b>Route of Administration</b>	TOPICAL		

**Active Ingredient/Active Moiety**

<b>Ingredient Name</b>	<b>Basis of Strength</b>	<b>Strength</b>
<b>OCTINOXATE</b> (UNII: 4Y5P7MUD51) (ETHYLHEXYL METHOXYCINNAMATE - UNII:4Y5P7MUD51)	OCTINOXATE	1.06 g in 21 mL
<b>TITANIUM DIOXIDE</b> (UNII: 15FIX9V2JP) (TITANIUM DIOXIDE - UNII:15FIX9V2JP)	TITANIUM DIOXIDE	0.29 g in 21 mL

**Inactive Ingredients**

<b>Ingredient Name</b>	<b>Strength</b>
<b>ARGANIA SPINOSA KERNEL OIL</b> (UNII: 4V59G5UW9X)	
<b>GLYCINE</b> (UNII: TE7660XO1C)	
<b>PEG/PPG-14/7 DIMETHYL ETHER</b> (UNII: 6DNW9T7YT2)	
<b>POTENTILLA ERECTA ROOT</b> (UNII: BI896CKT6B)	
<b>TRIMETHYLSILOXYSILICATE (M/Q 0.6-0.8)</b> (UNII: 5041RX63GN)	
<b>ROSA ROXBURGHII FRUIT</b> (UNII: CVT1AA87FF)	
<b>ANGELICA ACUTILOBA ROOT</b> (UNII: 3W51R3EK30)	
<b>WATER</b> (UNII: 059QF0KO0R)	
<b>DIMETHICONE</b> (UNII: 92RU3N3Y1O)	
<b>DIPHENYLSILOXY PHENYL TRIMETHICONE</b> (UNII: I445L28B12)	
<b>DIPROPYLENE GLYCOL</b> (UNII: E107L85C40)	
<b>GLYCERIN</b> (UNII: PDC6A3C0OX)	
<b>BUTYLENE GLYCOL</b> (UNII: 3XUS85K0RA)	
<b>PEG-10 DIMETHICONE (200 CST)</b> (UNII: 287GF3Y3WC)	
<b>PEG-20</b> (UNII: U076Q6Q621)	
<b>LAURYL PEG-9 POLYDIMETHYLSILOXYETHYL DIMETHICONE</b> (UNII: 25G622K2RA)	
<b>PEG-6</b> (UNII: 5655G9Y8AQ)	
<b>PEG-32</b> (UNII: 1212Z7S33A)	
<b>DISTEARDIMONIUM HECTORITE</b> (UNII: X687XDK09L)	
<b>BIARIUM SULFATE</b> (UNII: 25BB7EKE2E)	
<b>DIMETHICONE/VINYL DIMETHICONE CROSSPOLYMER (SOFT PARTICLE)</b> (UNII: 9E4CO0W6C5)	
<b>HYDROGENATED POLYISOBUTENE (1300 MW)</b> (UNII: 7D1YQ9Y5EZ)	
<b>TREHALOSE</b> (UNII: B8WCK70T7I)	
<b>PERILLA OCYMOIDES SEED OIL</b> (UNII: 322MS57V7Z)	
<b>SORBITAN SESQUIISOSTEARATE</b> (UNII: VU97D01BF9)	
<b>DIISOSTEARYL MALATE</b> (UNII: QBS8A3XZGQ)	
<b>BEHENIC ACID</b> (UNII: H390488X0A)	
<b>ALUMINUM HYDROXIDE</b> (UNII: 5QB0T2IUN0)	
<b>DIMETHICONE/PHENYL VINYL DIMETHICONE CROSSPOLYMER</b> (UNII: ST6ZC4KVH2)	
<b>TRISODIUM EDTA</b> (UNII: 420IP921MB)	
<b>TALC</b> (UNII: 7SEV7J4R1U)	
<b>TRIETHOXYCAPRYLYLSILANE</b> (UNII: LDC331P08E)	
<b>STEARIC ACID</b> (UNII: 4ELV7Z65AP)	
<b>HYDROGEN DIMETHICONE (13 CST)</b> (UNII: 4QGR4P2YOI)	
<b>BUTYLATED HYDROXYTOLUENE</b> (UNII: 1P9D0Z171K)	
<b>SILICA</b> (UNII: ETJ7Z6XBU4)	
<b>THEANINE</b> (UNII: 8021PR16QO)	
<b>TOCOPHEROL</b> (UNII: R0ZB2556P8)	
<b>MICA</b> (UNII: V8A1AW0880)	

<b>POLYMETHYLSILSESQUIOXANE (11 MICRONS)</b> (UNII: Z570VEV8XK)	
<b>METHYLPARABEN</b> (UNII: A2I8C7HI9T)	
<b>FERRIC OXIDE RED</b> (UNII: 1K09F3G675)	

### Product Characteristics

<b>Color</b>	brown	<b>Score</b>	
<b>Shape</b>		<b>Size</b>	
<b>Flavor</b>		<b>Imprint Code</b>	
<b>Contains</b>			

### Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:58411-978-60	1 in 1 BOX	12/02/2024	
1		21 mL in 1 TUBE; Type 0: Not a Combination Product		

### Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M020	12/02/2024	

## CLE DE PEAU BEAUTE RADIANT FOUNDATION N M O60

octinoxate and titanium dioxide cream

### Product Information

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:58411-979
<b>Route of Administration</b>	TOPICAL		

### Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
<b>OCTINOXATE</b> (UNII: 4Y5P7MUD51) (ETHYLHEXYL METHOXYCINNAMATE - UNII:4Y5P7MUD51)	OCTINOXATE	1.06 g in 21 mL
<b>TITANIUM DIOXIDE</b> (UNII: 15FIX9V2JP) (TITANIUM DIOXIDE - UNII:15FIX9V2JP)	TITANIUM DIOXIDE	0.29 g in 21 mL

### Inactive Ingredients

Ingredient Name	Strength
<b>WATER</b> (UNII: 059QF0KO0R)	
<b>DIMETHICONE</b> (UNII: 92RU3N3Y1O)	

<b>DIPHENYLSILOXY PHENYL TRIMETHICONE</b> (UNII: I445L28B12)	
<b>DIPROPYLENE GLYCOL</b> (UNII: E107L85C40)	
<b>GLYCERIN</b> (UNII: PDC6A3C0OX)	
<b>BUTYLENE GLYCOL</b> (UNII: 3XUS85K0RA)	
<b>PEG-10 DIMETHICONE (200 CST)</b> (UNII: 287GF3Y3WC)	
<b>PEG-20</b> (UNII: U076Q6Q621)	
<b>LAURYL PEG-9 POLYDIMETHYLSILOXYETHYL DIMETHICONE</b> (UNII: 25G622K2RA)	
<b>PEG-6</b> (UNII: 5655G9Y8AQ)	
<b>PEG-32</b> (UNII: 1212Z7S33A)	
<b>DISTEARDIMONIUM HECTORITE</b> (UNII: X687XDK09L)	
<b>BARIUM SULFATE</b> (UNII: 25BB7EKE2E)	
<b>DIMETHICONE/VINYL DIMETHICONE CROSSPOLYMER (SOFT PARTICLE)</b> (UNII: 9E4CO0W6C5)	
<b>HYDROGENATED POLYISOBUTENE (1300 MW)</b> (UNII: 7D1YQ9Y5EZ)	
<b>TREHALOSE</b> (UNII: B8WCK70T7I)	
<b>ARGANIA SPINOSA KERNEL OIL</b> (UNII: 4V59G5UW9X)	
<b>GLYCINE</b> (UNII: TE7660XO1C)	
<b>PEG/PPG-14/7 DIMETHYL ETHER</b> (UNII: 6DNW9T7YT2)	
<b>POTENTILLA ERECTA ROOT</b> (UNII: B1896CKT6B)	
<b>TRIMETHYLSILOXYSILICATE (M/Q 0.6-0.8)</b> (UNII: 5041RX63GN)	
<b>ROSA ROXBURGHII FRUIT</b> (UNII: CVT1AA87FF)	
<b>ANGELICA ACUTILOBA ROOT</b> (UNII: 3W51R3EK30)	
<b>PERILLA OCYMOIDES SEED OIL</b> (UNII: 322MS57V7Z)	
<b>SORBITAN SESQUIISOSTEARATE</b> (UNII: VU97D01BF9)	
<b>DIISOSTEARYL MALATE</b> (UNII: QBS8A3XZGQ)	
<b>BEHENIC ACID</b> (UNII: H390488X0A)	
<b>ALUMINUM HYDROXIDE</b> (UNII: 5QB0T2IUN0)	
<b>DIMETHICONE/PHENYL VINYL DIMETHICONE CROSSPOLYMER</b> (UNII: ST6ZC4KVH2)	
<b>TRISODIUM EDTA</b> (UNII: 420IP921MB)	
<b>TALC</b> (UNII: 7SEV7J4R1U)	
<b>TRIETHOXYCAPRYLYLSILANE</b> (UNII: LDC331P08E)	
<b>STEARIC ACID</b> (UNII: 4ELV7Z65AP)	
<b>HYDROGEN DIMETHICONE (13 CST)</b> (UNII: 4QGR4P2YOI)	
<b>BUTYLATED HYDROXYTOLUENE</b> (UNII: 1P9D0Z171K)	
<b>SILICA</b> (UNII: ETJ7Z6XBU4)	
<b>THEANINE</b> (UNII: 8021PR16QO)	
<b>TOCOPHEROL</b> (UNII: R0ZB2556P8)	
<b>MICA</b> (UNII: V8A1AW0880)	
<b>POLYMETHYLSILSESQUIOXANE (11 MICRONS)</b> (UNII: Z570VEV8XK)	
<b>METHYLPARABEN</b> (UNII: A2I8C7HI9T)	
<b>FERRIC OXIDE RED</b> (UNII: 1K09F3G675)	

### Product Characteristics

<b>Color</b>	brown	<b>Score</b>	
<b>Shape</b>		<b>Size</b>	
<b>Flavor</b>		<b>Imprint Code</b>	
<b>Contains</b>			

### Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:58411-979-60	1 in 1 BOX	12/02/2024	
1		21 mL in 1 TUBE; Type 0: Not a Combination Product		

## Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M020	12/02/2024	

## CLE DE PEAU BEAUTE RADIANT FOUNDATION N M B100

octinoxate and titanium dioxide cream

### Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:58411-993
Route of Administration	TOPICAL		

### Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
<b>OCTINOXATE</b> (UNII: 4Y5P7MUD51) (ETHYLHEXYL METHOXYCINNAMATE - UNII:4Y5P7MUD51)	OCTINOXATE	1.06 g in 21 mL
<b>TITANIUM DIOXIDE</b> (UNII: 15FIX9V2JP) (TITANIUM DIOXIDE - UNII:15FIX9V2JP)	TITANIUM DIOXIDE	0.29 g in 21 mL

### Inactive Ingredients

Ingredient Name	Strength
<b>ALUMINUM HYDROXIDE</b> (UNII: 5QB0T2IUN0)	
<b>DIMETHICONE/PHENYL VINYL DIMETHICONE CROSSPOLYMER</b> (UNII: ST6ZC4KVH2)	
<b>TRISODIUM EDTA</b> (UNII: 420IP921MB)	
<b>TALC</b> (UNII: 7SEV7J4R1U)	
<b>TRIETHOXYCAPRYLYLSILANE</b> (UNII: LDC331P08E)	
<b>BEHENIC ACID</b> (UNII: H390488X0A)	
<b>STEARIC ACID</b> (UNII: 4ELV7Z65AP)	
<b>HYDROGEN DIMETHICONE (13 CST)</b> (UNII: 4QGR4P2YOI)	
<b>BUTYLATED HYDROXYTOLUENE</b> (UNII: 1P9D0Z171K)	
<b>SILICA</b> (UNII: ETJ7Z6XBU4)	
<b>THEANINE</b> (UNII: 8021PR16QO)	
<b>TOCOPHEROL</b> (UNII: R0ZB2556P8)	
<b>MICA</b> (UNII: V8A1AW0880)	
<b>POLYMETHYLSILSESQUIOXANE (11 MICRONS)</b> (UNII: Z570VEV8XK)	
<b>METHYLPARABEN</b> (UNII: A2I8C7HI9T)	
<b>FERRIC OXIDE RED</b> (UNII: 1K09F3G675)	

<b>WATER</b> (UNII: 059QF0KO0R)
<b>DIMETHICONE</b> (UNII: 92RU3N3Y1O)
<b>DIPHENYLSILOXY PHENYL TRIMETHICONE</b> (UNII: I445L28B12)
<b>DIPROPYLENE GLYCOL</b> (UNII: E107L85C40)
<b>GLYCERIN</b> (UNII: PDC6A3C0OX)
<b>BUTYLENE GLYCOL</b> (UNII: 3XUS85K0RA)
<b>PEG-10 DIMETHICONE (200 CST)</b> (UNII: 287GF3Y3WC)
<b>PEG-20</b> (UNII: U076Q6Q621)
<b>LAURYL PEG-9 POLYDIMETHYLSILOXYETHYL DIMETHICONE</b> (UNII: 25G622K2RA)
<b>PEG-6</b> (UNII: 5655G9Y8AQ)
<b>DISTEARDIMONIUM HECTORITE</b> (UNII: X687XDK09L)
<b>BARIUM SULFATE</b> (UNII: 25BB7EKE2E)
<b>DIMETHICONE/VINYL DIMETHICONE CROSSPOLYMER (SOFT PARTICLE)</b> (UNII: 9E4CO0W6C5)
<b>HYDROGENATED POLYISOBUTENE (1300 MW)</b> (UNII: 7D1YQ9Y5EZ)
<b>TREHALOSE</b> (UNII: B8WCK70T7I)
<b>ARGANIA SPINOSA KERNEL OIL</b> (UNII: 4V59G5UW9X)
<b>GLYCINE</b> (UNII: TE7660XO1C)
<b>PEG/PPG-14/7 DIMETHYL ETHER</b> (UNII: 6DNW9T7YT2)
<b>POTENTILLA ERECTA ROOT</b> (UNII: BI896CKT6B)
<b>TRIMETHYLSILOXSILICATE (M/Q 0.6-0.8)</b> (UNII: 5041RX63GN)
<b>ROSA ROXBURGHII FRUIT</b> (UNII: CVT1AA87FF)
<b>ANGELICA ACUTILOBA ROOT</b> (UNII: 3W51R3EK30)
<b>PERILLA OCYMOIDES SEED OIL</b> (UNII: 322MS57V7Z)
<b>SORBITAN SESQUIISOSTEARATE</b> (UNII: VU97D01BF9)
<b>PEG-32</b> (UNII: 1212Z7S33A)
<b>DIISOSTEARYL MALATE</b> (UNII: QBS8A3XZGQ)

### Product Characteristics

<b>Color</b>	brown	<b>Score</b>	
<b>Shape</b>		<b>Size</b>	
<b>Flavor</b>		<b>Imprint Code</b>	
<b>Contains</b>			

### Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:58411-993-60	1 in 1 BOX	12/02/2024	
1		21 mL in 1 TUBE; Type 0: Not a Combination Product		

### Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M020	12/02/2024	

# CLE DE PEAU BEAUTE RADIANT FOUNDATION N M BF10

octinoxate and titanium dioxide cream

## Product Information

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:58411-994
<b>Route of Administration</b>	TOPICAL		

## Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
<b>OCTINOXATE</b> (UNII: 4Y5P7MUD51) (ETHYLHEXYL METHOXYCINNAMATE - UNII:4Y5P7MUD51)	OCTINOXATE	1.06 g in 21 mL
<b>TITANIUM DIOXIDE</b> (UNII: 15FIX9V2JP) (TITANIUM DIOXIDE - UNII:15FIX9V2JP)	TITANIUM DIOXIDE	0.29 g in 21 mL

## Inactive Ingredients

Ingredient Name	Strength
<b>ALUMINUM HYDROXIDE</b> (UNII: 5QB0T2IUN0)	
<b>DIMETHICONE/PHENYL VINYL DIMETHICONE CROSSPOLYMER</b> (UNII: ST6ZC4KVH2)	
<b>TRISODIUM EDTA</b> (UNII: 420IP921MB)	
<b>TALC</b> (UNII: 7SEV7J4R1U)	
<b>TRIETHOXYCAPRYLYLSILANE</b> (UNII: LDC331P08E)	
<b>BEHENIC ACID</b> (UNII: H390488X0A)	
<b>STEARIC ACID</b> (UNII: 4ELV7Z65AP)	
<b>HYDROGEN DIMETHICONE (13 CST)</b> (UNII: 4QGR4P2YOI)	
<b>BUTYLATED HYDROXYTOLUENE</b> (UNII: 1P9D0Z171K)	
<b>SILICA</b> (UNII: ETJ7Z6XBU4)	
<b>THEANINE</b> (UNII: 8021PR16QO)	
<b>TOCOPHEROL</b> (UNII: R0ZB2556P8)	
<b>MICA</b> (UNII: V8A1AW0880)	
<b>POLYMETHYLSILSESQUIOXANE (11 MICRONS)</b> (UNII: Z570VEV8XK)	
<b>METHYLPARABEN</b> (UNII: A2I8C7HI9T)	
<b>FERRIC OXIDE RED</b> (UNII: 1K09F3G675)	
<b>WATER</b> (UNII: 059QF0KO0R)	
<b>DIMETHICONE</b> (UNII: 92RU3N3Y1O)	
<b>DIPHENYLSILOXY PHENYL TRIMETHICONE</b> (UNII: I445L28B12)	
<b>DIPROPYLENE GLYCOL</b> (UNII: E107L85C40)	
<b>GLYCERIN</b> (UNII: PDC6A3C0OX)	
<b>BUTYLENE GLYCOL</b> (UNII: 3XUS85K0RA)	
<b>PEG-10 DIMETHICONE (200 CST)</b> (UNII: 287GF3Y3WC)	
<b>PEG-20</b> (UNII: U076Q6Q621)	
<b>LAURYL PEG-9 POLYDIMETHYLSILOXYETHYL DIMETHICONE</b> (UNII: 25G622K2RA)	
<b>PEG-6</b> (UNII: 5655G9Y8AQ)	
<b>DISTEARDIMONIUM HECTORITE</b> (UNII: X687XDK09L)	
<b>BARIUM SULFATE</b> (UNII: 25BB7EKE2E)	
<b>DIMETHICONE/VINYL DIMETHICONE CROSSPOLYMER (SOFT PARTICLE)</b> (UNII: 9E4CO0W6C5)	
<b>HYDROGENATED POLYISOBUTENE (1300 MW)</b> (UNII: 7D1YQ9Y5EZ)	

<b>TREHALOSE</b> (UNII: B8WCK70T7I)	
<b>ARGANIA SPINOSA KERNEL OIL</b> (UNII: 4V59G5UW9X)	
<b>GLYCINE</b> (UNII: TE7660XO1C)	
<b>PEG/PPG-14/7 DIMETHYL ETHER</b> (UNII: 6DNW9T7YT2)	
<b>POTENTILLA ERECTA ROOT</b> (UNII: BI896CKT6B)	
<b>TRIMETHYLSILOXYSILICATE (M/Q 0.6-0.8)</b> (UNII: 5041RX63GN)	
<b>ROSA ROXBURGHII FRUIT</b> (UNII: CVT1AA87FF)	
<b>ANGELICA ACUTILOBA ROOT</b> (UNII: 3W51R3EK30)	
<b>PERILLA OCYMOIDES SEED OIL</b> (UNII: 322MS57V7Z)	
<b>SORBITAN SESQUIISOSTEARATE</b> (UNII: VU97D01BF9)	
<b>PEG-32</b> (UNII: 1212Z7S33A)	
<b>DIISOSTEARYL MALATE</b> (UNII: QBS8A3XZGQ)	

### Product Characteristics

<b>Color</b>	brown	<b>Score</b>	
<b>Shape</b>		<b>Size</b>	
<b>Flavor</b>		<b>Imprint Code</b>	
<b>Contains</b>			

### Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:58411-994-60	1 in 1 BOX	12/02/2024	
1		21 mL in 1 TUBE; Type 0: Not a Combination Product		

### Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M020	12/02/2024	

## CLE DE PEAU BEAUTE RADIANT FOUNDATION N M O80

octinoxate and titanium dioxide cream

### Product Information

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:58411-981
<b>Route of Administration</b>	TOPICAL		

### Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
<b>OCTINOXATE</b> (UNII: 4Y5P7MUD51) (ETHYLHEXYL METHOXYCINNAMATE -	OCTINOXATE	1.06 g

UNII:4Y5P7MUD51)	OC TINOXATE	in 21 mL
<b>TITANIUM DIOXIDE</b> (UNII: 15FIX9V2JP) (TITANIUM DIOXIDE - UNII:15FIX9V2JP)	TITANIUM DIOXIDE	0.29 g in 21 mL
<b>Inactive Ingredients</b>		
Ingredient Name		Strength
<b>WATER</b> (UNII: 059QF0KO0R)		
<b>DIMETHICONE</b> (UNII: 92RU3N3Y1O)		
<b>DIPHENYLSILOXY PHENYL TRIMETHICONE</b> (UNII: I445L28B12)		
<b>DIPROPYLENE GLYCOL</b> (UNII: E107L85C40)		
<b>GLYCERIN</b> (UNII: PDC6A3C0OX)		
<b>BUTYLENE GLYCOL</b> (UNII: 3XUS85K0RA)		
<b>PEG-10 DIMETHICONE (200 CST)</b> (UNII: 287GF3Y3WC)		
<b>PEG-20</b> (UNII: U076Q6Q621)		
<b>LAURYL PEG-9 POLYDIMETHYLSILOXYETHYL DIMETHICONE</b> (UNII: 25G622K2RA)		
<b>PEG-6</b> (UNII: 5655G9Y8AQ)		
<b>PEG-32</b> (UNII: 1212Z7S33A)		
<b>DISTEARDIMONIUM HECTORITE</b> (UNII: X687XDK09L)		
<b>BARIUM SULFATE</b> (UNII: 25BB7EKE2E)		
<b>DIMETHICONE/VINYL DIMETHICONE CROSSPOLYMER (SOFT PARTICLE)</b> (UNII: 9E4CO0W6C5)		
<b>HYDROGENATED POLYISOBUTENE (1300 MW)</b> (UNII: 7D1YQ9Y5EZ)		
<b>TREHALOSE</b> (UNII: B8WCK70T7I)		
<b>ARGANIA SPINOSA KERNEL OIL</b> (UNII: 4V59G5UW9X)		
<b>GLYCINE</b> (UNII: TE7660XO1C)		
<b>PEG/PPG-14/7 DIMETHYL ETHER</b> (UNII: 6DNW9T7YT2)		
<b>POTENTILLA ERECTA ROOT</b> (UNII: BI896CKT6B)		
<b>TRIMETHYLSILOXYSILICATE (M/Q 0.6-0.8)</b> (UNII: 5041RX63GN)		
<b>ROSA ROXBURGHII FRUIT</b> (UNII: CVT1AA87FF)		
<b>ANGELICA ACUTILOBA ROOT</b> (UNII: 3W51R3EK30)		
<b>PERILLA OCYMOIDES SEED OIL</b> (UNII: 322MS57V7Z)		
<b>SORBITAN SESQUIISOSTEARATE</b> (UNII: VU97D01BF9)		
<b>DIISOSTEARYL MALATE</b> (UNII: QBS8A3XZGQ)		
<b>BEHENIC ACID</b> (UNII: H390488X0A)		
<b>ALUMINUM HYDROXIDE</b> (UNII: 5QB0T2IUN0)		
<b>DIMETHICONE/PHENYL VINYL DIMETHICONE CROSSPOLYMER</b> (UNII: ST6ZC4KVH2)		
<b>TRISODIUM EDTA</b> (UNII: 420IP921MB)		
<b>TALC</b> (UNII: 7SEV7J4R1U)		
<b>TRIETHOXYCAPRYLYLSILANE</b> (UNII: LDC331P08E)		
<b>STEARIC ACID</b> (UNII: 4ELV7Z65AP)		
<b>HYDROGEN DIMETHICONE (13 CST)</b> (UNII: 4QGR4P2YOI)		
<b>BUTYLATED HYDROXYTOLUENE</b> (UNII: 1P9D0Z171K)		
<b>SILICA</b> (UNII: ETJ7Z6XBU4)		
<b>THEANINE</b> (UNII: 8021PR16QO)		
<b>TOCOPHEROL</b> (UNII: R0ZB2556P8)		
<b>MICA</b> (UNII: V8A1AW0880)		
<b>POLYMETHYLSILSESQUIOXANE (11 MICRONS)</b> (UNII: Z570VEV8XK)		
<b>METHYLPARABEN</b> (UNII: A2I8C7HI9T)		
<b>FERRIC OXIDE RED</b> (UNII: 1K09F3G675)		

## Product Characteristics

Color	brown	Score	
Shape		Size	
Flavor		Imprint Code	
Contains			

## Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:58411-981-60	1 in 1 BOX	12/02/2024	
1		21 mL in 1 TUBE; Type 0: Not a Combination Product		

## Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M020	12/02/2024	

## CLE DE PEAU BEAUTE RADIANT FOUNDATION N M O100

octinoxate and titanium dioxide cream

### Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:58411-983
Route of Administration	TOPICAL		

### Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
<b>OCTINOXATE</b> (UNII: 4Y5P7MUD51) (ETHYLHEXYL METHOXYCINNAMATE - UNII:4Y5P7MUD51)	OCTINOXATE	1.06 g in 21 mL
<b>TITANIUM DIOXIDE</b> (UNII: 15FIX9V2JP) (TITANIUM DIOXIDE - UNII:15FIX9V2JP)	TITANIUM DIOXIDE	0.29 g in 21 mL

### Inactive Ingredients

Ingredient Name	Strength
<b>WATER</b> (UNII: 059QF0K00R)	
<b>DIMETHICONE</b> (UNII: 92RU3N3Y1O)	
<b>DIPHENYLSILOXY PHENYL TRIMETHICONE</b> (UNII: I445L28B12)	
<b>DIPROPYLENE GLYCOL</b> (UNII: E107L85C40)	
<b>GLYCERIN</b> (UNII: PDC6A3C0OX)	
<b>BUTYLENE GLYCOL</b> (UNII: 3XUS85K0RA)	
<b>PEG-10 DIMETHICONE (200 CST)</b> (UNII: 287GF3Y3WC)	

<b>PEG-20</b> (UNII: U076Q6Q621)
<b>LAURYL PEG-9 POLYDIMETHYLSILOXYETHYL DIMETHICONE</b> (UNII: 25G622K2RA)
<b>PEG-6</b> (UNII: 5655G9Y8AQ)
<b>PEG-32</b> (UNII: 1212Z7S33A)
<b>DISTEARDIMONIUM HECTORITE</b> (UNII: X687XDK09L)
<b>BARIUM SULFATE</b> (UNII: 25BB7EKE2E)
<b>DIMETHICONE/VINYL DIMETHICONE CROSSPOLYMER (SOFT PARTICLE)</b> (UNII: 9E4CO0W6C5)
<b>HYDROGENATED POLYISOBUTENE (1300 MW)</b> (UNII: 7D1YQ9Y5EZ)
<b>TREHALOSE</b> (UNII: B8WCK70T7I)
<b>ARGANIA SPINOSA KERNEL OIL</b> (UNII: 4V59G5UW9X)
<b>GLYCINE</b> (UNII: TE7660XO1C)
<b>PEG/PPG-14/7 DIMETHYL ETHER</b> (UNII: 6DNW9T7YT2)
<b>POTENTILLA ERECTA ROOT</b> (UNII: BI896CKT6B)
<b>TRIMETHYLSILOXYSILICATE (M/Q 0.6-0.8)</b> (UNII: 5041RX63GN)
<b>ROSA ROXBURGHII FRUIT</b> (UNII: CVT1AA87FF)
<b>ANGELICA ACUTILOBA ROOT</b> (UNII: 3W51R3EK30)
<b>PERILLA OCYMOIDES SEED OIL</b> (UNII: 322MS57V7Z)
<b>SORBITAN SESQUIISOSTEARATE</b> (UNII: VU97D01BF9)
<b>DIISOSTEARYL MALATE</b> (UNII: QBS8A3XZGQ)
<b>BEHENIC ACID</b> (UNII: H390488X0A)
<b>ALUMINUM HYDROXIDE</b> (UNII: 5QB0T2IUN0)
<b>DIMETHICONE/PHENYL VINYL DIMETHICONE CROSSPOLYMER</b> (UNII: ST6ZC4KVH2)
<b>TRISODIUM EDTA</b> (UNII: 420IP921MB)
<b>TALC</b> (UNII: 7SEV7J4R1U)
<b>TRIETHOXYCAPRYLYLSILANE</b> (UNII: LDC331P08E)
<b>STEARIC ACID</b> (UNII: 4ELV7Z65AP)
<b>HYDROGEN DIMETHICONE (13 CST)</b> (UNII: 4QGR4P2YOI)
<b>BUTYLATED HYDROXYTOLUENE</b> (UNII: 1P9D0Z171K)
<b>SILICA</b> (UNII: ETJ7Z6XBU4)
<b>THEANINE</b> (UNII: 8021PR16QO)
<b>TOCOPHEROL</b> (UNII: ROZB2556P8)
<b>MICA</b> (UNII: V8A1AW0880)
<b>POLYMETHYLSILSESQUIOXANE (11 MICRONS)</b> (UNII: Z570VEV8XK)
<b>METHYLPARABEN</b> (UNII: A2I8C7HI9T)
<b>FERRIC OXIDE RED</b> (UNII: 1K09F3G675)

### Product Characteristics

<b>Color</b>	brown	<b>Score</b>	
<b>Shape</b>		<b>Size</b>	
<b>Flavor</b>		<b>Imprint Code</b>	
<b>Contains</b>			

### Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:58411-983-60	1 in 1 BOX	12/02/2024	
1		21 mL in 1 TUBE; Type 0: Not a Combination		

Product			
<b>Marketing Information</b>			
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M020	12/02/2024	

**CLE DE PEAU BEAUTE RADIANT FOUNDATION N M B30**  
 octinoxate and titanium dioxide cream

<b>Product Information</b>			
Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:58411-986
Route of Administration	TOPICAL		

<b>Active Ingredient/Active Moiety</b>		
Ingredient Name	Basis of Strength	Strength
<b>OCTINOXATE</b> (UNII: 4Y5P7MUD51) (ETHYLHEXYL METHOXYCINNAMATE - UNII:4Y5P7MUD51)	OCTINOXATE	1.06 g in 21 mL
<b>TITANIUM DIOXIDE</b> (UNII: 15FIX9V2JP) (TITANIUM DIOXIDE - UNII:15FIX9V2JP)	TITANIUM DIOXIDE	0.29 g in 21 mL

<b>Inactive Ingredients</b>	
Ingredient Name	Strength
<b>WATER</b> (UNII: 059QF0KO0R)	
<b>DIMETHICONE</b> (UNII: 92RU3N3Y1O)	
<b>DIPHENYLSILOXY PHENYL TRIMETHICONE</b> (UNII: I445L28B12)	
<b>DIPROPYLENE GLYCOL</b> (UNII: E107L85C40)	
<b>GLYCERIN</b> (UNII: PDC6A3C0OX)	
<b>BUTYLENE GLYCOL</b> (UNII: 3XUS85K0RA)	
<b>PEG-10 DIMETHICONE (200 CST)</b> (UNII: 287GF3Y3WC)	
<b>PEG-20</b> (UNII: U076Q6Q621)	
<b>LAURYL PEG-9 POLYDIMETHYLSILOXYETHYL DIMETHICONE</b> (UNII: 25G622K2RA)	
<b>PEG-6</b> (UNII: 5655G9Y8AQ)	
<b>DISTEARDIMONIUM HECTORITE</b> (UNII: X687XDK09L)	
<b>BARIUM SULFATE</b> (UNII: 25BB7EKE2E)	
<b>DIMETHICONE/VINYL DIMETHICONE CROSSPOLYMER (SOFT PARTICLE)</b> (UNII: 9E4CO0W6C5)	
<b>HYDROGENATED POLYISOBUTENE (1300 MW)</b> (UNII: 7D1YQ9Y5EZ)	
<b>TREHALOSE</b> (UNII: B8WCK70T7I)	
<b>ARGANIA SPINOSA KERNEL OIL</b> (UNII: 4V59G5UW9X)	
<b>GLYCINE</b> (UNII: TE7660XO1C)	
<b>PEG/PPG-14/7 DIMETHYL ETHER</b> (UNII: 6DNW9T7YT2)	
<b>POTENTILLA ERECTA ROOT</b> (UNII: BI896CKT6B)	
<b>TRIMETHYLSILOXYSILICATE (M/Q 0.6-0.8)</b> (UNII: 5041RX63GN)	

<b>ROSA ROXBURGHII FRUIT</b> (UNII: CVT1AA87FF)
<b>ANGELICA ACUTILOBA ROOT</b> (UNII: 3W51R3EK30)
<b>PERILLA OCYMOIDES SEED OIL</b> (UNII: 322MS57V7Z)
<b>SORBITAN SESQUIISOSTEARATE</b> (UNII: VU97D01BF9)
<b>PEG-32</b> (UNII: 1212Z7S33A)
<b>DIISOSTEARYL MALATE</b> (UNII: QBS8A3XZGQ)
<b>BEHENIC ACID</b> (UNII: H390488X0A)
<b>ALUMINUM HYDROXIDE</b> (UNII: 5QB0T2IUN0)
<b>DIMETHICONE/PHENYL VINYL DIMETHICONE CROSSPOLYMER</b> (UNII: ST6ZC4KVH2)
<b>TRISODIUM EDTA</b> (UNII: 420IP921MB)
<b>TALC</b> (UNII: 7SEV7J4R1U)
<b>TRIETHOXYCAPRYLYLSILANE</b> (UNII: LDC331P08E)
<b>STEARIC ACID</b> (UNII: 4ELV7Z65AP)
<b>HYDROGEN DIMETHICONE (13 CST)</b> (UNII: 4QGR4P2YOI)
<b>BUTYLATED HYDROXYTOLUENE</b> (UNII: 1P9D0Z171K)
<b>SILICA</b> (UNII: ETJ7Z6XBU4)
<b>THEANINE</b> (UNII: 8021PR16QO)
<b>TOCOPHEROL</b> (UNII: R0ZB2556P8)
<b>MICA</b> (UNII: V8A1AW0880)
<b>POLYMETHYLSILSESQUIOXANE (11 MICRONS)</b> (UNII: Z570VEV8XK)
<b>METHYLPARABEN</b> (UNII: A2I8C7HI9T)
<b>FERRIC OXIDE RED</b> (UNII: 1K09F3G675)

### Product Characteristics

<b>Color</b>	brown	<b>Score</b>	
<b>Shape</b>		<b>Size</b>	
<b>Flavor</b>		<b>Imprint Code</b>	
<b>Contains</b>			

### Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:58411-986-60	1 in 1 BOX	12/02/2024	
1		21 mL in 1 TUBE; Type 0: Not a Combination Product		

### Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M020	12/02/2024	

## CLE DE PEAU BEAUTE RADIANT FOUNDATION N M B70

octinoxate and titanium dioxide cream

**Product Information**

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:58411-990
<b>Route of Administration</b>	TOPICAL		

**Active Ingredient/Active Moiety**

<b>Ingredient Name</b>	<b>Basis of Strength</b>	<b>Strength</b>
<b>OCTINOXATE</b> (UNII: 4Y5P7MUD51) (ETHYLHEXYL METHOXYCINNAMATE - UNII:4Y5P7MUD51)	OCTINOXATE	1.06 g in 21 mL
<b>TITANIUM DIOXIDE</b> (UNII: 15FIX9V2JP) (TITANIUM DIOXIDE - UNII:15FIX9V2JP)	TITANIUM DIOXIDE	0.29 g in 21 mL

**Inactive Ingredients**

<b>Ingredient Name</b>	<b>Strength</b>
<b>BEHENIC ACID</b> (UNII: H390488X0A)	
<b>ALUMINUM HYDROXIDE</b> (UNII: 5QB0T2IUN0)	
<b>DIMETHICONE/PHENYL VINYL DIMETHICONE CROSSPOLYMER</b> (UNII: ST6ZC4KVH2)	
<b>TRISODIUM EDTA</b> (UNII: 420IP921MB)	
<b>TALC</b> (UNII: 7SEV7J4R1U)	
<b>TRIETHOXYCAPRYLYLSILANE</b> (UNII: LDC331P08E)	
<b>STEARIC ACID</b> (UNII: 4ELV7Z65AP)	
<b>HYDROGEN DIMETHICONE (13 CST)</b> (UNII: 4QGR4P2YOI)	
<b>BUTYLATED HYDROXYTOLUENE</b> (UNII: 1P9D0Z171K)	
<b>SILICA</b> (UNII: ETJ7Z6XBU4)	
<b>THEANINE</b> (UNII: 8021PR16QO)	
<b>TOCOPHEROL</b> (UNII: R0ZB2556P8)	
<b>MICA</b> (UNII: V8A1AW0880)	
<b>POLYMETHYLSILSESQUIOXANE (11 MICRONS)</b> (UNII: Z570VEV8XK)	
<b>METHYLPARABEN</b> (UNII: A2I8C7HI9T)	
<b>FERRIC OXIDE RED</b> (UNII: 1K09F3G675)	
<b>WATER</b> (UNII: 059QF0KO0R)	
<b>DIMETHICONE</b> (UNII: 92RU3N3Y1O)	
<b>DIPHENYLSILOXY PHENYL TRIMETHICONE</b> (UNII: I445L28B12)	
<b>DIPROPYLENE GLYCOL</b> (UNII: E107L85C40)	
<b>GLYCERIN</b> (UNII: PDC6A3C0OX)	
<b>BUTYLENE GLYCOL</b> (UNII: 3XUS85KORA)	
<b>PEG-10 DIMETHICONE (200 CST)</b> (UNII: 287GF3Y3WC)	
<b>PEG-20</b> (UNII: U076Q6Q621)	
<b>LAURYL PEG-9 POLYDIMETHYLSILOXYETHYL DIMETHICONE</b> (UNII: 25G622K2RA)	
<b>PEG-6</b> (UNII: 5655G9Y8AQ)	
<b>DISTEARDIMONIUM HECTORITE</b> (UNII: X687XDK09L)	
<b>BARIUM SULFATE</b> (UNII: 25BB7EKE2E)	
<b>DIMETHICONE/VINYL DIMETHICONE CROSSPOLYMER (SOFT PARTICLE)</b> (UNII: 9E4CO0W6C5)	
<b>HYDROGENATED POLYISOBUTENE (1300 MW)</b> (UNII: 7D1YQ9Y5EZ)	
<b>TREHALOSE</b> (UNII: B8WCK70T7I)	
<b>ARGANIA SPINOSA KERNEL OIL</b> (UNII: 4V59G5UW9X)	
<b>GLYCINE</b> (UNII: TE7660XO1C)	
<b>PEG/PPG-14/7 DIMETHYL ETHER</b> (UNII: 6DNW9T7YT2)	

<b>POTENTILLA RECTA ROOT</b> (UNII: BI896CKT6B)	
<b>TRIMETHYLSILOXYSILICATE (M/Q 0.6-0.8)</b> (UNII: 5041RX63GN)	
<b>ROSA ROXBURGHII FRUIT</b> (UNII: CVT1AA87FF)	
<b>ANGELICA ACUTILOBA ROOT</b> (UNII: 3W51R3EK30)	
<b>PERILLA OCYMOIDES SEED OIL</b> (UNII: 322MS57V7Z)	
<b>SORBITAN SESQUIISOSTEARATE</b> (UNII: VU97D01BF9)	
<b>PEG-32</b> (UNII: 1212Z7S33A)	
<b>DIISOSTEARYL MALATE</b> (UNII: QBS8A3XZGQ)	

Product Characteristics			
<b>Color</b>	brown	<b>Score</b>	
<b>Shape</b>		<b>Size</b>	
<b>Flavor</b>		<b>Imprint Code</b>	
<b>Contains</b>			

Packaging				
#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:58411-990-60	1 in 1 BOX	12/02/2024	
1		21 mL in 1 TUBE; Type 0: Not a Combination Product		

Marketing Information			
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M020	12/02/2024	

**CLE DE PEAU BEAUTE RADIANT FOUNDATION N M O10**  
 octinoxate and titanium dioxide cream

Product Information			
<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:58411-974
<b>Route of Administration</b>	TOPICAL		

Active Ingredient/Active Moiety		
Ingredient Name	Basis of Strength	Strength
<b>OCTINOXATE</b> (UNII: 4Y5P7MUD51) (ETHYLHEXYL METHOXYCINNAMATE - UNII:4Y5P7MUD51)	OCTINOXATE	1.06 g in 21 mL
<b>TITANIUM DIOXIDE</b> (UNII: 15FIX9V2JP) (TITANIUM DIOXIDE - UNII:15FIX9V2JP)	TITANIUM DIOXIDE	0.29 g in 21 mL

Inactive Ingredients		
Ingredient Name	Strength	
<b>WATER</b> (UNII: 059QF0KO0R)		
<b>DIMETHICONE</b> (UNII: 92RU3N3Y1O)		
<b>DIPHENYLSILOXY PHENYL TRIMETHICONE</b> (UNII: I445L28B12)		
<b>DIPROPYLENE GLYCOL</b> (UNII: E107L85C40)		
<b>GLYCERIN</b> (UNII: PDC6A3C0OX)		
<b>BUTYLENE GLYCOL</b> (UNII: 3XUS85K0RA)		
<b>PEG-10 DIMETHICONE (200 CST)</b> (UNII: 287GF3Y3WC)		
<b>PEG-20</b> (UNII: U076Q6Q621)		
<b>LAURYL PEG-9 POLYDIMETHYLSILOXYETHYL DIMETHICONE</b> (UNII: 25G622K2RA)		
<b>PEG-6</b> (UNII: 5655G9Y8AQ)		
<b>PEG-32</b> (UNII: 1212Z7S33A)		
<b>DISTEARDIMONIUM HECTORITE</b> (UNII: X687XDK09L)		
<b>BARIUM SULFATE</b> (UNII: 25BB7EKE2E)		
<b>DIMETHICONE/VINYL DIMETHICONE CROSSPOLYMER (SOFT PARTICLE)</b> (UNII: 9E4CO0W6C5)		
<b>HYDROGENATED POLYISOBUTENE (1300 MW)</b> (UNII: 7D1YQ9Y5EZ)		
<b>TREHALOSE</b> (UNII: B8WCK70T7I)		
<b>ARGANIA SPINOSA KERNEL OIL</b> (UNII: 4V59G5UW9X)		
<b>GLYCINE</b> (UNII: TE7660XO1C)		
<b>PEG/PPG-14/7 DIMETHYL ETHER</b> (UNII: 6DNW9T7YT2)		
<b>POTENTILLA ERECTA ROOT</b> (UNII: BI896CKT6B)		
<b>TRIMETHYLSILOXYSILICATE (M/Q 0.6-0.8)</b> (UNII: 5041RX63GN)		
<b>ROSA ROXBURGHII FRUIT</b> (UNII: CVT1AA87FF)		
<b>ANGELICA ACUTILOBA ROOT</b> (UNII: 3W51R3EK30)		
<b>PERILLA OCYMOIDES SEED OIL</b> (UNII: 322MS57V7Z)		
<b>SORBITAN SESQUIISOSTEARATE</b> (UNII: VU97D01BF9)		
<b>DIISOSTEARYL MALATE</b> (UNII: QBS8A3XZGQ)		
<b>BEHENIC ACID</b> (UNII: H390488X0A)		
<b>ALUMINUM HYDROXIDE</b> (UNII: 5QB0T2IUN0)		
<b>DIMETHICONE/PHENYL VINYL DIMETHICONE CROSSPOLYMER</b> (UNII: ST6ZC4KVH2)		
<b>TRISODIUM EDTA</b> (UNII: 420IP921MB)		
<b>TALC</b> (UNII: 7SEV7J4R1U)		
<b>TRIETHOXYCAPRYLYLSILANE</b> (UNII: LDC331P08E)		
<b>STEARIC ACID</b> (UNII: 4ELV7Z65AP)		
<b>HYDROGEN DIMETHICONE (13 CST)</b> (UNII: 4QGR4P2YOI)		
<b>BUTYLATED HYDROXYTOLUENE</b> (UNII: 1P9D0Z171K)		
<b>SILICA</b> (UNII: ETJ7Z6XBU4)		
<b>THEANINE</b> (UNII: 8021PR16QO)		
<b>TOCOPHEROL</b> (UNII: R0ZB2556P8)		
<b>MICA</b> (UNII: V8A1AW0880)		
<b>POLYMETHYLSILSESQUIOXANE (11 MICRONS)</b> (UNII: Z570VEV8XK)		
<b>METHYLPARABEN</b> (UNII: A2I8C7HI9T)		
<b>FERRIC OXIDE RED</b> (UNII: 1K09F3G675)		

Product Characteristics		
<b>Color</b>	brown	<b>Score</b>
<b>Shape</b>		<b>Size</b>

<b>Flavor</b>		<b>Imprint Code</b>		
<b>Contains</b>				
<b>Packaging</b>				
#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:58411-974-60	1 in 1 BOX	12/02/2024	
1		21 mL in 1 TUBE; Type 0: Not a Combination Product		
<b>Marketing Information</b>				
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date	
OTC Monograph Drug	M020	12/02/2024		

<b>CLE DE PEAU BEAUTE RADIANT FOUNDATION N M B50</b>			
octinoxate and titanium dioxide cream			
<b>Product Information</b>			
<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:58411-988
<b>Route of Administration</b>	TOPICAL		
<b>Active Ingredient/Active Moiety</b>			
Ingredient Name	Basis of Strength	Strength	
<b>OCTINOXATE</b> (UNII: 4Y5P7MUD51) (ETHYLHEXYL METHOXYCINNAMATE - UNII:4Y5P7MUD51)	OCTINOXATE	1.06 g in 21 mL	
<b>TITANIUM DIOXIDE</b> (UNII: 15FIX9V2JP) (TITANIUM DIOXIDE - UNII:15FIX9V2JP)	TITANIUM DIOXIDE	0.29 g in 21 mL	
<b>Inactive Ingredients</b>			
Ingredient Name	Strength		
<b>WATER</b> (UNII: 059QF0KO0R)			
<b>DIMETHICONE</b> (UNII: 92RU3N3Y1O)			
<b>DIPHENYLSILOXY PHENYL TRIMETHICONE</b> (UNII: I445L28B12)			
<b>DIPROPYLENE GLYCOL</b> (UNII: E107L85C40)			
<b>GLYCERIN</b> (UNII: PDC6A3C0OX)			
<b>BUTYLENE GLYCOL</b> (UNII: 3XUS85K0RA)			
<b>PEG-10 DIMETHICONE (200 CST)</b> (UNII: 287GF3Y3WC)			
<b>PEG-20</b> (UNII: U076Q6Q621)			
<b>LAURYL PEG-9 POLYDIMETHYLSILOXYETHYL DIMETHICONE</b> (UNII: 25G622K2RA)			
<b>PEG-6</b> (UNII: 5655G9Y8AQ)			
<b>DISTEARDIMONIUM HECTORITE</b> (UNII: X687XDK09L)			

<b>BARIUM SULFATE</b> (UNII: 25BB7EKE2E)
<b>DIMETHICONE/VINYL DIMETHICONE CROSSPOLYMER (SOFT PARTICLE)</b> (UNII: 9E4CO0W6C5)
<b>HYDROGENATED POLYISOBUTENE (1300 MW)</b> (UNII: 7D1YQ9Y5EZ)
<b>TREHALOSE</b> (UNII: B8WCK70T7I)
<b>ARGANIA SPINOSA KERNEL OIL</b> (UNII: 4V59G5UW9X)
<b>GLYCINE</b> (UNII: TE7660XO1C)
<b>PEG/PPG-14/7 DIMETHYL ETHER</b> (UNII: 6DNW9T7YT2)
<b>POTENTILLA ERECTA ROOT</b> (UNII: BI896CKT6B)
<b>TRIMETHYLSILOXYSILICATE (M/Q 0.6-0.8)</b> (UNII: 5041RX63GN)
<b>ROSA ROXBURGHII FRUIT</b> (UNII: CVT1AA87FF)
<b>ANGELICA ACUTILOBA ROOT</b> (UNII: 3W51R3EK30)
<b>PERILLA OCYMOIDES SEED OIL</b> (UNII: 322MS57V7Z)
<b>SORBITAN SESQUIISOSTEARATE</b> (UNII: VU97D01BF9)
<b>PEG-32</b> (UNII: 1212Z7S33A)
<b>DIISOSTEARYL MALATE</b> (UNII: QBS8A3XZGQ)
<b>BEHENIC ACID</b> (UNII: H390488X0A)
<b>ALUMINUM HYDROXIDE</b> (UNII: 5QB0T2IUN0)
<b>DIMETHICONE/PHENYL VINYL DIMETHICONE CROSSPOLYMER</b> (UNII: ST6ZC4KVH2)
<b>TRISODIUM EDTA</b> (UNII: 420IP921MB)
<b>TALC</b> (UNII: 7SEV7J4R1U)
<b>TRIETHOXYCAPRYLYLSILANE</b> (UNII: LDC331P08E)
<b>STEARIC ACID</b> (UNII: 4ELV7Z65AP)
<b>HYDROGEN DIMETHICONE (13 CST)</b> (UNII: 4QGR4P2YOI)
<b>BUTYLATED HYDROXYTOLUENE</b> (UNII: 1P9D0Z171K)
<b>SILICA</b> (UNII: ETJ7Z6XBU4)
<b>THEANINE</b> (UNII: 8021PR16QO)
<b>TOCOPHEROL</b> (UNII: R0ZB2556P8)
<b>MICA</b> (UNII: V8A1AW0880)
<b>POLYMETHYLSILSESQUIOXANE (11 MICRONS)</b> (UNII: Z570VEV8XK)
<b>METHYLPARABEN</b> (UNII: A2I8C7HI9T)
<b>FERRIC OXIDE RED</b> (UNII: 1K09F3G675)

### Product Characteristics

<b>Color</b>	brown	<b>Score</b>	
<b>Shape</b>		<b>Size</b>	
<b>Flavor</b>		<b>Imprint Code</b>	
<b>Contains</b>			

### Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:58411-988-60	1 in 1 BOX	12/02/2024	
1		21 mL in 1 TUBE; Type 0: Not a Combination Product		

### Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M020	12/02/2024	

## CLE DE PEAU BEAUTE RADIANT FOUNDATION N M B40

octinoxate and titanium dioxide cream

### Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:58411-987
Route of Administration	TOPICAL		

### Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
<b>OCTINOXATE</b> (UNII: 4Y5P7MUD51) (ETHYLHEXYL METHOXYCINNAMATE - UNII:4Y5P7MUD51)	OCTINOXATE	1.06 g in 21 mL
<b>TITANIUM DIOXIDE</b> (UNII: 15FIX9V2JP) (TITANIUM DIOXIDE - UNII:15FIX9V2JP)	TITANIUM DIOXIDE	0.29 g in 21 mL

### Inactive Ingredients

Ingredient Name	Strength
<b>WATER</b> (UNII: 059QF0KO0R)	
<b>DIMETHICONE</b> (UNII: 92RU3N3Y1O)	
<b>DIPHENYLSILOXY PHENYL TRIMETHICONE</b> (UNII: I445L28B12)	
<b>DIPROPYLENE GLYCOL</b> (UNII: E107L85C40)	
<b>GLYCERIN</b> (UNII: PDC6A3C0OX)	
<b>BUTYLENE GLYCOL</b> (UNII: 3XUS85KORA)	
<b>PEG-10 DIMETHICONE (200 CST)</b> (UNII: 287GF3Y3WC)	
<b>PEG-20</b> (UNII: U076Q6Q621)	
<b>LAURYL PEG-9 POLYDIMETHYLSILOXYETHYL DIMETHICONE</b> (UNII: 25G622K2RA)	
<b>PEG-6</b> (UNII: 5655G9Y8AQ)	
<b>DISTEARDIMONIUM HECTORITE</b> (UNII: X687XDK09L)	
<b>BARIUM SULFATE</b> (UNII: 25BB7EKE2E)	
<b>DIMETHICONE/VINYL DIMETHICONE CROSSPOLYMER (SOFT PARTICLE)</b> (UNII: 9E4CO0W6C5)	
<b>HYDROGENATED POLYISOBUTENE (1300 MW)</b> (UNII: 7D1YQ9Y5EZ)	
<b>TREHALOSE</b> (UNII: B8WCK70T7I)	
<b>ARGANIA SPINOSA KERNEL OIL</b> (UNII: 4V59G5UW9X)	
<b>GLYCINE</b> (UNII: TE7660XO1C)	
<b>PEG/PPG-14/7 DIMETHYL ETHER</b> (UNII: 6DNW9T7YT2)	
<b>POTENTILLA ERECTA ROOT</b> (UNII: BI896CKT6B)	
<b>TRIMETHYLSILOXYSILICATE (M/Q 0.6-0.8)</b> (UNII: 5041RX63GN)	
<b>ROSA ROXBURGHII FRUIT</b> (UNII: CVT1AA87FF)	
<b>ANGELICA ACUTILOBA ROOT</b> (UNII: 3W51R3EK30)	
<b>PERILLA OCYMOIDES SEED OIL</b> (UNII: 322MS57V7Z)	
<b>SORBITAN SESQUIISOSTEARATE</b> (UNII: VU97D01BF9)	
<b>PEG-32</b> (UNII: 1212Z7S33A)	

<b>DIISOSTEARYL MALATE</b> (UNII: QBS8A3XZGQ)
<b>BEHENIC ACID</b> (UNII: H390488X0A)
<b>ALUMINUM HYDROXIDE</b> (UNII: 5QB0T2IUN0)
<b>DIMETHICONE/PHENYL VINYL DIMETHICONE CROSSPOLYMER</b> (UNII: ST6ZC4KVH2)
<b>TRISODIUM EDTA</b> (UNII: 420IP921MB)
<b>TALC</b> (UNII: 7SEV7J4R1U)
<b>TRIETHOXYCAPRYLYLSILANE</b> (UNII: LDC331P08E)
<b>STEARIC ACID</b> (UNII: 4ELV7Z65AP)
<b>HYDROGEN DIMETHICONE (13 CST)</b> (UNII: 4QGR4P2YOI)
<b>BUTYLATED HYDROXYTOLUENE</b> (UNII: 1P9D0Z171K)
<b>SILICA</b> (UNII: ETJ7Z6XBU4)
<b>THEANINE</b> (UNII: 8021PR16QO)
<b>TOCOPHEROL</b> (UNII: R0ZB2556P8)
<b>MICA</b> (UNII: V8A1AW0880)
<b>POLYMETHYLSILSESQUIOXANE (11 MICRONS)</b> (UNII: Z570VEV8XK)
<b>METHYLPARABEN</b> (UNII: A2I8C7HI9T)
<b>FERRIC OXIDE RED</b> (UNII: 1K09F3G675)

### Product Characteristics

<b>Color</b>	brown	<b>Score</b>	
<b>Shape</b>		<b>Size</b>	
<b>Flavor</b>		<b>Imprint Code</b>	
<b>Contains</b>			

### Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:58411-987-60	1 in 1 BOX	12/02/2024	
1		21 mL in 1 TUBE; Type 0: Not a Combination Product		

### Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M020	12/02/2024	

## CLE DE PEAU BEAUTE RADIANT FOUNDATION N M BF50

octinoxate and titanium dioxide cream

### Product Information

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:58411-995
<b>Route of Administration</b>	TOPICAL		

**Active Ingredient/Active Moiety**

<b>Ingredient Name</b>	<b>Basis of Strength</b>	<b>Strength</b>
<b>OCTINOXATE</b> (UNII: 4Y5P7MUD51) (ETHYLHEXYL METHOXYCINNAMATE - UNII:4Y5P7MUD51)	OCTINOXATE	1.06 g in 21 mL
<b>TITANIUM DIOXIDE</b> (UNII: 15FIX9V2JP) (TITANIUM DIOXIDE - UNII:15FIX9V2JP)	TITANIUM DIOXIDE	0.29 g in 21 mL

**Inactive Ingredients**

<b>Ingredient Name</b>	<b>Strength</b>
<b>ALUMINUM HYDROXIDE</b> (UNII: 5QB0T2IUN0)	
<b>DIMETHICONE/PHENYL VINYL DIMETHICONE CROSSPOLYMER</b> (UNII: ST6ZC4KVH2)	
<b>TRISODIUM EDTA</b> (UNII: 420IP921MB)	
<b>TALC</b> (UNII: 7SEV7J4R1U)	
<b>TRIETHOXYCAPRYLYLSILANE</b> (UNII: LDC331P08E)	
<b>BEHENIC ACID</b> (UNII: H390488X0A)	
<b>STEARIC ACID</b> (UNII: 4ELV7Z65AP)	
<b>HYDROGEN DIMETHICONE (13 CST)</b> (UNII: 4QGR4P2YOI)	
<b>BUTYLATED HYDROXYTOLUENE</b> (UNII: 1P9D0Z171K)	
<b>SILICA</b> (UNII: ETJ7Z6XBU4)	
<b>THEANINE</b> (UNII: 8021PR16QO)	
<b>TOCOPHEROL</b> (UNII: R0ZB2556P8)	
<b>MICA</b> (UNII: V8A1AW0880)	
<b>POLYMETHYLSILSESQUIOXANE (11 MICRONS)</b> (UNII: Z570VEV8XK)	
<b>METHYLPARABEN</b> (UNII: A2I8C7HI9T)	
<b>FERRIC OXIDE RED</b> (UNII: 1K09F3G675)	
<b>WATER</b> (UNII: 059QF0KO0R)	
<b>DIMETHICONE</b> (UNII: 92RU3N3Y1O)	
<b>DIPHENYLSILOXY PHENYL TRIMETHICONE</b> (UNII: I445L28B12)	
<b>DIPROPYLENE GLYCOL</b> (UNII: E107L85C40)	
<b>GLYCERIN</b> (UNII: PDC6A3C0OX)	
<b>BUTYLENE GLYCOL</b> (UNII: 3XUS85KORA)	
<b>PEG-10 DIMETHICONE (200 CST)</b> (UNII: 287GF3Y3WC)	
<b>PEG-20</b> (UNII: U076Q6Q621)	
<b>LAURYL PEG-9 POLYDIMETHYLSILOXYETHYL DIMETHICONE</b> (UNII: 25G622K2RA)	
<b>PEG-6</b> (UNII: 5655G9Y8AQ)	
<b>DISTEARDIMONIUM HECTORITE</b> (UNII: X687XDK09L)	
<b>BARIUM SULFATE</b> (UNII: 25BB7EKE2E)	
<b>DIMETHICONE/VINYL DIMETHICONE CROSSPOLYMER (SOFT PARTICLE)</b> (UNII: 9E4CO0W6C5)	
<b>HYDROGENATED POLYISOBUTENE (1300 MW)</b> (UNII: 7D1YQ9Y5EZ)	
<b>TREHALOSE</b> (UNII: B8WCK70T7I)	
<b>ARGANIA SPINOSA KERNEL OIL</b> (UNII: 4V59G5UW9X)	
<b>GLYCINE</b> (UNII: TE7660XO1C)	
<b>PEG/PPG-14/7 DIMETHYL ETHER</b> (UNII: 6DNW9T7YT2)	
<b>POTENTILLA ERECTA ROOT</b> (UNII: BI896CKT6B)	
<b>TRIMETHYLSILOXYSILICATE (M/Q 0.6-0.8)</b> (UNII: 5041RX63GN)	
<b>ROSA ROXBURGHII FRUIT</b> (UNII: CVT1AA87FF)	
<b>ANGELICA ACUTILOBA ROOT</b> (UNII: 3W51R3EK30)	
<b>PERILLA OCYMOIDES SEED OIL</b> (UNII: 322MS57V7Z)	

<b>SORBITAN SESQUIISOSTEARATE</b> (UNII: VU97D01BF9)	
<b>PEG-32</b> (UNII: 1212Z7S33A)	
<b>DIISOSTEARYL MALATE</b> (UNII: QBS8A3XZGQ)	

**Product Characteristics**

<b>Color</b>	brown	<b>Score</b>	
<b>Shape</b>		<b>Size</b>	
<b>Flavor</b>		<b>Imprint Code</b>	
<b>Contains</b>			

**Packaging**

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:58411-995-60	1 in 1 BOX	12/02/2024	
1		21 mL in 1 TUBE; Type 0: Not a Combination Product		

**Marketing Information**

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M020	12/02/2024	

**CLE DE PEAU BEAUTE RADIANT FOUNDATION N M O40**

octinoxate and titanium dioxide cream

**Product Information**

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:58411-977
<b>Route of Administration</b>	TOPICAL		

**Active Ingredient/Active Moiety**

Ingredient Name	Basis of Strength	Strength
<b>OCTINOXATE</b> (UNII: 4Y5P7MUD51) (ETHYLHEXYL METHOXYCINNAMATE - UNII:4Y5P7MUD51)	OCTINOXATE	1.06 g in 21 mL
<b>TITANIUM DIOXIDE</b> (UNII: 15FIX9V2JP) (TITANIUM DIOXIDE - UNII:15FIX9V2JP)	TITANIUM DIOXIDE	0.29 g in 21 mL

**Inactive Ingredients**

Ingredient Name	Strength
<b>ARGANIA SPINOSA KERNEL OIL</b> (UNII: 4V59G5UW9X)	
<b>GLYCINE</b> (UNII: TE7660XO1C)	

<b>PEG/PPG-14/7 DIMETHYL ETHER</b> (UNII: 6DNW9T7YT2)	
<b>POTENTILLA ERECTA ROOT</b> (UNII: BI896CKT6B)	
<b>TRIMETHYLSILOXYSILICATE (M/Q 0.6-0.8)</b> (UNII: 5041RX63GN)	
<b>ROSA ROXBURGHII FRUIT</b> (UNII: CVT1AA87FF)	
<b>ANGELICA ACUTILOBA ROOT</b> (UNII: 3W51R3EK30)	
<b>WATER</b> (UNII: 059QF0KO0R)	
<b>DIMETHICONE</b> (UNII: 92RU3N3Y1O)	
<b>DIPHENYLSILOXY PHENYL TRIMETHICONE</b> (UNII: I445L28B12)	
<b>DIPROPYLENE GLYCOL</b> (UNII: E107L85C40)	
<b>GLYCERIN</b> (UNII: PDC6A3C0OX)	
<b>BUTYLENE GLYCOL</b> (UNII: 3XUS85K0RA)	
<b>PEG-10 DIMETHICONE (200 CST)</b> (UNII: 287GF3Y3WC)	
<b>PEG-20</b> (UNII: U076Q6Q621)	
<b>LAURYL PEG-9 POLYDIMETHYLSILOXYETHYL DIMETHICONE</b> (UNII: 25G622K2RA)	
<b>PEG-6</b> (UNII: 5655G9Y8AQ)	
<b>PEG-32</b> (UNII: 1212Z7S33A)	
<b>DISTEARDIMONIUM HECTORITE</b> (UNII: X687XDK09L)	
<b>BARIUM SULFATE</b> (UNII: 25BB7EKE2E)	
<b>DIMETHICONE/VINYL DIMETHICONE CROSSPOLYMER (SOFT PARTICLE)</b> (UNII: 9E4CO0W6C5)	
<b>HYDROGENATED POLYISOBUTENE (1300 MW)</b> (UNII: 7D1YQ9Y5EZ)	
<b>TREHALOSE</b> (UNII: B8WCK70T7I)	
<b>PERILLA OCYMOIDES SEED OIL</b> (UNII: 322MS57V7Z)	
<b>SORBITAN SESQUISTEARATE</b> (UNII: VU97D01BF9)	
<b>DIISOSTEARYL MALATE</b> (UNII: QBS8A3XZGQ)	
<b>BEHENIC ACID</b> (UNII: H390488X0A)	
<b>ALUMINUM HYDROXIDE</b> (UNII: 5QB0T2IUN0)	
<b>DIMETHICONE/PHENYL VINYL DIMETHICONE CROSSPOLYMER</b> (UNII: ST6ZC4KVH2)	
<b>TRISODIUM EDTA</b> (UNII: 420IP921MB)	
<b>TALC</b> (UNII: 7SEV7J4R1U)	
<b>TRIETHOXYCAPRYLYLSILANE</b> (UNII: LDC331P08E)	
<b>STEARIC ACID</b> (UNII: 4ELV7Z65AP)	
<b>HYDROGEN DIMETHICONE (13 CST)</b> (UNII: 4QGR4P2YOI)	
<b>BUTYLATED HYDROXYTOLUENE</b> (UNII: 1P9D0Z171K)	
<b>SILICA</b> (UNII: ETJ7Z6XBU4)	
<b>THEANINE</b> (UNII: 8021PR16QO)	
<b>TOCOPHEROL</b> (UNII: R0ZB2556P8)	
<b>MICA</b> (UNII: V8A1AW0880)	
<b>POLYMETHYLSILSESQUIOXANE (11 MICRONS)</b> (UNII: Z570VEV8XK)	
<b>METHYLPARABEN</b> (UNII: A2I8C7HI9T)	
<b>FERRIC OXIDE RED</b> (UNII: 1K09F3G675)	

### Product Characteristics

<b>Color</b>	brown	<b>Score</b>	
<b>Shape</b>		<b>Size</b>	
<b>Flavor</b>		<b>Imprint Code</b>	
<b>Contains</b>			

### Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:58411-977-60	1 in 1 BOX	12/02/2024	
1		21 mL in 1 TUBE; Type 0: Not a Combination Product		

Marketing Information			
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M020	12/02/2024	

**Labeler** - Shiseido Americas Corporation (193691821)

Establishment			
Name	Address	ID/FEI	Business Operations
Shiseido America Inc.		782677132	analysis(58411-973, 58411-974, 58411-975, 58411-976, 58411-977, 58411-978, 58411-979, 58411-980, 58411-981, 58411-982, 58411-983, 58411-984, 58411-985, 58411-986, 58411-987, 58411-988, 58411-989, 58411-990, 58411-991, 58411-992, 58411-993, 58411-994, 58411-995, 58411-996) , manufacture(58411-973, 58411-974, 58411-975, 58411-976, 58411-977, 58411-978, 58411-979, 58411-980, 58411-981, 58411-982, 58411-983, 58411-984, 58411-985, 58411-986, 58411-987, 58411-988, 58411-989, 58411-990, 58411-991, 58411-992, 58411-993, 58411-994, 58411-995, 58411-996)

Revised: 2/2026

Shiseido Americas Corporation