## OXYGEN - oxygen gas Seeley Enterprises Inc

Disclaimer: This drug has not been found by FDA to be safe and effective, and this labeling has not been approved by FDA. For further information about unapproved drugs, click here.

-----

## Oxygen Label

SEELY MEDICAL

OXYGEN, REFRIGERATED LIQUID (CRYOGENIC LIQUID) UN1073 U.S.P. Produced by Air Liquefaction

**OXYGEN 2** 

ALWAYS KEEP CONTAINER IN UPRIGHT POSITION

WARNING: EXTREMELY COLD, OXIDIZING LIQUID AND GAS UNDER PRESSURE. VIGOROUSLY ACCELERATES COMBUSTION. OXYGEN VIGOROUSLY ACCELERATES COMBUSTION. OXYGEN REACTS VIOLENTLY WITH OIL, GREASE, (BODY OIL, HAND LOTION AND ITEMS CONTAINING OIL OR GREASE) AND CAN CAUSE FIRE AND SEVERE BURNS. COMBUSTIBLES IN CONTACT WITH LIQUID OXYGEN MAY EXPLODE ON IGNITION OR IMPACT. CAN CAUSE SEVERE FROSTBITE.

For emergency use only when administered by properly trained personnel for oxygen deficiency and resuscitation. For all other medical applications; Rx Only.

Do not use high concentrations for more than 5 hours without 1 hour interruption.

Keep oil, grease, and combustibles away. Use only with equipment cleaned for oxygen service. Transport, store and use with adequate ventilation in upright position only. Do not get liquid in eyes, on skin, or clothing. For liquid withdrawal, use faceshield and gloves. Use hand truck for container movement. Do not walk or roll equipment over spills. Close valve after each use and when empty. Do not strike arc or laser beam on cylinder. Use in accordance with the Material Safety Data Sheet for this product. Open valve slowly. FIRST AID: IN CASE OF FROSTBITE, obtain medical treatment immediately.

#### **CONTENTS:**

Liters Weight lbs oz Pressure (PSIG @ 70F)
DO NOT REMOVE THIS LABEL.
Manufactured by Seely Medical Andover Ohio 44003-0699



### LIGUID

(CRYOGENIC LIQUID) UN1073

U.S.P.

Produced by Air Liquefaction





# ALWAYS KEEP CONTAINER IN UPRIGHT POSITION



#### WARNING:

EXTREMELY COLD, OXIDIZING LIQUID AND GAS UNDER PRESSURE. OXYGEN VIGOROUSLY ACCELERATES COMBUSTION. OXYGEN REACTS VIOLENTLY WITH OIL, GREASE, (BODY OIL, HAND LOTION AND ITEMS CONTAINING OIL OR GREASE) AND CAN CAUSE FIRE AND SEVERE BURNS. COMBUSTIBLES IN CONTACT WITH LIQUID OXYGEN MAY EXPLODE ON IGNITION OR IMPACT. CAN CAUSE SEVERE FROSTBITE.

For emergency use only when administered by properly trained personnel for oxygen deficiency and resuscitation. For all other medical applications; RX ONLY.

Do not use high concentrations for more than 5 hours without 1 hour interruption.

Keep oil, grease and combustibles away. Use only with equipment cleaned for oxygen service. Transport, store and use with adequate ventilation in upright position only. Do not get liquid in eyes, on skin or clothing. For liquid withdrawal, use faceshield and gloves. Use handtruck for container movement. Do not walk or roll equipment over spills. Close valve after each use and when empty. Do not strike arc or laser beam on cylinder. Use in accordance with Material Safety Data Sheet for this product. Open valve slowly.

FIRST AID:

In case of frostbite, obtain medical treatment immediately.

CONTENTS:		18
Liters		.,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,
Weight	ibs	0z
Pressure		(PSIG @ 70°F)

#### DO HOLLIGIDATE THIS PURE

# Manufactured by Seeley Medical Andover Ohio 44003-0699

SML040B

## **OXYGEN**

oxygen gas

## **Product Information**

Product Type HUMAN PRESCRIPTION DRUG Item Code (Source) NDC:49854-001

Route of Administration RESPIRATORY (INHALATION)

## **Active Ingredient/Active Moiety**

Ingredient NameBasis of StrengthStrengthOxygen (UNII: S88TT14065) (Oxygen - UNII:S88TT14065)Oxygen999 mL in 1 L

Packaging

P	rackaging				
#	Item Code	Package Description	Marketing Start Date	Marketing End Date	
1	NDC:49854-001-01	41 L in 1 CYLINDER			
2	NDC:49854-001-02	45 L in 1 CYLINDER			
3	NDC:49854-001-03	450 L in 1 DEWAR			

## **Marketing Information**

	Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date	
u	napproved medical gas		0 1/0 1/19 8 7		

## Labeler - Seeley Enterprises Inc (113032270)

Establishment						
Name	Address	ID/FEI	Business Operations			
Seeley Enterprises Inc		113032270	manufacture			

Revised: 11/2010 Seeley Enterprises Inc