BD E-Z SCRUB- chlorhexidine gluconate solution Becton Dickinson and Company

Drug Facts

Active ingredient

Chlorhexidine gluconate 2% solution

Purpose

surgical hand scrub healthcare personnel handwash

Uses

- **surgical hand scrub:** significantly reduces the number of microorganisms on the hands and forearms prior to surgery or patient care
- **healthcare personnel handwash:** helps reduce bacteria that potentially can cause disease

Warnings

For external use only

Allergy alert: This product may cause a severe allergic reaction.

Symptoms may include:

- wheezing/difficulty breathing
- shock
- facial swelling
- hives
- rash

If an allergic reaction occurs, stop use and seek medical help right away.

Do not use

if you are allergic to chlorhexidine gluconate or any other ingredient in this product

When using this product

- keep out of eyes, ears and mouth. May cause serious and permanent eye injury if permitted to enter and remain in the eye or may cause deafness when instilled in the middle ear through perforated eardrums.
- if solution should contact these areas, rinse out promptly and thoroughly with water
- do not use routinely if you have wounds which involve more than the superficial layers of the skin

Stop use and ask a doctor if irritation, sensitization, or allergic reaction occurs. These may be signs of a serious condition.

Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

Directions

• use with care in premature infants or infants under 2 months of age. These products may cause irritation or chemical burns.

Surgical hand scrub:

- wet hands and forearms with water
- scrub for 3 minutes with 5 mL of solution (4 full strokes) and a wet brush paying close attention to the nails, cuticles, and interdigital spaces
- a separate nail cleaner may be used
- rinse thoroughly
- wash for an additional 3 minutes with 5 mL of solution (4 full strokes) and rinse under running water
- dry thoroughly

Healthcare personnel handwash:

- wet hands with water
- dispense 5 mL of solution (4 full strokes) into cupped hands, wash in a vigorous manner for 15 seconds, and rinse under running water
- dry thoroughly

Other information

- store at 20-25° C (68-77° F)
- avoid excessive heat above 40° C (104° F)

Inactive ingredients

citric acid, cocamide DEA, hydroxyethylcellulose, isopropyl alcohol, lauramine oxide, purified water

Questions or comments?

call **1-800-453-4538**

Monday through Friday 8 AM to 5 PM EST

Principal Display Panel – Box Label

NDC 17271-506-02

BD E-Z Scrub™

Chlorhexidine

Gluconate 2% Solution

Antiseptic

REF 372416

Foreign Patents and Patents Pending.

U.S. Patents 6,427,875

Chlorhexidine Gluconate

32 fl oz (946 mL)



BD E-Z SCRUB chlorhexidine gluconate solution **Product Information Product** Type HUMAN OTC DRUG Item Code (Source) NDC:17271-506 TOPICAL **Route of Administration Active Ingredient/Active Moiety Ingredient Name Basis of Strength** Strength CHLORHEXIDINE GLUCONATE (UNII: MOR84MUD8E) (chlorhexidine -CHLORHEXIDINE 20 mg UNII:R4KO0DY52L) **GLUCONATE** in 1 mL **Inactive Ingredients Ingredient Name** Strength citric acid monohydrate (UNII: 2968PHW8QP) coco diethanolamide (UNII: 92005F972D) HYDROXYETHYL CELLULOSE (2000 MPA.S AT 1%) (UNII: S38J6RZN16) ISOPROPYL ALCOHOL (UNII: ND2M416302) lauramine oxide (UNII: 4F6FC4MI8W) water (UNII: 059QF0KO0R) Packaging **Item Code Package Description** Marketing Start Date Marketing End Date # **1** NDC:17271-506-02 6 in 1 BOX 04/01/2001 1 946 mL in 1 BOTTLE; Type 0: Not a Combination Product

Marketing Information			
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
NDA	NDA0 19 422	04/01/2001	

Labeler - Becton Dickinson and Company (124987988)

EstablishmentNameAddressID/FEIBusiness OperationsBecton, Dickinson and Company124987988LABEL(17271-506)

Revised: 3/2019

Becton Dickinson and Company