

EZBIORT 5% MINOXIDIL HAIR GROWTH SPRAYS SERUM- minoxidil liquid
Guangzhou Borderless Technology Co., Ltd.

85304-012 EZBIORT 5% Minoxidil Hair Growth Sprays Serum

Minoxidil 5%

Biotin 0.5%

Hair Regrowth Treatment

Use to regrow hair and beard.

Keep out of reach of children.

For external use only.

Your hair loss is sudden and/or patchy.

Your hair loss is associated with childbirth.

You do not know the reason for your hair loss.

You are under 18 years of age. Do not use on babies and children.

Your scalp is red, inflamed, infected, irritated, or painful.

You use other medicines on the scalp.

Avoid contact with the eyes. In case of accidental contact, rinse eyes with large amounts of cool tap water.

Some people have experienced changes in hair color and/or texture.

It takes time to regrow hair, Results may occur at 3 months with twice a day usage. For some men, you may need to use this product for at least 6 months before you see results. The amount of hair regrowth is different for each person.

Avoid contact with eyes, In case of accidental contact, rinse eyes with a large amount of cool tap water.

Chest pain, rapid heartbeat, faintness, or dizziness occurs.

Sudden, unexplained weight gain occurs.

If unwanted facial hair growth occurs

If you do not see hair regrowth in 6 months.

Keep out of reach of children, If swallowed, get medical help or contact a Poison Control Center

(1-800-222-1222) right away.

1. Make sure your hair and scalp are dry (no need to wash your hair before each use).

2. Apply 3-4 pumps of spray directly to the treated area of the scalp.

3. Gently massage into the scalp or thinning hair areas until absorbed.

4. Continued use is required to increase and maintain hair regrowth. Discontinuation may lead to hair loss.

Butylene Glycol

Glycerin

Alcohol

Castor oil

Dexpanthenol
Water

Drug Facts

Active Ingredient
Minoxidil 5% w/w
Biotin 0.5% w/w

Use to regrow hair and beard.

Warnings
Keep out of reach of children.
For external use only.

Do not use if
• Your hair loss is sudden and/or patchy.
• Your hair loss is associated with childbirth.
• You do not know the reason for your hair loss.
• You are under 18 years of age.
• Your scalp is red, inflamed, infected, irritated, or painful.
• You use other medicines on the scalp.

When Using
• Avoid contact with the eyes. In case of accidental contact, rinse eyes with large amounts of cool tap water.
• Some people have experienced changes in hair color and/or texture.
• It takes time to regrow hair. Results may occur at 3 months with twice a day usage. For some men, you may need to use this product for at least 6 months before you see results. The amount of hair regrowth is different for each person.
• Avoid contact with the eyes. In case of accidental contact, rinse eyes with a large amount of cool tap water.

Stop use and ask a doctor if
• Chest pain, heart weakness, lightheadedness, or dizziness occurs.
• Sudden, unexplained weight gain occurs.
• If unwanted facial hair growth occurs.
• If you do not see hair regrowth in 6 months.

Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center (1-800-222-1222) right away.

Directions
1. Shave your hair and scalp as dry/no need to wash your hair before each use.
2. Apply 3-4 pumps of spray directly to the treated area of the scalp.
3. Gently massage into the scalp or thinning hair areas until absorbed.
4. Continued use is required to increase and maintain hair regrowth. Discontinuation may lead to hair loss.

Other information
Before use, read all information on the carton and the enclosed leaflet.
Store at controlled room temperature of 5°C to 25°C (41°F to 77°F).
Do not incinerate the container. Do not expose to heat or store at temperatures above 40°C (104°F).

Inactive ingredients
Butylene Glycol, Glycerin, Alcohol, Castor Oil, Dexpantenol, Water

Questions?
Cservice@EZbiort.com

DIRECTIONS FOR USE
See the information leaflet for complete directions on how to use the product and obtain the best results.

Step 1
Make sure your hair and scalp are dry/no need to wash your hair before each use).

Step 2
Apply 3-4 pumps of spray directly to the treated area of the scalp.

Step 3
Gently massage into the scalp or thinning hair areas until absorbed.

Step 4
Continued use is required to increase and maintain hair regrowth. Discontinuation may lead to hair loss.

EZBIORT®

MINOXIDIL SPRAY

5% Minoxidil With Biotin

#1 DERMATOLOGIST RECOMMENDED ACTIVE INGREDIENT

FOR WOMEN



- For Healthier, Thicker, Fuller Hair
- Reduce hair loss
- Revitalizes Hair Follicles
- Repairs Damaged Hair



Unscented

6 Month Supply

4 x 100ml (3.38 fl oz) Bottles

Distributor: Guangzhou Borderless Technology Co., Ltd.
Address: Room 2609, 2nd Floor, Building 1,
No. 25, Tianshengqiang Road, Xintang, Taizhou District, Guangdong

Made IN PRC

Minoxidil Spray
5% Minoxidil with BIOTIN

TIC TEST RESULTS

USE TWICE DAILY

APPLY DIRECTLY TO SCALP



4 x 100ml (3.38 fl oz) Bottles
TOTAL 400 ml (13.52 fl oz)

<p>Drug Facts</p> <p>Active Ingredient Minoxidil 5% w/w Biotin 0.5% w/w</p> <hr/> <p>Use Is regrow hair and beard.</p> <hr/> <p>Warnings Keep out of reach of children. For external use only.</p> <hr/> <p>Do not use if • Your hair loss is sudden and/or patchy. • Your hair loss is associated with children. • You do not know the reason for your hair loss. • You are under 18 years of age. Do not use on babies and children. • Your scalp is red, inflamed, infected, itched, or painful. • You use other medicines on the scalp.</p> <hr/> <p>When Using • Avoid contact with the eyes. In case of accidental contact, rinse eyes with large amounts of cool tap water. • Some people have experienced changes in hair color and/or texture. • It takes time to grow hair. Results may occur at 3 months with twice a day usage. For some men, you may need to use this product for at least 6 months before you see results. The amount of hair regrowth is different for each person. • Avoid contact with eyes. In case of accidental contact, rinse eyes with a large amount of cool tap water.</p> <hr/> <p>Stop use and ask a doctor if • Chest pain, rapid heartbeat, lightheadedness, or dizziness occurs. • Sudden, unexplained weight gain occurs. • If unwanted facial hair growth occurs. • If you do not see hair regrowth in 6 months.</p> <hr/> <p>Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center (1-800-222-1222) right away.</p> <hr/> <p>Directions 1. Make sure your hair and scalp are dry/no need to wash your hair before each use. 2. Apply 3-4 pumps of spray directly to the treated area of the scalp. 3. Gently massage into the scalp or thinning hair areas until absorbed. 4. Continued use is required to increase and maintain hair regrowth. Discontinuation may lead to hair loss.</p> <hr/> <p>Other information Before use, read all information on the carton and the enclosed leaflet. Store at a controlled room temperature of 59° to 86° F (14° to 30° C). Do not incinerate the container. Do not expose to heat or store at temperatures above 40°C (104°F).</p> <hr/> <p>Inactive ingredients Butylene Glycol, Glycerin, Alcohol, Castor Oil, Dexpantenol, Water</p> <hr/> <p>Questions? Cservice@EZBIort.com</p>	<p>DIRECTIONS FOR USE See the information leaflet for complete directions on how to use the product and obtain the best results.</p> <hr/> <p>Step 1 Make sure your hair and scalp are dry/no need to wash your hair before each use).</p> <hr/> <p>Step 2 Apply 3-4 pumps of spray directly to the treated area of the scalp.</p> <hr/> <p>Step 3 Gently massage into the scalp or thinning hair areas until absorbed.</p> <hr/> <p>Step 4 Continued use is required to increase and maintain hair regrowth. Discontinuation may lead to hair loss.</p>	<h1 style="margin: 0;">EZBIORT®</h1> <h1 style="margin: 0;">MINOXIDIL SPRAY</h1> <div style="background-color: white; padding: 10px; margin: 10px auto; width: 80%;"> <h2 style="margin: 0;">5% Minoxidil With Biotin</h2> </div> <h2 style="margin: 20px 0;">#1 DERMATOLOGIST RECOMMENDED ACTIVE INGREDIENT</h2> <div style="background-color: white; padding: 10px; margin: 10px auto; width: 30%;"> <h3 style="margin: 0;">FOR WOMEN</h3> </div>  <ul style="list-style-type: none"> • For Healthier, Thicker, Fuller Hair • Reduce hair loss • Revitalizes Hair Follicles • Repairs Damaged Hair <div style="display: flex; justify-content: space-around; align-items: center; margin-top: 20px;">  <div style="text-align: center;"> <p>Unscented</p> <p>6 Month Supply</p> <p>4 x 100ml (3.38 fl oz) Bottles</p> </div> </div> <div style="font-size: small; margin-top: 20px;"> <p>Distributor: Guangzhou Borderless Technology Co., Ltd. Address: Room 2805, 2nd Floor, Building 1, No. 2, Tiansheng Road, Xixiang, Tianhe District, Guangzhou</p> <p>Made in PRC</p> </div>	<p>Minoxidil Spray 5% Minoxidil with BIOTIN</p> <div style="border: 1px solid black; border-radius: 50%; padding: 10px; width: fit-content; margin: 10px auto;"> <p>FOR BEST RESULTS USE TWICE DAILY APPLY DIRECTLY TO SCALP</p> </div>  <p>4 x 100ml (3.38 fl oz) Bottles TOTAL 400 ml (13.52 fl oz)</p>
--	---	---	---

Drug Facts

Active Ingredient
Minoxidil 2% w/w
Biotin 0.5% w/w

Use to regrow hair and beard.

Warnings
Keep out of reach of children.
For external use only.

Do not use if

- Your hair loss is sudden and/or patchy.
- Your hair loss is associated with illness or surgery.
- You do not know the reason for your hair loss.
- You are under 18 years of age. Do not use on babies and children.
- Your scalp is not, irritated, inflamed, or painful.
- You use other medicines on the scalp.

When Using

- Avoid contact with the eyes. In case of accidental contact, rinse eyes with large amounts of cool tap water.
- Some people have experienced changes in hair color and/or texture.
- It takes time to regrow hair. Results may occur at 3 months with twice a day usage. For some men, you may need to use the product for at least 6 months before you see results. The amount of hair regrowth is different for each person.
- Avoid contact with eyes. In case of accidental contact, rinse eyes with a large amount of cool tap water.

Stop use and ask a doctor if

- Chest pain, rapid heartbeat, faintness, or dizziness occurs.
- Sudden, undesired weight gain occurs.
- If unwanted facial hair growth occurs.
- If you do not see hair regrowth in 6 months.

Keep out of reach of children. If swallowed, get medical help or contact a Poison Center (1-800-222-1222) right away.

Directions

1. Make sure your hair and scalp are dry/no need to wash your hair before each use.
2. Apply 3-4 pumps of spray directly to the treated area of the scalp.
3. Gently massage into the scalp or thinning hair areas until absorbed.
4. Continued use is required to increase and maintain hair regrowth. Discontinuation may lead to hair loss.

Other information
Before use, read all information on the carton and the enclosed leaflet.
Store at a controlled room temperature of 59°F to 86°F (15° to 30°C).
Do not incinerate the container. Do not expose to heat or store at temperatures above 49°C (114°F).

Purpose
Hair Regrowth Treatment

DIRECTIONS FOR USE
See the information leaflet for complete directions on how to use the product and obtain the best results.

Step 1
Make sure your hair and scalp are dry/no need to wash your hair before each use.

Step 2
Apply 3-4 pumps of spray directly to the treated area of the scalp.

Step 3
Gently massage into the scalp or thinning hair areas until absorbed.

Step 4
Continued use is required to increase and maintain hair regrowth. Discontinuation may lead to hair loss.

EZBIORT®

MINOXIDIL SPRAY

5% Minoxidil With Biotin

#1 DERMATOLOGIST RECOMMENDED

ACTIVE INGREDIENT

FOR WOMEN

- For Healthier, Thicker, Fuller Hair
- Reduce hair loss
- Revitalizes Hair Follicles
- Repairs Damaged Hair

FOR BEST RESULTS
USE
TWICE
DAILY
APPLY DIRECTLY TO SCALP

Minoxidil Spray
5% Minoxidil with Biotin

Inactive Ingredients
Butylene Glycol, Glycerin, Alcohol, Castor Oil, Dexpantenol, Water

Questions?
Cservice@EZBior.com

Distributor: Guangzhou Science Technology
Co., Ltd.
Address: Room 2005, 2nd Floor, Building 1,
No. 2, Taominggang 2nd Road, Xintang, Tianhe
District, Guangzhou

Made in PRC



Unscented
6 Month Supply
4 x 100ml (3.38 fl oz) Bottles

4 x 100ml (3.38 fl oz) Bottles
TOTAL 400 ml (13.52 fl oz)

EZBIORT 5% MINOXIDIL HAIR GROWTH SPRAYS SERUM

minoxidil liquid

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:85304-012
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
BIOTIN (UNII: 6SO6U10H04) (BIOTIN - UNII:6SO6U10H04)	BIOTIN	0.5 g in 100 mL
MINOXIDIL (UNII: 5965120SH1) (MINOXIDIL - UNII:5965120SH1)	MINOXIDIL	5 g in 100 mL

Inactive Ingredients

Ingredient Name	Strength
GLYCERIN (UNII: PDC6A3C0OX)	
CASTOR OIL (UNII: D5340Y2I9G)	
DEXPANTHENOL (UNII: 1O6C93RI7Z)	
WATER (UNII: 059QF0KO0R)	
ALCOHOL (UNII: 3K9958V90M)	
BUTYLENE GLYCOL (UNII: 3XUS85K0RA)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:85304-012-01	4 in 1 PACKAGE	08/12/2025	
1		100 mL in 1 BOTTLE; Type 0: Not a Combination Product		
2	NDC:85304-012-02	8 in 1 PACKAGE	08/12/2025	
2		100 mL in 1 BOTTLE; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	505G(a)(3)	08/12/2025	

Labeler - Guangzhou Borderless Technology Co., Ltd. (452282332)

Establishment			
Name	Address	ID/FEI	Business Operations
Guangzhou Borderless Technology Co., Ltd.		452282332	manufacture(85304-012)

Revised: 8/2025

Guangzhou Borderless Technology Co., Ltd.