

TAGOQHA 5% MINOXIDIL HAIR GROWTH SPRAYS SERUM- minoxidil liquid
Guangzhou Borderless Technology Co., Ltd.

85304-013 TAGOQHA 5% Minoxidil Hair Growth Sprays Serum

Minoxidil 5%

Biotin 0.5%

Hair Regrowth Treatment

Use to regrow hair and beard

Keep out of reach of children.

For external use only.

Your hair loss is sudden and/or patchy.

Your hair loss is associated with childbirth.

You do not know the reason for your hair loss.

You are under 18 years of age. Do not use on babies and children.

Your scalp is red, inflamed, infected, irritated, or painful.

You use other medicines on the scalp.

Avoid contact with the eyes. In case of accidental contact, rinse eyes with large amounts of cool tap water

Some people have experienced changes in hair color and/or texture.

It takes time to regrow hair. Results may occur at 3 months with twice a day usage. For some men, you may need to use this product for at least 6 months before you see results. The amount of hair regrowth is different for each person.

Avoid contact with eyes. In case of accidental contact, rinse eyes with a large amount of cool tap water

Chest pain, rapid heartbeat, faintness, or dizziness occurs.

Sudden, unexplained weight gain occurs.

If unwanted facial hair growth occurs

If you do not see hair regrowth in 6 months

Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center

(1-800-222-1222) night away.

1. Make sure your hair and scalp are dry (no need to wash your hair before each use).

2. Apply 3-4 pumps of spray directly to the treated area of the scalp.

3. Gently massage into the scalp or thinning hair areas until absorbed.

4. Continued use is required to increase and maintain hair regrowth. Discontinuation may lead to hair loss.

Butylene Glycol




Glycerin

Alcohol

Castor oil

Dexpanthenol

<p>Drug Facts Active Ingredient Minoxidil 5% w/w Biotin 0.5% w/w</p> <p>Use to regrow hair and beard.</p> <p>Warnings Keep out of reach of children. For external use only.</p> <p>Do not use if • Your hair loss is sudden and/or patchy. • Your hair loss is associated with childbirth. • You do not know the reason for your hair loss. • You are under 18 years of age. Do not use on babies and children. • Your scalp is red, inflamed, infected, irritated, or painful. • You use other medicines on the scalp.</p> <p>When Using • Avoid contact with the eyes. In case of accidental contact, rinse eyes with large amounts of cool tap water. • Some people have experienced changes in hair color and/or texture. • It takes time to regrow hair. Results may occur at 3 months with twice a day usage. For some men, you may need to use this product for at least 6 months before you see results. The amount of hair regrowth is different for each person. • Avoid contact with eyes. In case of accidental contact, rinse eyes with a large amount of cool tap water.</p> <p>Stop use and ask a doctor if • Chest pain, rapid heartbeat, faintness, or dizziness occurs. • Sudden, unexplained weight gain occurs. • If unwanted facial hair growth occurs. • If you do not see hair regrowth in 6 months.</p> <p>Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center (1-800-222-1222) right away.</p> <p>Directions 1. Make sure your hair and scalp are dry (no need to wash your hair before each use). 2. Apply 3-4 pumps of spray directly to the treated area of the scalp. 3. Gently massage into the scalp or thinning hair areas until absorbed. 4. Continued use is required to increase and maintain hair regrowth. Discontinuation may lead to hair loss.</p> <p>Other information Before use, read all information on the carton and the enclosed leaflet. Store at a controlled room temperature of 5°C to 35°C (41°F to 95°F). Do not incinerate the container. Do not expose it to heat or store it at temperatures above 40°C (104°F).</p> <p>Inactive ingredients Butylene Glycol, Glycerin, Alcohol, Castor oil, Dexpantenol, Water</p> <p>Questions? Cservice@TaqoQHIA.com</p>	<p>DIRECTIONS FOR USE See the information leaflet for complete directions on how to use the product and obtain the best results.</p> <p>Step 1 Make sure your hair and scalp are dry (no need to wash your hair before each use).</p> <p>Step 2 Apply 3-4 pumps of spray directly to the treated area of the scalp.</p> <p>Step 3 Gently massage into the scalp or thinning hair areas until absorbed.</p> <p>Step 4 Continued use is required to increase and maintain hair regrowth. Discontinuation may lead to hair loss.</p> <p>Distributor: Guangzhou Borderless Technology Co., Ltd. Address: Room 2065, 2nd Floor, Building 1, No. 2, Tianzhuang 2nd Road, Xintang, Taishan District, Guangdong Made in PRC</p>	<h2>MINOXIDIL SPRAY</h2> <h3>5% Minoxidil With Biotin</h3> <p>#1 DERMATOLOGIST RECOMMENDED ACTIVE INGREDIENT</p> <ul style="list-style-type: none"> • For Healthier, Thicker, Fuller Hair • Reduce hair loss • Revitalizes Hair Follicles • Repairs Damaged Hair <p>FOR WOMEN Unscented</p> <p>5 Month Supply 3 x 100ml (3.38 fl oz) Bottles</p>  	<p>Minoxidil Spray 5% Minoxidil with BIOTIN</p> <p>FOR BEST RESULTS USE TWICE DAILY APPLY DIRECTLY TO SCALP</p>  <p>3 x 100ml (3.38 fl oz) Bottles TOTAL 300 ml (10.14 fl oz)</p>
--	---	---	--

<p>Drug Facts Active Ingredient Minoxidil 5% w/w Biotin 0.5% w/w</p> <p>Use to regrow hair and beard.</p> <p>Warnings Keep out of reach of children. For external use only.</p> <p>Do not use if • Your hair loss is sudden and/or patchy. • Your hair loss is associated with childbirth. • You do not know the reason for your hair loss. • You are under 18 years of age. Do not use on babies and children. • Your scalp is red, inflamed, infected, irritated, or painful. • You use other medicines on the scalp.</p> <p>When Using • Avoid contact with the eyes. In case of accidental contact, rinse eyes with large amounts of cool tap water. • Some people have experienced changes in hair color and/or texture. • It takes time to regrow hair. Results may occur at 3 months with twice a day usage. For some men, you may need to use this product for at least 6 months before you see results. The amount of hair regrowth is different for each person. • Avoid contact with eyes. In case of accidental contact, rinse eyes with a large amount of cool tap water.</p> <p>Stop use and ask a doctor if • Chest pain, rapid heartbeat, faintness, or dizziness occurs. • Sudden, unexplained weight gain occurs. • If unwanted facial hair growth occurs. • If you do not see hair regrowth in 6 months.</p> <p>Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center (1-800-222-1222) right away.</p> <p>Directions 1. Make sure your hair and scalp are dry (no need to wash your hair before each use). 2. Apply 3-4 pumps of spray directly to the treated area of the scalp. 3. Gently massage into the scalp or thinning hair areas until absorbed. 4. Continued use is required to increase and maintain hair regrowth. Discontinuation may lead to hair loss.</p> <p>Other information Before use, read all information on the carton and the enclosed leaflet. Store at a controlled room temperature of 5°C to 35°C (41°F to 95°F). Do not incinerate the container. Do not expose it to heat or store it at temperatures above 40°C (104°F).</p> <p>Inactive ingredients Butylene Glycol, Glycerin, Alcohol, Castor oil, Dexpantenol, Water</p> <p>Questions? Cservice@TaqoQHIA.com</p>	<p>DIRECTIONS FOR USE See the information leaflet for complete directions on how to use the product and obtain the best results.</p> <p>Step 1 Make sure your hair and scalp are dry (no need to wash your hair before each use).</p> <p>Step 2 Apply 3-4 pumps of spray directly to the treated area of the scalp.</p> <p>Step 3 Gently massage into the scalp or thinning hair areas until absorbed.</p> <p>Step 4 Continued use is required to increase and maintain hair regrowth. Discontinuation may lead to hair loss.</p> <p>Distributor: Guangzhou Borderless Technology Co., Ltd. Address: Room 2065, 2nd Floor, Building 1, No. 2, Tianzhuang 2nd Road, Xintang, Taishan District, Guangdong Made in PRC</p>	<h2>MINOXIDIL SPRAY</h2> <h3>5% Minoxidil With Biotin</h3> <p>#1 DERMATOLOGIST RECOMMENDED ACTIVE INGREDIENT</p> <ul style="list-style-type: none"> • For Healthier, Thicker, Fuller Hair • Reduce hair loss • Revitalizes Hair Follicles • Repairs Damaged Hair <p>FOR WOMEN Unscented</p> <p>5 Month Supply 3 x 100ml (3.38 fl oz) Bottles</p>  	<p>Minoxidil Spray 5% Minoxidil with BIOTIN</p> <p>FOR BEST RESULTS USE TWICE DAILY APPLY DIRECTLY TO SCALP</p>  <p>3 x 100ml (3.38 fl oz) Bottles TOTAL 300 ml (10.14 fl oz)</p>
--	---	---	---

<p>Drug Facts Active Ingredient Minoxidil 5% w/w Biotin 0.5% w/w</p> <p>Use to regrow hair and beard.</p> <p>Warnings Keep out of reach of children. For external use only.</p> <p>Do not use if • Your hair loss is sudden and/or patchy. • Your hair loss is associated with childbirth. • You do not know the reason for your hair loss. • You are under 18 years of age. Do not use on babies and children. • Your scalp is red, inflamed, infected, irritated, or painful. • You use other medicines on the scalp.</p> <p>When Using • Avoid contact with the eyes. In case of accidental contact, rinse eyes with large amounts of cool tap water. • Some people have experienced changes in hair color and/or texture. • It takes time to regrow hair. Results may occur at 3 months with twice a day usage. For some men, you may need to use this product for at least 6 months before you see results. The amount of hair regrowth is different for each person. • Avoid contact with eyes. In case of accidental contact, rinse eyes with a large amount of cool tap water.</p> <p>Stop use and ask a doctor if • Chest pain, rapid heartbeat, faintness, or dizziness occurs. • Sudden, unexplained weight gain occurs. • If unwanted facial hair growth occurs. • If you do not see hair regrowth in 6 months.</p> <p>Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center (1-800-222-1222) right away.</p> <p>Directions 1. Make sure your hair and scalp are dry (no need to wash your hair before each use).</p>	<p>DIRECTIONS FOR USE See the information leaflet for complete directions on how to use the product and obtain the best results.</p> <p>Step 1 Make sure your hair and scalp are dry (no need to wash your hair before each use).</p> <p>Step 2 Apply 3-4 pumps of spray directly to the treated area of the scalp.</p> <p>Step 3 Gently massage into the scalp or thinning hair areas until absorbed.</p> <p>Step 4</p>	<h2>MINOXIDIL SPRAY</h2> <h3>5% Minoxidil With Biotin</h3> <p>#1 DERMATOLOGIST RECOMMENDED ACTIVE INGREDIENT</p> <ul style="list-style-type: none"> • For Healthier, Thicker, Fuller Hair • Reduce hair loss • Revitalizes Hair Follicles • Repairs Damaged Hair <p>FOR WOMEN Unscented</p>  	<p>Minoxidil Spray 5% Minoxidil with BIOTIN</p> <p>FOR BEST RESULTS USE TWICE DAILY APPLY DIRECTLY TO SCALP</p> 
---	---	---	--



TAGOQHA 5% MINOXIDIL HAIR GROWTH SPRAYS SERUM				
minoxidil liquid				
Product Information				
Product Type		HUMAN OTC DRUG	Item Code (Source)	
Route of Administration		TOPICAL	NDC:85304-013	
Active Ingredient/Active Moiety				
Ingredient Name			Basis of Strength	Strength
MINOXIDIL (UNII: 5965120SH1) (MINOXIDIL - UNII:5965120SH1)			MINOXIDIL	5 g in 100 mL
BIOTIN (UNII: 6SO6U10H04) (BIOTIN - UNII:6SO6U10H04)			BIOTIN	0.5 g in 100 mL
Inactive Ingredients				
Ingredient Name				Strength
DEXPANTHENOL (UNII: 1O6C93RI7Z)				
WATER (UNII: 059QF0KO0R)				
GLYCERIN (UNII: PDC6A3C0OX)				
CASTOR OIL (UNII: D5340Y2I9G)				
BUTYLENE GLYCOL (UNII: 3XUS85K0RA)				
ALCOHOL (UNII: 3K9958V90M)				
Packaging				
#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:85304-013-01	3 in 1 PACKAGE	08/12/2025	
1		100 mL in 1 BOTTLE; Type 0: Not a Combination Product		
2	NDC:85304-013-02	6 in 1 PACKAGE	08/12/2025	
2		100 mL in 1 BOTTLE; Type 0: Not a Combination Product		
Marketing Information				
Marketing Category		Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug		505G(a)(3)	08/12/2025	

Labeler - Guangzhou Borderless Technology Co., Ltd. (452282332)

Establishment			
Name	Address	ID/FEI	Business Operations
Guangzhou Borderless Technology Co., Ltd.		452282332	manufacture(85304-013)

Revised: 8/2025

Guangzhou Borderless Technology Co., Ltd.