

**CAPSICUM PLASTER HOT- borneol, camphor, menthol patch**  
**Guangzhou Su Mai Feng International Trading Co., Ltd.**

-----  
**84198-007 Capsicum Plaster HOT**

Borneol 1.2%  
Camphor 1.5%  
Menthol 1%

Topical Anaglesic

Temporarily relieves muscle soreness and minor joint pains in the knees, back, neck, hips, shoulders, elbows

For external use only

on wounds or damaged skin  
with a heating pad or device  
with other ointments, creams, sprays, or liniments  
if you are allergic to any ingredients of this product

use only as directed  
avoid contact with the eyes, mucous membranes, or rashes  
do not bandage tightly  
discontinue use at least one hour before a bath and do not use immediately after a bath

skin reactions such as redness, swelling, blistering or other discomfort occur  
symptoms persist for more than 7 days

If swallowed accidentally, get medical help or contact with Poison Control Center immediately.

Adults and Children above 12 years old:

.Clean and dry the affected area.  
.Peel off the large protective film to reveal a small film on the reddish brown patch  
.Partially peel back the protective film and apply the exposed part of the patch to the site of pain  
.Carefully remove remaining film while pressing the patch firmly on the skin  
.Remove patch from the skin after at most 8-hour application.  
Children under age of 12: Consult a doctor

Dried ginger  
Saffron  
Wormwood  
Mugwort oil  
Osmanthus flower oil  
Eucalyptus leaf oil  
Cinnamon

Wash the area to be applied with warm water and dry it.

**Capsicum Plaster-HOT**

Sumifun®

【产品注册编号】器械注册20222090020

**Capsicum Plaster-HOT**

Sumifun®

Sumifun®

**Capsicum Plaster-HOT**

Sumifun®

**Drug Facts**

**Active Ingredients** ..... **Purpose**

Borneol 12% ..... Topical Anesthetic

Camphor 15% ..... Topical Anesthetic

Menthol 1.0% ..... Topical Anesthetic

**Uses**

Temporarily relieves muscle soreness and minor joint pains in the knees, back, neck, hips, shoulders, elbows.

**Warnings**

For external use only

**Do not use**

on wounds or damaged skin

with a heating pad or device

with other ointments, creams, sprays, or liniments

if you are allergic to any ingredients of this product

**Stop use and ask a doctor if**

use only as directed

avoid contact with the eyes, mucous membranes, or rashes

do not bandage tightly

discontinue use at least one hour before a bath and do not use immediately after a bath

**Stop use and ask a doctor if**

skin reactions such as redness, swelling, blistering or other discomfort occur

symptoms persist for more than 7 days

**If pregnant or breast-feeding,**

ask a health professional before use.

**Keep out of reach of children.**

If swallowed accidentally, get medical help or contact with Poison Control Center immediately.

Guangzhou Zhupuyou E-commerce Co., Ltd  
Room 202-A, No. 6, Lane 1, Sulinan New Village, Tangxia, Tianhe District, Guangzhou, 510630, China (CHN)

**Directions**

**Adults and Children above 12 years old:**


- Clean and dry the affected area.
- Peel off the large protective film to reveal a small film on the reddish brown patch.
- Partially peel back the protective film and apply the exposed part of the patch to the site of pain.
- Carefully remove remaining film while pressing the patch firmly on the skin.
- Remove patch from the skin after at most 8-hour application.

**Children under age of 12:** Consult a doctor


**Ingredients**

Cinnamon, Dried ginger, Eucalyptus leaf oil, Mugwort oil, Osmanthus flower oil, Saffron, Wormwood.

**Usage**

 Wash the area to be applied with warm water and dry it.

 Peel off the anti-adhesive layer, stick the patch on the painful area and smooth it.

 Put the remaining patches back into the package and seal it after use.

**Questions or Comments:**

support@sumifunofficial.com  
Business Cooperation: business@sumifunofficial.com

**EXP:**



6 907461 767068 5

【产品注册证编号】豫械注准20222090020

Sumifun®

# Capsicum Plaster-HOT

A white, rectangular adhesive patch with a perforated edge is shown inside a red circle with a white border. The patch is slightly curved, suggesting its flexibility.

Two bright red chili peppers with green stems are shown. One pepper is in the foreground, pointing towards the left, and the other is slightly behind it, pointing towards the right.

- ☒ Neck Pain
- ☒ Shoulder Pain
- ☒ Rheumatic Arthritis
- ☒ Hyperostosis
- ☒ Tenosynovitis
- ☒ Strain & Sprain
- ☒ Sciatica
- ☒ Fibromyalgia

**8 Patches**  
70mm\*100mm

ZIP RESEAL AFTER OPENING

## Drug Facts

### Active ingredients ..... Purpose

Borneol 12% .....	Topical Anesthetic
Camphor 15% .....	Topical Anesthetic
Menthol 1.0% .....	Topical Anesthetic

### Uses

Temporarily relieves muscle soreness and minor joint pains in the knees, back, neck, hips, shoulders, elbows.

### Warnings

For external use only

### Do not use

- on wounds or damaged skin
- with a heating pad or device
- with other ointments, creams, sprays, or liniments
- if you are allergic to any ingredients of this product

### Stop use and ask a doctor if

- use only as directed
- avoid contact with the eyes, mucous membranes, or rashes
- do not bandage tightly
- discontinue use at least one hour before a bath and do not use immediately after a bath

### Stop use and ask a doctor if

- skin reactions such as redness, swelling, blistering or other discomfort occur
- symptoms persist for more than 7 days

### If pregnant or breast-feeding,

ask a health professional before use.

### Keep out of reach of children.

If swallowed accidentally, get medical help or contact with Poison Control Center immediately.

Guangzhou Zhuyupuo E-commerce Co., Ltd  
Room 202-4, No. 5, Lane 1, Sunan New Village, Tangra,  
Tianhe District, Guangzhou, 510630, China (CHN)

## Directions

### Adults and Children above 12 years old:

- Clean and dry the affected area.
- Peel off the large protective film to reveal a small film on the reddish brown patch.
- Partially peel back the protective film and apply the exposed part of the patch to the site of pain.
- Carefully remove remaining film while pressing the patch firmly on the skin.
- Remove patch from the skin after at most 8-hour application.

**Children under age of 12:** Consult a doctor

## Ingredients

Cinnamon, Dried ginger, Eucalyptus leaf oil, Mugwort oil, Osmanthus flower oil, Saffron, Wormwood.

## Usage

Wash the area to be applied with warm water and dry it.

Peel off the anti-adhesive layer, stick the patch on the painful area and smooth it.

Put the remaining patches back into the package and seal it after use.

### Questions or Comments:

support@sumifunctional.com

Business Cooperation:

business@sumifunctional.com

## EXP:

CAPSICUM PLASTER HOT

borneol, camphor, menthol patch

Product Information			
Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:84198-007
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety		
Ingredient Name	Basis of Strength	Strength
CAMPHOR (NATURAL) (UNII: N20HL7Q941) (CAMPHOR (NATURAL) - UNII:N20HL7Q941)	CAMPHOR (NATURAL)	0.015 g in 1 g
BORNEOL (UNII: M89NIB437X) (BORNEOL - UNII:M89NIB437X)	BORNEOL	0.012 g in 1 g
MENTHOL (UNII: L7T10EIP3A) (MENTHOL - UNII:L7T10EIP3A)	MENTHOL	0.01 g in 1 g

Inactive Ingredients	
Ingredient Name	Strength
GINGER (UNII: C5529G5JPQ)	
CINNAMON (UNII: 5S29HWU6QB)	
SAFFRON (UNII: E849G4X5YJ)	
OSMANTHUS FRAGRANS FLOWER (UNII: 4VA0BH57HU)	
WORMWOOD (UNII: F84709P2XV)	
ARTEMISIA VULGARIS TOP OIL (UNII: 72Q967Y48V)	
EUCALYPTUS OIL (UNII: 2R04ONI662)	

Packaging				
#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:84198-007-01	2.04 g in 1 PATCH; Type 0: Not a Combination Product	08/12/2025	
2	NDC:84198-007-11	10 in 1 BOX	08/12/2025	
2	NDC:84198-007-01	2.04 g in 1 PATCH; Type 0: Not a Combination Product		
3	NDC:84198-007-13	12 in 1 BOX	08/12/2025	
3	NDC:84198-007-01	2.04 g in 1 PATCH; Type 0: Not a Combination Product		
4	NDC:84198-007-14	14 in 1 BOX	08/12/2025	
4	NDC:84198-007-01	2.04 g in 1 PATCH; Type 0: Not a Combination Product		

5	NDC:84198-007-15	15 in 1 BOX	08/12/2025	
5	NDC:84198-007-01	2.04 g in 1 PATCH; Type 0: Not a Combination Product		
6	NDC:84198-007-16	16 in 1 BOX	08/12/2025	
6	NDC:84198-007-01	2.04 g in 1 PATCH; Type 0: Not a Combination Product		
7	NDC:84198-007-18	18 in 1 BOX	08/12/2025	
7	NDC:84198-007-01	2.04 g in 1 PATCH; Type 0: Not a Combination Product		
8	NDC:84198-007-20	20 in 1 BOX	08/12/2025	
8	NDC:84198-007-01	2.04 g in 1 PATCH; Type 0: Not a Combination Product		
9	NDC:84198-007-21	21 in 1 BOX	08/12/2025	
9	NDC:84198-007-01	2.04 g in 1 PATCH; Type 0: Not a Combination Product		
10	NDC:84198-007-24	24 in 1 BOX	08/12/2025	
10	NDC:84198-007-01	2.04 g in 1 PATCH; Type 0: Not a Combination Product		
11	NDC:84198-007-25	25 in 1 BOX	08/12/2025	
11	NDC:84198-007-01	2.04 g in 1 PATCH; Type 0: Not a Combination Product		
12	NDC:84198-007-28	28 in 1 BOX	08/12/2025	
12	NDC:84198-007-01	2.04 g in 1 PATCH; Type 0: Not a Combination Product		
13	NDC:84198-007-30	30 in 1 BOX	08/12/2025	
13	NDC:84198-007-01	2.04 g in 1 PATCH; Type 0: Not a Combination Product		
14	NDC:84198-007-32	32 in 1 BOX	08/12/2025	
14	NDC:84198-007-01	2.04 g in 1 PATCH; Type 0: Not a Combination Product		
15	NDC:84198-007-35	35 in 1 BOX	08/12/2025	
15	NDC:84198-007-01	2.04 g in 1 PATCH; Type 0: Not a Combination Product		
16	NDC:84198-007-40	40 in 1 BOX	08/12/2025	
16	NDC:84198-007-01	2.04 g in 1 PATCH; Type 0: Not a Combination Product		
17	NDC:84198-007-42	42 in 1 BOX	08/12/2025	
17	NDC:84198-007-01	2.04 g in 1 PATCH; Type 0: Not a Combination Product		
18	NDC:84198-007-45	45 in 1 BOX	08/12/2025	
18	NDC:84198-007-01	2.04 g in 1 PATCH; Type 0: Not a Combination Product		
19	NDC:84198-007-48	48 in 1 BOX	08/12/2025	
19	NDC:84198-007-	2.04 g in 1 PATCH; Type 0: Not a Combination		

19	01	Product		
20	NDC:84198-007-49	49 in 1 BOX	08/12/2025	
20	NDC:84198-007-01	2.04 g in 1 PATCH; Type 0: Not a Combination Product		
21	NDC:84198-007-50	50 in 1 BOX	08/12/2025	
21	NDC:84198-007-01	2.04 g in 1 PATCH; Type 0: Not a Combination Product		
22	NDC:84198-007-56	56 in 1 BOX	08/12/2025	
22	NDC:84198-007-01	2.04 g in 1 PATCH; Type 0: Not a Combination Product		
23	NDC:84198-007-60	60 in 1 BOX	08/12/2025	
23	NDC:84198-007-01	2.04 g in 1 PATCH; Type 0: Not a Combination Product		
24	NDC:84198-007-64	64 in 1 BOX	08/12/2025	
24	NDC:84198-007-01	2.04 g in 1 PATCH; Type 0: Not a Combination Product		
25	NDC:84198-007-72	72 in 1 BOX	08/12/2025	
25	NDC:84198-007-01	2.04 g in 1 PATCH; Type 0: Not a Combination Product		
26	NDC:84198-007-80	80 in 1 BOX	08/12/2025	
26	NDC:84198-007-01	2.04 g in 1 PATCH; Type 0: Not a Combination Product		
27	NDC:84198-007-04	4 in 1 PACKAGE	08/12/2025	
27	NDC:84198-007-01	2.04 g in 1 PATCH; Type 0: Not a Combination Product		
28	NDC:84198-007-05	5 in 1 PACKAGE	08/12/2025	
28	NDC:84198-007-01	2.04 g in 1 PATCH; Type 0: Not a Combination Product		
29	NDC:84198-007-06	6 in 1 PACKAGE	08/12/2025	
29	NDC:84198-007-01	2.04 g in 1 PATCH; Type 0: Not a Combination Product		
30	NDC:84198-007-07	7 in 1 PACKAGE	08/12/2025	
30	NDC:84198-007-01	2.04 g in 1 PATCH; Type 0: Not a Combination Product		
31	NDC:84198-007-08	8 in 1 PACKAGE	08/12/2025	
31	NDC:84198-007-01	2.04 g in 1 PATCH; Type 0: Not a Combination Product		
32	NDC:84198-007-10	10 in 1 PACKAGE	08/12/2025	
32	NDC:84198-007-01	2.04 g in 1 PATCH; Type 0: Not a Combination Product		
33	NDC:84198-007-12	12 in 1 PACKAGE	08/12/2025	
33	NDC:84198-007-01	2.04 g in 1 PATCH; Type 0: Not a Combination Product		

## Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M017	08/12/2025	

**Labeler** - Guangzhou Su Mai Feng International Trading Co., Ltd. (417686829)

## Establishment

Name	Address	ID/FEI	Business Operations
Guangzhou Su Mai Feng International Trading Co., Ltd.		417686829	manufacture(84198-007)

Revised: 8/2025

Guangzhou Su Mai Feng International Trading Co., Ltd.