

**DR SIMI PAIN RELIEF 100- acetaminophen tablet, coated
Farmacias De Similares TX LLC**

Pain Relief 100 Acetaminophen 500

Drug Facts

Active ingredient (in each caplet)	Purpose
Acetaminophen 500 mg	Pain reliever / Fever reducer

Purpose

Active ingredient (in each caplet)	Purpose
Acetaminophen 500 mg	Pain reliever/Fever reducer

Uses

- Temporarily relieves minor aches and pains due to:
- Headache
- Muscular aches
- Backache
- Minor pain of arthritis
- The common cold
- Toothache
- Premenstrual and menstrual cramps
- Temporarily reduces fever.

Warnings

Warnings

Warnings

Liver warning: This product contains acetaminophen. Severe liver damage may occur if you take:

- More than 6 caplets in 24 hours, which is the maximum daily amount of this product.
- With other drugs containing acetaminophen.
- 3 or more alcoholic drinks everyday while using this product.

Allergy alert: Acetaminophen may cause severe skin reactions.

Symptoms may include:

- Skin reddening.
- Blisters.
- Rash

If skin reaction occurs; stop use and seek medical help right away.

Do not use

- With any other drug containing acetaminophen (prescription or not prescription). If you are not sure whether a drug contains acetaminophen, ask a doctor or pharmacist.
- If you are allergic to acetaminophen or any of the inactive ingredients in this product

Ask a doctor before use if you have

liver disease

Ask your doctor or pharmacist before use if you are

- Taking the blood thinning drug warfarin

Stop use and ask a doctor if

- Pain gets worse or lasts more than 10 days.
- Fever gets worse or lasts more than 3 days.
- New symptoms occur.
- Redness or swelling is present.

These could be signs of a serious condition.

If pregnant or breast-feeding

ask a health professional before use

Keep out of reach of children

Keep out of reach of children

Overdose warning

In case of overdose, get medical help or contact a Poison Control Center right away (1-800-222-1222). Quick medical attention is critical for adults as well as for children even if you do not notice any signs or symptoms.

Directions

- Do not take more than directed (see overdose warning).

Directions

Adults and children 12 years of age and over	<ul style="list-style-type: none">• Take 2 caplets every 6 hours while symptoms last.• Do not take more than 6 caplets in 24 hours unless directed by a doctor.• Do not use for more than 10 days unless directed by a doctor
Children under 12 years	Do not use this extra strength product. This will provide more than recommended dose (overdose) and could cause serious health problems.

Other information

- Store at controlled room temperature 20-25°C (68-77°F)
- Read all product information before using
- **TAMPER EVIDENT: DO NOT USE IF IMPRINTED SAFETY SEAL UNDER CAP IS BROKEN OR MISSING**

Inactive ingredients

Hypromellose, Magnesium stearate, Microcrystalline cellulose, Polyethylene glycol 400, Povidone, Pregelatinized starch, Purified water, Stearic acid, Talc, Titanium dioxide.

Questions or comments?

(855)-280-1079

Distributed by: FARMACIAS DE SIMILARES TX LLC

800 Brazos St Ste 260, Austin, TX, 78701, USA.

customerservice@drsimi.com

www.drsimi.com

LOT #

EXP:

PEEL BACK for more DRUG FACTS

Principal Display Panel

NDC 85786-102-90

Extra Strength

Pain Reliever

Acetaminophen 500 mg

Pain Reliever/Fever Reducer

100 Caplets

Aspirin Free

For Adults

DR. SIMI

NDC 85786-102-90

Extra Strength**Pain Reliever****Acetaminophen 500 mg****Pain Reliever / Fever Reducer****100 Caplets****Aspirin Free
For Adults**

Drug Facts (continued)
Do not use: ■ With any other drug containing acetaminophen (prescription or not prescription). If you are not sure whether a drug contains acetaminophen, ask a doctor or pharmacist.
 ■ If you are allergic to acetaminophen or any of the inactive ingredients in this product.

Ask a doctor before use if you have liver disease.

Ask your doctor or pharmacist before use if you are taking the blood thinning drug warfarin.

Stop use and ask a doctor if:

- Pain gets worse or lasts more than 10 days.
- Fever gets worse or lasts more than 3 days.
- New symptoms occur.
- Redness or swelling is present.

These could be signs of a serious condition.

If pregnant or breast-feeding, ask a health professional before use.

Keep out of reach of children.

Overdose Warning: In case of overdose, get medical help or contact a Poison Control Center right away (1-800-222-1222). Quick medical attention is critical for adults as well as for children even if you do not notice any signs or symptoms.

Directions

■ Do not take more than directed (see overdose warning).

Adults and children 12 years and over	<ul style="list-style-type: none"> ■ Take 2 caplets every 6 hours while symptoms last. ■ Do not take more than 6 caplets in 24 hours unless directed by a doctor. ■ Do not use for more than 10 days unless directed by a doctor.
Children under 12 years	<ul style="list-style-type: none"> ■ Do not use this extra strength product. This will provide more than recommended doses (overdose) and could cause serious health problems.

Other information

■ Store at controlled room temperature 20-25°C (68-77°F)
 ■ Read all product information before using
 ■ **TAMPER EVIDENT: DO NOT USE IF IMPRINTED SAFETY SEAL UNDER CAP IS BROKEN OR MISSING**

Inactive ingredients

Hydroxypropylene, Magnesium stearate, Microcrystalline cellulose, Polyethylene glycol 400, Povidone, Pregelatinized starch, Purified water, Stearic acid, Talc, Titanium dioxide.

Questions or comments? (855) 280-1079

LOT #
EXP.:

Hinge**Reseal Area**

Purpose
 Acetaminophen 500 mg. Pain reliever / Fever reducer

Uses

- Temporarily relieves minor aches and pains due to:
 ■ Headache. ■ Muscular aches. ■ Backache.
 ■ Minor pain of arthritis. ■ The common cold. ■ Toothache.
 ■ Premenstrual and menstrual cramps.
 ■ Temporarily reduces fever.

Warnings

Liver Warning: This product contains acetaminophen. Severe liver damage may occur if you take:
 ■ More than 6 caplets in 24 hours, which is the maximum daily amount for this product.
 ■ With other drugs containing acetaminophen.
 ■ 3 or more alcoholic drinks everyday while using this product.
Allergy alert: Acetaminophen may cause severe skin reactions. Symptoms may include: ■ Skin redness ■ Blisters ■ Rash
 If skin reaction occurs, stop use and seek medical help right away.

Distributed by: **FARMACIAS DE SIMILARES TX LLC**
 800 Brazos St, Ste 250, Austin, TX,
 78701, USA,
 customerservice@drsimi.com
 www.drsimi.com

8 50070 04882 8

PERFECT
PACK
PERFECT
PACK

DR SIMI PAIN RELIEF 100

acetaminophen tablet, coated

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:85786-102
Route of Administration	ORAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
ACETAMINOPHEN (UNII: 36209ITL9D) (ACETAMINOPHEN - UNII:36209ITL9D)	ACETAMINOPHEN	500 mg

Inactive Ingredients

Ingredient Name	Strength
TALC (UNII: 7SEV7J4R1U)	
STARCH, CORN (UNII: 08232NY3SJ)	
TITANIUM DIOXIDE (UNII: 15FIX9V2JP)	
WATER (UNII: 059QF0KO0R)	
STEARIC ACID (UNII: 4ELV7Z65AP)	

POVIDONE K30 (UNII: U725QWY32X)

MAGNESIUM STEARATE (UNII: 70097M6I30)

MICROCRYSTALLINE CELLULOSE (UNII: OP1R32D61U)

HYPROMELLOSES (UNII: 3NXW29V3WO)

POLYETHYLENE GLYCOL 400 (UNII: B697894SGQ)

Product Characteristics

Color	white	Score	2 pieces
Shape	CAPSULE	Size	17mm
Flavor		Imprint Code	S500
Contains			

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:85786-102-90	100 in 1 BOTTLE; Type 0: Not a Combination Product	08/13/2025	

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M013	08/13/2025	

Labeler - Farmacias De Similares TX LLC (119489934)

Establishment

Name	Address	ID/FEI	Business Operations
Elysium Pharmaceuticals Ltd		863182240	manufacture(85786-102) , analysis(85786-102) , pack(85786-102) , label(85786-102)

Revised: 8/2025

Farmacias De Similares TX LLC