

**DR SIMI PAIN RELIEF- acetaminophen tablet, coated
Farmacias De Similares TX LLC**

Pain reliever Acetaminophen 325 mg

Drug Facts

Active ingredient (in each caplet)

- Acetaminophen 325 mg

Purpose

Purpose

Pain reliever / Fever reducer

Uses

- Temporarily relieves minor aches and pains due to:
- Headache.
- Muscular aches.
- Backache.
- Minor pain of arthritis.
- The common cold.
- Toothache.
- Premenstrual and menstrual cramps.
- Temporarily reduces fever.

Warnings

Liver warning: This product contains acetaminophen. The maximum daily dose of this product is 10 caplets (3,250 mg) in 24 hours for adults or 5 caplets (1,625 mg) in 24 hours for children. Severe liver damage may occur if:

- Adult takes more than 4,000 mg of acetaminophen in 24 hours.
- Child takes more than 5 doses in 24 hours, which is the maximum daily amount.
- Taken with other drugs containing acetaminophen.
- Adult has 3 or more alcoholic drinks every day while using this product.

Allergy alert: Acetaminophen may cause severe skin reactions.

Symptoms may include:

- Skin reddening.
- Blisters.
- Rash.

If a skin reaction occurs, stop use and seek medical help right away.

Do not use

- With any other drug containing acetaminophen (prescription or nonprescription). If you are not sure whether a drug contains acetaminophen, ask a doctor or pharmacist.
- if you are allergic to acetaminophen or any of the inactive ingredients in this product.

Ask a doctor before use if the user has

liver disease.

Ask a doctor or pharmacist before use if the user is
taking the blood thinning drug warfarin.**Stop use and ask doctor if**

- Pain gets worse or lasts more than 10 days in adults.
- Pain gets worse or lasts more than 5 days in children under 12 years.
- Fever gets worse or lasts more than 3 days.
- New symptoms occur.
- Redness or swelling is present.

These could be signs of a serious condition.

If pregnant or breast-feeding

ask a health professional before use.

Keep Out of reach of Children**Keep out of reach of children.****Overdose warning**

Overdose warning: In case of overdose, get medical help or contact a Poison Control Center right away. (1-800-222-1222) Quick medical attention is critical for adults as well as for children even if you do not notice any signs or symptoms.

Directions

- Do not take more than directed (see overdose warning).

Directions

Adults and children 12 years and over	<ul style="list-style-type: none">Take 2 caplets every 4 to 6 hours while symptoms last.Do not take more than 10 caplets in 24 hours, unless directed by a doctor.Do not use for more than 10 days unless directed by a doctor.
Children 6 years to under 12	<ul style="list-style-type: none">Take 1 caplet every 4 to 6 hours while symptoms last.Do not take more than 5 caplets in 24 hours.

Children 6 years to under 12 years	<ul style="list-style-type: none">Do not use for more than 5 days unless directed by a doctor.
Children under 6 years	Ask a doctor

Other information

- Store between 20-25°C (68-77°F).
- Read all product information before using.

TAMPER EVIDENT: DO NOT USE IF IMPRINTED SAFETY SEAL UNDER CAP IS BROKEN OR MISSING

Inactive ingredients

Hypromellose, Magnesium stearate, Microcrystalline Cellulose , Polyethylene glycol 400, Povidone, Pregelatinized Starch, Purified water, Stearic acid , Talc, Titanium Dioxide.

Questions or comments?

(855)-280-1079

Distributed by: FARMACIAS DE SIMILARES TX LLC

800 Brazos St Ste 260, Austin, TX, 78701, USA.

customerservice@drsimi.com

www.drsimi.com

LOT#

EXP:

PEEL BACK for more DRUG FACTS

Principal display panel

DR SIMI

NDC 85786-103-90

Regular Strength

Pain Reliever

Acetaminophen 325 mg

Pain Reliever/ Fever Reducer

100 Caplets

Aspirin Free

For Adults

DR. SIMI

NDC 85786-103-90

**Regular Strength
Pain Reliever****Acetaminophen 325 mg****Pain Reliever / Fever Reducer****100
Caplets****Aspirin Free
For Adults****Reseal Area****Drug Facts (continued)**

Do not use ■ With any other drug containing acetaminophen (prescription or nonprescription). If you are not sure whether a drug contains acetaminophen, ask a doctor or pharmacist. ■ If you are allergic to acetaminophen or any of the inactive ingredients in this product.

Ask a doctor before use if the user has liver disease.
Ask a doctor or pharmacist before use if the user is taking the blood thinning drug warfarin.

Stop use and ask a doctor if

- Pain gets worse or lasts more than 10 days in adults.
- Pain gets worse or lasts more than 5 days in children under 12 years.
- Fever gets worse or lasts more than 3 days.
- New symptoms occur.
- Redness or swelling is present.

These could be signs of a serious condition.

If pregnant or breast-feeding, ask a health professional before use.

Keep out of reach of children.

Overdose warning: In case of overdose, get medical help or contact a Poison Control Center right away. (1-800-222-1222) Quick medical attention is critical for adults as well as for children even if you do not notice any signs or symptoms.

Directions

Do not take more than directed (see overdose warning).

<p>■ Take 2 caplets every 4 to 6 hours while symptoms last</p> <p>■ Do not take more than 10 caplets in 24 hours, unless directed by a doctor</p> <p>■ Take 1 caplet every 4 to 6 hours while symptoms last</p> <p>■ Do not take more than 5 caplets in 24 hours</p> <p>■ Do not use for more than 10 days unless directed by a doctor</p>	<p>■ Take 2 caplets every 4 to 6 hours while symptoms last</p> <p>■ Do not take more than 5 caplets in 24 hours</p> <p>■ Do not use for more than 10 days unless directed by a doctor</p>
--	---

Children under 6 years ■ ask a doctor

Drug Facts (continued)**Inactive Ingredients**

Hydroxyisobutyl, Magnesium stearate, Microcrystalline cellulose, Polyethylene glycol 400, Povidone, Pregelatinized starch, Purified water, Stearic acid, Talc, Titanium dioxide.

Questions or comments? (855)-280-1079**Drug Facts****Drug Facts**

Active ingredient (in each caplet)
Acetaminophen 325 mg.....Pain Reliever / Fever Reducer

Purpose

Acetaminophen 325 mg.....Pain Reliever / Fever Reducer

Uses

- Temporarily relieves minor aches and pains due to:
 - Headache. ■ Muscular aches. ■ Backache.
 - Minor pain of arthritis. ■ The common cold. ■ Toothache.
 - Premenstrual and menstrual cramps.
 - Temporarily reduces fever.

Warnings

Liver warning: This product contains acetaminophen. The maximum daily dose of this product is 10 caplets (3,250 mg) in 24 hours for adults or 5 caplets (1,625 mg) in 24 hours for children. Severe liver damage may occur if:

- Adult takes more than 4,000 mg of acetaminophen in 24 hours.
- Child takes more than 5 doses in 24 hours, which is the maximum daily amount.
- Taken with other drugs containing acetaminophen.
- Adult has 3 or more alcoholic drinks every day while using this product.

Allergy alert: Acetaminophen may cause severe skin reactions. Symptoms may include:


- Skin reddening. ■ Blisters. ■ Rash.
- If a skin reaction occurs, stop use and seek medical help right away.

Distributed by:

FARMACIAS DE SIMILARES TX LLC
800 Brazos St, Ste 250, Austin, TX,
78701, USA.
customerservice@drsimi.com
www.drsimi.com

LOT #

EXP.:



8 50070 04855 1 2

Hinge**DR SIMI PAIN RELIEF**
acetaminophen tablet, coated**Product Information****Product Type****HUMAN OTC DRUG****Item Code (Source)****NDC:85786-103**

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
ACETAMINOPHEN (UNII: 36209ITL9D) (ACETAMINOPHEN - UNII:36209ITL9D)	ACETAMINOPHEN	325 mg

Inactive Ingredients

Ingredient Name	Strength
TITANIUM DIOXIDE (UNII: 15FIX9V2JP)	
WATER (UNII: 059QF0KOOR)	
MAGNESIUM STEARATE (UNII: 70097M6I30)	
HYPROMELLOSES (UNII: 3NXW29V3WO)	
POVIDONE K30 (UNII: U725QWY32X)	
TALC (UNII: 7SEV7J4R1U)	
POLYETHYLENE GLYCOL 400 (UNII: B697894SGQ)	
STARCH, CORN (UNII: 08232NY3SJ)	
MICROCRYSTALLINE CELLULOSE (UNII: OP1R32D61U)	
STEARIC ACID (UNII: 4ELV7Z65AP)	

Product Characteristics

Color	white	Score	2 pieces
Shape	CAPSULE	Size	17mm
Flavor		Imprint Code	S325
Contains			

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:85786-103-90	100 in 1 BOTTLE; Type 0: Not a Combination Product	12/15/2025	

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M013	08/13/2025	

Labeler - Farmacias De Similares TX LLC (119489934)**Establishment**

Name	Address	ID/FEI	Business Operations
Elysium Pharmaceuticals Ltd		863182240	manufacture(85786-103) , analysis(85786-103) , label(85786-103) , pack(85786-103)

