

**ASSORTED FRUIT ANTACID FLAVOR CHEWS- calcium carbonate tablet,
chewable
CVS Pharmacy**

Calcium Carbonate 750 mg

Active ingredient (in each chew)

Calcium carbonate 750 mg

Purpose

Antacid

Uses: Relieves

Heartburn

Sour stomach

Acid indigestion

Upset stomach due to these symptoms

Warnings

Do not use if you have ever had a allergic reaction to this product or any of its ingredients.

Ask a doctor or pharmacist before use if you are now taking a prescription drug. Antacids may interact with certain prescription drugs.

Do not take more than 5 chews in a 24-hour period, or use the maximum dosage for more than 2 weeks, except under the advice and supervision of a physician.

Each chew contains: calcium 300 mg, magnesium 1 mg

Contains soy

If pregnant or breast-feeding, ask a health professional before use.


Keep out of reach of children.

Directions

Adults and children 12 years and older chew and swallow 1 to 2 chews every 2-4 hours as needed. Do not exceed 5 chews in 24 hours. Children under 12 years consult a doctor.

Inactive ingredients: Beeswax, carmine, carnauba wax, citric acid, corn syrup, DL-alpha tocopherol, ethyl acetate, FD&C blue no. 1 aluminum lake, FD&C red no. 40 aluminum lake, FD&C yellow no. 5 lake (tartrazine), FD&C yellow no. 6, FD&C yellow no. 6 aluminum lake, gum arabic, hydrogenated coconut oil, medium chain triglycerides, methyl paraben, modified corn starch, natural and artificial flavors, pregelatinized corn starch, propylene glycol, propyl paraben, phosphoric acid, purified water, shellac, sodium benzoate, sorbic acid, sorbitol, soy lecithin, soybean oil, sucrose, and titanium dioxide.

Questions? Or to report an adverse event call 1-800-245-2898 Monday - Friday, 9AM to 4PM EST



Description: CVS 90CT ASSORTED FRUIT LABEL
Part#: 217916 **Size:** 3.000000" x 7.875000"
Group: **Die #:** 15793
Template: 20064 **Stock:** 60# SG
Old Label#: **Rewind #:** 3
Colors: **Proof Out:** 06/18/15

F=Front B=Back L=Flood S=Spot M=Match P=Process PR=Primer UV=UV Ink %=Screen V=Varnish ADH=Adhesive LAM=Laminant FB=Front Base BB=Back Base X=Seamless

- | | | |
|-----------|-----------|-----------|
| PRYL - FP | BLK - FP | 186 - F |
| MAG - FP | 338 - F% | 288 - F |
| CYAN - FP | 2250 - F% | UV01 - FS |

PROOF INDICATES COLOR BREAK ONLY AND MAY NOT ACCURATELY REFLECT ACTUAL PRODUCTION COLORS.

Label:522730 Date:6/18/2015 Time:06:59:20

<p>Drug Facts (continued) Inactive ingredients (continued) gum arabic, hydrogenated coconut oil, medium chain triglycerides, methyl paraben, modified corn starch, natural and artificial flavors, pregelatinized corn starch, propylene glycol, propyl paraben, phosphoric acid, purified water, shellac, sodium benzoate, sorbic acid, sorbitol, soy lecithin, sucrose, titanium dioxide, Soybean oil and corn starch used as processing aids.</p> <p>Other information ■ Each chew contains: calcium 300mg, magnesium 1mg ■ Contains soy ■ Store between 20° to 25°C (68° to 77°F) in a dry place Questions? Or to report an adverse event call 1-800-245-2898 Monday - Friday, 9AM - 4PM EST</p> <p><small>*This product is not manufactured or distributed by Bayer, owner of the registered trademark, Alka-Seltzer® or any of its affiliates.</small></p> <p>Flavor Chews® and Chewy net Chalky® are registered trademarks of Bestco Inc.</p> <p>Certified Gluten-Free</p>	<p>Compare to the active ingredient in Alka-Seltzer® Chewy not Chalky</p>	<p>Drug Facts Active ingredient (in each chew) Purpose Calcium carbonate 750 mg Antacid</p> <p>Uses Relieves ■ Heartburn ■ Sour stomach ■ Acid indigestion ■ Upset stomach due to these symptoms</p> <p>Warnings Do not use if you have ever had an allergic reaction to this product or any of its ingredients. Ask a doctor or pharmacist before use if you are now taking a prescription drug. Antacids may interact with certain prescription drugs. Do not take more than 5 chews in a 24-hour period, or use the maximum dosage for more than 2 weeks, except under the advice and supervision of a physician. When using this product constipation may occur. if pregnant or breast-feeding, ask a health professional before use. Keep out of reach of children.</p> <p>Directions Adults and children 12 years and older chew and swallow 1 to 2 chews every 2-4 hours as needed. Do not exceed 5 chews in 24 hours. Children under 12 years consult a doctor.</p> <p>Inactive ingredients Beeswax, carmine, carnauba wax, citric acid, corn syrup, DL-alpha tocopherol, ethyl acetate, FD&C blue no. 1 aluminum lake, FD&C red no. 40 aluminum lake, FD&C yellow no. 5 lake (patented), FD&C yellow no. 6, FD&C yellow no. 6 aluminum lake.</p> <p><small>TAMPER EVIDENT: DO NOT USE IF IMPRINTED SAFETY SEAL UNDER CAP IS BROKEN OR MISSING.</small></p>
---	---	--

press web direction

ASSORTED FRUIT ANTACID FLAVOR CHEWS

calcium carbonate tablet, chewable

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:59779-748
Route of Administration	ORAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
CALCIUM CARBONATE (UNII: H0G9379FGK) (CALCIUM CATION - UNII:2M83C4R6ZB)	CALCIUM CARBONATE	750 mg

Inactive Ingredients

Ingredient Name	Strength
SUCROSE (UNII: C151H8M554)	

Product Characteristics

Color	pink (Orange, Pink, and Yellow)	Score	no score
Shape	ROUND	Size	14mm
Flavor	FRUIT	Imprint Code	FC
Contains			

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:59779-748-90	90 in 1 BOTTLE, PLASTIC; Type 0: Not a Combination Product	06/01/2015	



Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M001	06/01/2015	

Labeler - CVS Pharmacy (062312574)

Registrant - Bestco Inc. (002149136)

Establishment

Name	Address	ID/FEI	Business Operations
Bestco Inc		002149136	manufacture(59779-748)

Revised: 12/2025

CVS Pharmacy