

**IMMUNE SUPPORT- echinacea (angustifolia), arnica montana, baptisia tinctoria, sanguinaria canadensis, aristolochia clematidis, eupatorium perfoliatum, euphorbium officinarum, aconitum napellus, argentum nitricum, arsenicum album, bryonia (alba), gelsemium sempervirens, mercurius corrosivus, phosphorus, phytolacca decandra, pulsatilla (pratensis), rhus tox, sulphur, thuja occidentalis, hepar sulphuris calcareum, lachesis mutus, zincum metallicum, astragalus membranaceus, influenzinum (2021-2022), spleen (suis), thymus, liquid Deseret Biologicals, Inc.**

*Disclaimer: This homeopathic product has not been evaluated by the Food and Drug Administration for safety or efficacy. FDA is not aware of scientific evidence to support homeopathy as effective.*

-----

## **DRUG FACTS**

### **ACTIVE INGREDIENTS:**

Echinacea (Angustifolia) 1X, Arnica Montana 4X, Baptisia Tinctoria 4X, Sanguinaria Canadensis 4X, Aristolochia Clematidis 6X, Eupatorium Perfoliatum 6X, Euphorbium Officinarum 6X, Aconitum Napellus 8X, Argentum Nitricum 8X, Arsenicum Album 8X, Bryonia (Alba) 8X, Gelsemium Sempervirens 8X, Mercurius Corrosivus 8X, Phosphorus 8X, Phytolacca Decandra 8X, Pulsatilla (Pratensis) 8X, Rhus Tox 8X, Sulphur 8X, Thuja Occidentalis 8X, Hepar Sulphuris Calcareum 10X, Lachesis Mutus 10X, Zincum Metallicum 10X, Astragalus Membranaceus 12X, Influenzinum (2021-2022) 12X, Spleen (Suis) 12X, Thymus (Suis) 12X, Viscum Album 12X, Cortisone Aceticum 13X, Pyrogenium 200X.

### **HOMEOPATHIC INDICATIONS:**

For temporary relief of symptoms related to infection, such as cough, fever, headache, fatigue, cold, muscle pain, sore throat, ear, nose and throat congestion.\*\*

\*\*These statements are based upon homeopathic principles. They have not been reviewed by the Food and Drug Administration.

### **WARNINGS:**

**Keep out of reach of children.** In case of overdose, contact a physician or Poison Control Center right away.

**If pregnant or breast-feeding,** ask a health professional before use.

Tamper seal: "Sealed for Your Protection." Do not use if seal is broken or missing.

WARNING: Severe or persistent sore throat or sore throat accompanied by high fever, headache, nausea, and vomiting may be serious. Consult a physician promptly. Do not use more than two days or administer to children under 3 years of age unless directed by a physician.

**KEEP OUT OF REACH OF CHILDREN:**

**Keep out of reach of children.** In case of overdose, contact a physician or Poison Control Center right away.

**DIRECTIONS:**

1-10 drops under the tongue, 3 times a day or as directed by a health professional. Consult a physician for use in children under 12 years of age.

**HOMEOPATHIC INDICATIONS:**

For temporary relief of symptoms related to infection, such as cough, fever, headache, fatigue, cold, muscle pain, sore throat, ear, nose and throat congestion.\*\*

\*\*These statements are based upon homeopathic principles. They have not been reviewed by the Food and Drug Administration.

**INACTIVE INGREDIENTS:**

Demineralized Water, 25% Ethanol

**QUESTIONS:**

Dist. By: Deseret Biologicals, Inc.  
469 W. Parkland Drive  
Sandy, UT 84070 [www.desbio.com](http://www.desbio.com)

**PACKAGE LABEL DISPLAY:**

**DESBIO**  
**NDC 43742-2042-1**  
**HOMEOPATHIC**  
**IMMUME**  
**SUPPORT**  
**1 FL OZ (30 ml)**

**WARNINGS:**

**Keep out of reach of children.** In case of overdose, contact a physician or Poison Control Center right away. **If pregnant or breast-feeding,** ask a health professional before use. Tamper seal: "Sealed for Your Protection." Do not use if seal is broken or missing.

**DIRECTIONS:**

1-10 drops under the tongue, 3 times a day or as directed by a health professional. Consult a physician for use in children under 12 years of age.

**WARNING:** Severe or persistent sore throat or sore throat accompanied by high fever, headache, nausea, and vomiting may be serious. Consult a physician promptly. Do not use more than two days or administer to children under 3 years of age unless directed by a physician.

Dist. By: Deseret Biologicals, Inc.  
469 W. Parkland Drive  
Sandy, UT 84070 [www.desbio.com](http://www.desbio.com)

**ACTIVE INGREDIENTS:**

Echinacea 1X, Arnica 4X, Baptisia 4X, Sanguinaria 4X, Aristolochia Clem 6X, Eupatorium Perf 6X, Euphorbium 6X, Aconitum Nap 8X, Arg Nit 8X, Arsenicum Alb 8X, Bryonia 8X, Gelsemium 8X, Merc Corros 8X, Phos 8X, Phytolacca 8X, Pulsatilla 8X, Rhus Tox 8X, Sulphur 8X, Thuja Occ 8X, Hepar Sulph Calc 10X, Lachesis 10X, Zinc Met 10X, Astragalus Membranaceus 12X, Influenzinum 12X, Spleen 12X, Thymus 12X, Viscum 12X, Cortisone Aceticum 13X, Pyrogenium 200X.

**HOMEOPATHIC INDICATIONS:**

For temporary relief of symptoms related to infection, such as cough, fever, headache, fatigue, cold, muscle pain, sore throat, ear, nose and throat congestion.\*\*

\*\*These statements are based upon homeopathic principles. They have not been reviewed by the Food and Drug Administration.

LOT: XXXXXX

**IMMUNE SUPPORT**

echinacea (angustifolia), arnica montana, baptisia tinctoria, sanguinaria canadensis, aristolochia clematitis, eupatorium perfoliatum, euphorbium officinarum, aconitum napellus, argentum nitricum, arsenicum album, bryonia (alba), gelsemium sempervirens, mercurius corrosivus, phosphorus, phytolacca decandra, pulsatilla (pratensis), rhus tox, sulphur, thuja occidentalis, hepar sulphuris calcareum, lachesis mutus, zincum metallicum, astragalus membranaceus, influenza (2021-2022), spleen (suis), thymus, liquid

**Product Information**

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:43742-2042
<b>Route of Administration</b>	ORAL		

**Active Ingredient/Active Moiety**

Ingredient Name	Basis of Strength	Strength
<b>ECHINACEA ANGUSTIFOLIA WHOLE</b> (UNII: VB06AV5US8) (ECHINACEA ANGUSTIFOLIA - UNII:VB06AV5US8)	ECHINACEA ANGUSTIFOLIA WHOLE	1 [hp_X] in 1 mL
<b>ARNICA MONTANA WHOLE</b> (UNII: O80TY208ZW) (ARNICA MONTANA - UNII:O80TY208ZW)	ARNICA MONTANA WHOLE	4 [hp_X] in 1 mL
<b>BAPTISIA TINCTORIA ROOT</b> (UNII: 5EF0HW5WU) (BAPTISIA TINCTORIA ROOT - UNII:5EF0HW5WU)	BAPTISIA TINCTORIA ROOT	4 [hp_X] in 1 mL
<b>SANGUINARIA CANADENSIS ROOT</b> (UNII: N9288CD508) (SANGUINARIA CANADENSIS ROOT - UNII:N9288CD508)	SANGUINARIA CANADENSIS ROOT	4 [hp_X] in 1 mL
<b>ARISTOLOCHIA CLEMATITIS ROOT</b> (UNII: ZY0NX0W00D) (ARISTOLOCHIA CLEMATITIS ROOT - UNII:ZY0NX0W00D)	ARISTOLOCHIA CLEMATITIS ROOT	6 [hp_X] in 1 mL
<b>EUPATORIUM PERFOLIATUM FLOWERING TOP</b> (UNII: 1W0775VX6E) (EUPATORIUM PERFOLIATUM FLOWERING TOP - UNII:1W0775VX6E)	EUPATORIUM PERFOLIATUM FLOWERING TOP	6 [hp_X] in 1 mL
<b>EUPHORBIA RESINIFERA RESIN</b> (UNII: 1T1I09028K) (EUPHORBIA RESINIFERA RESIN - UNII:1T1I09028K)	EUPHORBIA RESINIFERA RESIN	6 [hp_X] in 1 mL
<b>ACONITUM NAPELLUS WHOLE</b> (UNII: U0NQ8555JD) (ACONITUM NAPELLUS - UNII:U0NQ8555JD)	ACONITUM NAPELLUS WHOLE	8 [hp_X] in 1 mL
<b>SILVER NITRATE</b> (UNII: 05IT2W01ZE) (SILVER CATION - UNII:57N7B0X00A)	SILVER NITRATE	8 [hp_X]

<b>SILVER NITRATE</b> (UNII: 93113W0JZE) (SILVER CATION - UNII:57N7B0K90A)	SILVER NITRATE	in 1 mL
<b>ARSENIC TRIOXIDE</b> (UNII: S7V92P67HO) (ARSENIC CATION (3+) - UNII:C96613F5AV)	ARSENIC TRIOXIDE	8 [hp_X] in 1 mL
<b>BRYONIA ALBA ROOT</b> (UNII: T7J046YI2B) (BRYONIA ALBA ROOT - UNII:T7J046YI2B)	BRYONIA ALBA ROOT	8 [hp_X] in 1 mL
<b>GELSEMIUM SEMPERVIRENS ROOT</b> (UNII: 639KR60Q1Q) (GELSEMIUM SEMPERVIRENS ROOT - UNII:639KR60Q1Q)	GELSEMIUM SEMPERVIRENS ROOT	8 [hp_X] in 1 mL
<b>MERCURIC CHLORIDE</b> (UNII: 53GH7MZT1R) (MERCURIC CATION - UNII:ED30FJ8Y42)	MERCURIC CHLORIDE	8 [hp_X] in 1 mL
<b>PHOSPHORUS</b> (UNII: 27YLU75U4W) (PHOSPHORUS - UNII:27YLU75U4W)	PHOSPHORUS	8 [hp_X] in 1 mL
<b>PHYTOLACCA AMERICANA ROOT</b> (UNII: 11E6VI8VEG) (PHYTOLACCA AMERICANA ROOT - UNII:11E6VI8VEG)	PHYTOLACCA AMERICANA ROOT	8 [hp_X] in 1 mL
<b>PULSATILLA PRATENSIS WHOLE</b> (UNII: 8E272251DI) (PULSATILLA PRATENSIS WHOLE - UNII:8E272251DI)	PULSATILLA PRATENSIS WHOLE	8 [hp_X] in 1 mL
<b>TOXICODENDRON PUBESCENS LEAF</b> (UNII: 6IO182RP7A) (TOXICODENDRON PUBESCENS LEAF - UNII:6IO182RP7A)	TOXICODENDRON PUBESCENS LEAF	8 [hp_X] in 1 mL
<b>SULFUR</b> (UNII: 70FD1KFU70) (SULFUR - UNII:70FD1KFU70)	SULFUR	8 [hp_X] in 1 mL
<b>THUJA OCCIDENTALIS LEAFY TWIG</b> (UNII: 1NT28V9397) (THUJA OCCIDENTALIS LEAFY TWIG - UNII:1NT28V9397)	THUJA OCCIDENTALIS LEAFY TWIG	8 [hp_X] in 1 mL
<b>CALCIUM SULFIDE</b> (UNII: 1MBW07J51Q) (CALCIUM SULFIDE - UNII:1MBW07J51Q)	CALCIUM SULFIDE	10 [hp_X] in 1 mL
<b>LACHESIS MUTA VENOM</b> (UNII: VSW71SS07I) (LACHESIS MUTA VENOM - UNII:VSW71SS07I)	LACHESIS MUTA VENOM	10 [hp_X] in 1 mL
<b>ZINC</b> (UNII: J41CSQ7QDS) (ZINC - UNII:J41CSQ7QDS)	ZINC	10 [hp_X] in 1 mL
<b>ASTRAGALUS PROPINQUUS ROOT</b> (UNII: 922OP8YUPF) (ASTRAGALUS PROPINQUUS ROOT - UNII:922OP8YUPF)	ASTRAGALUS PROPINQUUS ROOT	12 [hp_X] in 1 mL
<b>INFLUENZA A VIRUS A/VICTORIA/2570/2019 IVR-215 (H1N1) ANTIGEN (FORMALDEHYDE INACTIVATED)</b> (UNII: WD5E5VYM2E) (INFLUENZA A VIRUS A/VICTORIA/361/2011 IVR-165 (H3N2) HEMAGGLUTININ ANTIGEN (FORMALDEHYDE INACTIVATED) - UNII:W762BRG698)	INFLUENZA A VIRUS A/VICTORIA/2570/2019 IVR-215 (H1N1) ANTIGEN (FORMALDEHYDE INACTIVATED)	12 [hp_X] in 1 mL
<b>INFLUENZA A VIRUS A/TASMANIA/503/2020 IVR-221 (H3N2) ANTIGEN (FORMALDEHYDE INACTIVATED)</b> (UNII: V529EJB2CX) (INFLUENZA A VIRUS A/TASMANIA/503/2020 IVR-221 (H3N2) HEMAGGLUTININ ANTIGEN (FORMALDEHYDE INACTIVATED) - UNII:CYN792B8TR)	INFLUENZA A VIRUS A/TASMANIA/503/2020 IVR-221 (H3N2) ANTIGEN (FORMALDEHYDE INACTIVATED)	12 [hp_X] in 1 mL
<b>INFLUENZA B VIRUS B/WASHINGTON/02/2019 ANTIGEN (FORMALDEHYDE INACTIVATED)</b> (UNII: VEH9U90EHX) (INFLUENZA B VIRUS B/WASHINGTON/02/2019 HEMAGGLUTININ ANTIGEN (FORMALDEHYDE INACTIVATED) - UNII:1G2CU2LIB5)	INFLUENZA B VIRUS B/WASHINGTON/02/2019 ANTIGEN (FORMALDEHYDE INACTIVATED)	12 [hp_X] in 1 mL
<b>INFLUENZA B VIRUS B/PHUKET/3073/2013 ANTIGEN (FORMALDEHYDE INACTIVATED)</b> (UNII: B93BQX9789) (INFLUENZA B VIRUS B/PHUKET/3073/2013 HEMAGGLUTININ ANTIGEN (FORMALDEHYDE INACTIVATED) - UNII:9HB0XUS9TM)	INFLUENZA B VIRUS B/PHUKET/3073/2013 ANTIGEN (FORMALDEHYDE INACTIVATED)	12 [hp_X] in 1 mL
<b>SUS SCROFA SPLEEN</b> (UNII: 92AMN5J79Y) (SUS SCROFA SPLEEN - UNII:92AMN5J79Y)	SUS SCROFA SPLEEN	12 [hp_X] in 1 mL
<b>SUS SCROFA THYMUS</b> (UNII: 7B69B0BD62) (SUS SCROFA THYMUS - UNII:7B69B0BD62)	SUS SCROFA THYMUS	12 [hp_X] in 1 mL
<b>VISCUM ALBUM FRUITING TOP</b> (UNII: BK9092J5MP) (VISCUM ALBUM FRUITING TOP - UNII:BK9092J5MP)	VISCUM ALBUM FRUITING TOP	12 [hp_X] in 1 mL
<b>CORTISONE ACETATE</b> (UNII: 883WKN7W8X) (CORTISONE - UNII:V27W9254FZ)	CORTISONE ACETATE	13 [hp_X] in 1 mL
<b>RANCID BEEF</b> (UNII: 29SUH5R3HU) (RANCID BEEF - UNII:29SUH5R3HU)	RANCID BEEF	200 [hp_X] in 1 mL

## Inactive Ingredients

Ingredient Name			Strength	
WATER (UNII: 059QF0KO0R)				
ALCOHOL (UNII: 3K9958V90M)				
<b>Packaging</b>				
#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:43742-2042-1	30 mL in 1 BOTTLE, DROPPER; Type 0: Not a Combination Product	11/23/2021	07/19/2027
<b>Marketing Information</b>				
Marketing Category	Application Number or Monograph Citation		Marketing Start Date	Marketing End Date
unapproved homeopathic			11/23/2021	07/19/2027

**Labeler** - Deseret Biologicals, Inc. (940741853)

**Registrant** - Apotheca Company (844330915)

### Establishment

Name	Address	ID/FEI	Business Operations
Apotheca Company		844330915	manufacture(43742-2042) , api manufacture(43742-2042) , label(43742-2042) , pack(43742-2042)

Revised: 12/2022

Deseret Biologicals, Inc.