# ESOMEPRAZOLE MAGNESIUM - esomeprazole magnesium capsule, delayed release

### **Amerisource Bergen**

-----

## Esomeprazole Magnesium Delayed-Release Capsules USP 20 mg\*

### **Drug Facts**

Active ingredient (in each capsule)

\*Esomeprazole 20 mg (Each delayed-release capsule corresponds to 22.3 mg esomeprazole magnesium trihydrate USP)

### **Purpose**

Acid reducer

#### Uses

- treats frequent heartburn (occurs <u>2 or more</u> days a week)
- not intended for immediate relief of heartburn; this drug may take 1 to 4 days for full effect

## Warnings

## Allergy alert:

- Do not use if you are allergic to esomeprazole.
- Esomeprazole may cause severe skin reactions.

# Symptoms may include:

- Skin reddening
- blisters
- rash. If an allergic reaction occurs, stop use and seek medical help right away.

# Do not use if you have:

- trouble or pain swallowing food, vomiting with blood, or bloody or black stools
- heartburn with **lightheadedness**, **sweating or dizziness**
- chest pain or shoulder pain with shortness of breath; sweating; pain spreading to arms, neck or shoulders; or lightheadedness
- frequent chest pain.

These may be signs of a serious condition. See your doctor.

# Ask a doctor before use if you have

- had heartburn over 3 months. This may be a sign of a more serious condition.
- frequent wheezing, particularly with heartburn
- unexplained weight loss
- nausea or vomiting
- stomach pain

## Ask a doctor or pharmacist before use if you are

• taking a prescription drug. Acid reducers may interact with certain prescription drugs.

## Stop use and ask a doctor if

- your heartburn continues or worsens
- you need to take this product for more than 14 days
- you need to take more than 1 course of treatment every 4 months
- you get diarrhea
- you develop a rash or joint pain

**If pregnant or breast-feeding,** ask a health professional before use.

## Keep out of reach of children.

In case of overdose, get medical help or contact a Poison Control Center right away. (1-800-222-1222)

#### **Directions**

- adults 18 years of age and older
- this product is to be used once a day (every 24 hours), every day for 14 days
- may take 1 to 4 days for full effect

# **14-Day Course of Treatment**

- swallow 1 capsule with a glass of water before eating in the morning
- take every day for 14 days
- do not take more than 1 capsule a day
- swallow whole. Do not crush or chew capsules.
- do not use for more than 14 days unless directed by your doctor

# Repeated 14-Day Courses (if needed)

- you may repeat a 14-day course every 4 months
- do not take for more than 14 days or more often than every 4 months unless directed by a doctor
- children under 18 years of age: ask a doctor before use. Heartburn in children may sometimes be caused by a serious condition.

#### Other information

read the directions and warnings before use

- keep the carton. It contains important information.
- store at 20-25°C (68-77°F)
- Meets USP dissolution test 2

## Inactive ingredients

colloidal silicon dioxide, FD&C blue no.1, gelatin, hydroxypropyl cellulose, hypromellose, magnesium carbonate, magnesium oxide, methacrylic acid and ethyl acrylate copolymer dispersion, mono and di glycerides, polysorbate 80, propylene glycol, shellac, sodium lauryl sulfate, strong ammonia solution, sugar spheres (which contains starch (maize) and sucrose), talc, titanium dioxide, triethyl citrate and yellow iron oxide.

#### Questions or comments?

call **1-855-274-4122** (Monday – Friday 8:30 AM to 5:00 PM EST)

Distributed By AmerisourceBergen 1 West First Avenue Conshohocken, PA 19428 Questions or Concerns? www.mygnp.com

Made in India

# PACKAGE LABEL-PRINCIPAL DISPLAY PANEL - 20 mg (14 Capsule Container Label)

GOOD

**NEIGHBOR** 

**PHARMACY®** 

NDC 46122-821-61 24 HR Esomeprazole Magnesium delayed-release capsules USP 20 mg\*

#### Acid Reducer

Treats Frequent Heartburn
May take 1 to 4 days for full effect

Capsules

14 Capsules | One 14-day course of treatment

# **Top Ply**



Top Ply (Page #1)

\*Lot: XXXXXXXXX Exp.: YYYY-MMM Prefix, Variables of Lot, Exp and Neutral code shall be printed online during packing.

Warnings

Allergy afert: = Do not use if you are allergic to esomeprazole. = Esomeprazole may cause severe skin reactions. Symptoms may include: = Skin reddening a billsters = rash. If an allergic reaction occurs, stop use and seek medical help right away. Do not use if you have: = trouble or pain swallowing food, vomiting with blood, or abloody or lake stools = hearthurn with lightheadedness, sweating or dizziness = chest pain or shoulder pain with shortness of breath; sweating; pain spreading to arms, neck = or shoulders; or lightheadedness = frequent chest pain. These may be signs of a serious condition. See your doctor. Ask a doctor before use if you have = had hearthurn over a months. This may be a sign of a more serious condition. = frequent wheezing, particularly with hearthurn = unexplained weight loss = nausea or vomiting = stomach pain.

Ask a doctor or pharmacist before use if you are = taking a prescription drug. Acid reducers may interact with certain prescription drugs. Stop use and ask a doctor if = your hearthurn continues or worsens = you need to take this product for more than 14 days = you need to take more than 1 course of treatment every 4 months = you get diarrhea = you develop a rash or joint pain. If pregnant or breast-feeding, ask a health professional before use. Keep out of reach of children. In case of overdose, get medical help or econtact a Poison Control Center right away. (1-800-222-1222) Directions = adults 18 years of age and older = this product is to be used once a day (every 24 hours),

Back of Top Ply (Page #2)

# **Bottom Ply**

Base (Page #3)

every day for 14 days = may take 1 to 4 days for full effect. 14-Day Course of Treatment = swallow 1 capsule with a glass of water before eating in the morning.

= take every day for 14 days = do not take more than 1 capsule a day = swallow whole. Do not crush or chew capsules. = do not use for more than 14 days
unless directed by your doctor. Repeated 14-Day Courses (if needed) = you may repeat a 14-day course every 4 months = do not take for more than 14 days or more often

than every 4 months unless directed by a doctor = children under 18 years of age: ask a doctor before use. Heartburn in children may sometimes be caused by a serious
condition. Other information = read the directions and warnings before use = keep the carton. It contains important information. = store at 20-25°C (68-77°F) = Meets
JUSP dissolution test 2. Inactive ingredients colicidal silicon dioxide, FD&C blue no.1, gelatin, hydroxypropyl cellulose, hypromellose, magnesium coxide, exceptive and and ethyl acrylate copolymer dispersion, mono and di glycerides, polysorbate 80, propylene glycol, shellac, sodium lauryl sulfate, strong ammonia solution, sugar spheres (which contains starch (maize) and sucrose), talc, titanium dioxide, triethyl citrate and yellow iron oxide.

\*\*Questions or comments?\*\* call 1-855-274-4122 (Monday - Friday 8:30 AM to 5:00 PM EST)\*\*

P148594

# PACKAGE LABEL-PRINCIPAL DISPLAY PANEL - 20 mg (14 Capsule Container Carton)

#Compare to Nexium® 24 HR Active ingredient

### GOOD

**NEIGHBOR** 

**PHARMACY**®

NDC 46122-821-61

See new warning information 24 HR Esomeprazole
Magnesium
delayed-release capsules USP 20 mg\*

## Acid Reducer


# **Treats Frequent Heartburn**

May take 1 to 4 days for full effect

# Capsules

actual size

**14** Capsules | One 14-day Course of treatment



### **ESOMEPRAZOLE MAGNESIUM**

esomeprazole magnesium capsule, delayed release

### **Product Information**

Product Type HUMAN OTC DRUG Item Code (Source) NDC:46122-821

Route of Administration ORAL

### **Active Ingredient/Active Moiety**

,				
Ingredient Name	Basis of Strength	Strength		
<b>ESOMEPRAZOLE MAGNESIUM TRIHYDRATE</b> (UNII: R6DXU4WAY9) (ESOMEPRAZOLE - UNII: N3PA6559FT)	ESOMEPRAZOLE	20 mg		

Inactive Ingredients				
Ingredient Name	Strength			
SILICON DIOXIDE (UNII: ETJ7Z6XBU4)				
FD&C BLUE NO. 1 (UNII: H3R47K3TBD)				
GELATIN, UNSPECIFIED (UNII: 2G86QN327L)				
HYDROXYPROPYL CELLULOSE, UNSPECIFIED (UNII: 9XZ8H6N6OH)				
HYPROMELLOSE, UNSPECIFIED (UNII: 3NXW29V3WO)				
MAGNESIUM CARBONATE (UNII: 0E53J927NA)				
MAGNESIUM OXIDE (UNII: 3A3U0GI71G)				

Product Characteristics			
Color	WHITE	Score	no score
Shape	CAPSULE	Size	14mm
Flavor		Imprint Code	181
Contains			

Packaging				
#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:46122-821- 61	1 in 1 CARTON	08/30/2025	
1		14 in 1 BOTTLE; Type 0: Not a Combination Product		
2	NDC:46122-821- 62	2 in 1 CARTON	08/30/2025	
2		14 in 1 BOTTLE; Type 0: Not a Combination Product		
3	NDC:46122-821- 59	3 in 1 CARTON	08/30/2025	
3		14 in 1 BOTTLE; Type 0: Not a Combination Product		

Marketing Information			
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
ANDA	ANDA209339	08/30/2025	

# **Labeler -** Amerisource Bergen (007914906)

# Registrant - Aurohealth LLC (078728447)

# **Establishment**

Name	Address	ID/FEI	Business Operations
Aurobindo Pharma Limited		650381903	ANALYSIS(46122-821), MANUFACTURE(46122-821)

Revised: 8/2025 Amerisource Bergen