

**OCEAN POTION FACE WITH CLEAR ZINC OXIDE BROAD SPECTRUM SPF 50
SUNSCREEN- octocrylene, zinc oxide lotion
GNL BRANDS INTERNATIONAL, LLC**

Ocean Potion Face with Clear Zinc Oxide Broad Spectrum SPF 50 Sunscreen

Active ingredients

Octocrylene 4.0%, Zinc Oxide 5.0%

Purpose

Sunscreen

Uses

- helps prevent sunburn
- if used as directed with other sun protection measures (see ***Directions***), decreases the risk of skin cancer and early aging caused by the sun

Warnings

For external use only

Do not use

- on damaged or broken skin.

When using this product

- keep out of eyes. Rinse with water to remove.

Stop use and ask a doctor if

- rash occurs.

Keep out of reach of children.

If swallowed, get medical help or contact a Poison Control Center right away.

Directions

- apply liberally 15 minutes before sun exposure.
- reapply:
- after 80 minutes of swimming or sweating
- immediately after towel drying

- at least every 2 hours
- children under 6 months of age: Ask a doctor
- **Sun Protection Measures.** Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including:
 - limit time in the sun especially from 10 a.m. – 2 p.m.
 - wear long-sleeved shirts, pants, hats, and sunglasses

Other information

- protect the product in this container from excessive heat and direct sun
- may stain or damage some fabrics, materials or surfaces

Inactive ingredients

water, ethylhexyl stearate, diisopropyl adipate, cetyl dimethicone, polyglyceryl-4 isostearate, cetyl PEG/PPG-10/1 dimethicone, hexyl laurate, phenoxyethanol, beeswax, isohexadecane, hydrogenated castor oil, fragrance, silica, triethoxycaprylylsilane, dimethicone, tocopherol (Vitamin E), tetrasodium EDTA, aloe barbadensis leaf juice, sodium chloride, sodium ascorbyl phosphate.

Label



FRONT

Face • Nose • Lips • Ears

1 FL OZ (30 mL)

Blended and Filled in the U.S.A. with Imported and Domestic Ingredients



Distributed by
GNL BRANDS INTERNATIONAL LLC
Fort Lauderdale, FL 33306

Drug Facts

Active Ingredients Purpose
Octocrylene 4.0%, Zinc Oxide 5.0% — Sunscreen ▶

web direction
(left side off first)



INSIDE BACK

Drug Facts (continued)

Uses • helps prevent sunburn

Warnings

For external use only ▶

Drug Facts (continued)

Do not use • on damaged or broken skin.

When using this product • keep out of eyes. Rinse with water to remove.

Stop use and ask a doctor if • rash occurs.

Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away. ▶

Drug Facts (continued)

Directions

• apply liberally 15 minutes before sun exposure
• reapply: • after 80 minutes of swimming or sweating
• immediately after towel drying • at least every 2 hours
• children under 6 months of age: Ask a doctor ▶

BASE

Drug Facts (continued)

• Sun Protection Measures. Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a broad spectrum SPF value of 15 or higher and other sun protection measures including:
• limit time in the sun, especially from 10 a.m. – 2 p.m. • wear long-sleeved shirts, pants, hats, and sunglasses ▶

Drug Facts (continued)

Other information • protect the product in this container from excessive heat and direct sun • may stain some fabrics ▶

Drug Facts (continued)

Inactive ingredients also barbadensis leaf juice, beeswax, cetyl dimethicone, cetyl PEG-PPG-10/1 dimethicone, diisopropyl adipate, dimethicone, ethylhexyl stearate, fragrance, hexyl laurate, hydrogenated castor oil, isohexadecane, phenoxethanol, polyglyceryl-4 isostearate, silica, sodium ascorbyl phosphate, sodium chloride, tetrasodium EDTA, tocopherol (vitamin E), triethoxycaprylylsilane, water. ▶



OCEAN POTION FACE WITH CLEAR ZINC OXIDE BROAD SPECTRUM SPF 50 SUNSCREEN

octocrylene, zinc oxide lotion

Product Information				
Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:85638-006	
Route of Administration	TOPICAL			
Active Ingredient/Active Moiety				
Ingredient Name		Basis of Strength	Strength	
ZINC OXIDE (UNII: SOI2LOH54Z) (ZINC OXIDE - UNII:SOI2LOH54Z)		ZINC OXIDE	50.2125 mg in 1 mL	
OCTOCRYLENE (UNII: 5A68WGF6WM) (OCTOCRYLENE - UNII:5A68WGF6WM)		OCTOCRYLENE	40 mg in 1 mL	
Inactive Ingredients				
Ingredient Name			Strength	
POLYGLYCERYL-4 ISOSTEARATE (UNII: 820DPX33S7)				
SODIUM CHLORIDE (UNII: 451W47IQ8X)				
EDETATE SODIUM (UNII: MP1J8420LU)				
CETYL PEG/PPG-10/1 DIMETHICONE (HLB 5) (UNII: 035JKJ76MT)				
TRIETHOXYCAPRYLYLSILANE (UNII: LDC331P08E)				
HEXYL LAURATE (UNII: 4CG9F9W01Q)				
ETHYLHEXYL STEARATE (UNII: EG3PA2K3K5)				
CETYL DIMETHICONE 25 (UNII: U4AS1BW4ZB)				
SODIUM ASCORBYL PHOSPHATE (UNII: 836SJG51DR)				
ALOE VERA LEAF (UNII: ZY81Z83H0X)				
SILICON DIOXIDE (UNII: ETJ7Z6XBU4)				
YELLOW WAX (UNII: 2ZA36H0S2V)				
HYDROGENATED CASTOR OIL (UNII: ZF94AP8MEY)				
ISOHEXADECANE (UNII: 918X1OUF1E)				
DIISOPROPYL ADIPATE (UNII: P7E6YFV72X)				
WATER (UNII: 059QF0KO0R)				
PHENOXYETHANOL (UNII: HIE492ZZ3T)				
DIMETHICONE (UNII: 92RU3N3Y1O)				
TOCOPHEROL (UNII: R0ZB2556P8)				
Packaging				
#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:85638-006-42	30 mL in 1 JAR; Type 0: Not a Combination Product	12/17/2024	
Marketing Information				
Marketing Category		Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug		M020	12/17/2024	

Revised: 8/2025

GNL BRANDS INTERNATIONAL, LLC