

NITROGEN- nitrogen gas
Depke Welding Supplies, Inc.

Nitrogen

NITROGEN, COMPRESSED NF UN1066 NON-FLAMMABLE GAS 2

Rx only. **WARNING:** Administration of Nitrogen may be hazardous or contraindicated. For use only by or under the supervision of a licensed practitioner who is experienced in the use and administration of Nitrogen and is familiar with the indications, effects, dosages, methods, and frequency and duration of administration, and with the hazards, contraindications, and side effects and the precautions to be taken. **WARNING:** CONTAINS GAS UNDER PRESSURE; MAY EXPLODE IF HEATED. MAY DISPLACE OXYGEN AND CAUSE RAPID SUFFOCATION. Do not handle until all safety precautions have been read and understood. Use and store only outdoors or in a well-ventilated place. Use a back flow preventive device in the piping. Use only with equipment rated for cylinder pressure. Close valve after each use and when empty. Protect from sunlight when ambient temperature exceeds 52 degrees C (125 degrees F). Read and follow the Safety Data Sheet (SDS) before use. **FIRST AID: IF INHALED:** Remove person to fresh air and keep comfortable for breathing. Get medical advice/attention.

CAS: 7727-37-9 DO NOT REMOVE THIS PRODUCT LABEL.

CONTENTS: NIMK 228 CF NIMT 304 CF

Depke GASES AND WELDING SUPPLIES 628 E WILLIAMS ST DANVILLE, IL 61832 1-800-38-DEPKE



REFRIGERATED LIQUID NITROGEN, REFRIGERATED LIQUID NF UN1977
NON-FLAMMABLE GAS 2

Rx ONLY

WARNING: Administration of Nitrogen may be hazardous or contraindicated. For use only by or under the supervision of a licensed practitioner who is experienced in the use and administration of Nitrogen and is familiar with the indications, effects, dosages, methods, and frequency and duration of administration, and with the hazards, contraindications, and side effects and the precautions to be taken.

WARNING: CONTAINS REFRIGERATED GAS; MAY CAUSE CRYOGENIC BURNS OR INJURY. MAY DISPLACE OXYGEN AND CAUSE RAPID SUFFOCATION.

Do not handle until all safety precautions have been read and understood. Use and store only outdoors or in a well-ventilated place. Wear cold insulating gloves, face shield, and eye protection. Use a back flow preventive device in the piping. DO NOT change or force

fit connections. Close valve after each use and when empty. Always keep container in upright position. Read and follow the Safety Data Sheet (SDS) before use.
FIRST AID: IF INHALED: Remove person to fresh air and keep comfortable for breathing.
IF ON SKIN: Thaw frosted parts with lukewarm water. Do not rub affected area. Get immediate medical advice/attention.
CAS: 7727-37-9 CONTENTS: LTRS: CU FT:
DO NOT REMOVE THIS PRODUCT LABEL
Depke GASES AND WELDING SUPPLIES 628 E WILLIAMS ST DANVILLE, IL 61832 1-800-

REFRIGERATED LIQUID

**NITROGEN,
REFRIGERATED
LIQUID
NF
UN1977**



Rx only.

WARNING: Administration of Nitrogen may be hazardous or contraindicated. For use only by or under the supervision of a licensed practitioner who is experienced in the use and administration of Nitrogen and is familiar with the indications, effects, dosages, methods, and frequency and duration of administration, and with the hazards, contraindications and side effects, and the precautions to be taken.

WARNING: CONTAINS REFRIGERATED GAS; MAY CAUSE CRYOGENIC BURNS OR INJURY.
MAY DISPLACE OXYGEN AND CAUSE RAPID SUFFOCATION.
Do not handle until all safety precautions have been read and understood.
Use and store only outdoors or in a well-ventilated place.
Wear cold insulating gloves, face shield, and eye protection.
Use a back flow preventive device in the piping.
DO NOT change or force fit connections.
Close valve after each use and when empty.
Always keep container in upright position.
Read and follow the Safety Data Sheet (SDS) before use.

FIRST AID: IF INHALED: Remove person to fresh air and keep comfortable for breathing.

IF ON SKIN: Thaw frosted parts with lukewarm water. Do not rub affected area. Get immediate medical advice/attention.

CAS: 7727-37-9

LTRS:

CONTENTS: _____ CU FT:

DO NOT REMOVE THIS PRODUCT LABEL.



38-DEPKE

NITROGEN

nitrogen gas

Product Information

Product Type	PRESCRIPTION ANIMAL DRUG	Item Code (Source)	NDC:10690-012
Route of Administration	RESPIRATORY (INHALATION)		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
Nitrogen (UNII: N762921K75) (Nitrogen - UNII:N762921K75)	Nitrogen	990 mL in 1 L

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:10690-012-01	597 L in 1 CYLINDER		
2	NDC:10690-012-02	361 L in 1 CYLINDER		
3	NDC:10690-012-03	2266 L in 1 CYLINDER		
4	NDC:10690-012-04	3200 L in 1 CYLINDER		
5	NDC:10690-012-05	6510 L in 1 CYLINDER		
6	NDC:10690-012-06	8516 L in 1 CYLINDER		
7	NDC:10690-012-07	160 L in 1 CYLINDER		
8	NDC:10690-012-08	165 L in 1 CYLINDER		
9	NDC:10690-012-09	20 L in 1 CYLINDER		
10	NDC:10690-012-10	10 L in 1 CYLINDER		
11	NDC:10690-012-11	35 L in 1 CYLINDER		
12	NDC:10690-012-12	99704 L in 1 CYLINDER		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
NADA	NADA141397	01/01/1987	

Labeler - Depke Welding Supplies, Inc. (025382276)

Establishment

Name	Address	ID/FEI	Business Operations
Depke Welding Supplies, Inc.		041939869	manufacture

Revised: 10/2025

Depke Welding Supplies, Inc.