

**CLARITIN- loratadine tablet**  
**Select Consumer Group**

-----  
**Drug Facts**

**Active ingredient (in each tablet)**

Loratadine, 10 mg USP

**Purpose**

Antihistamine

**Uses**

Temporarily relieves these symptoms due to hay fever or other upper respiratory allergies:

- runny nose ■ sneezing
- itchy, watery eyes ■ itching of the nose or throat

**Warnings**

**Do not use** if you have ever had an allergic reaction to this product or any of its ingredients.

**Ask a doctor**

**Ask a doctor before use if you have** liver or kidney disease. Your doctor should determine if you need a different dose.

**When using this product**

**When using this product** do not take more than directed. Taking more than directed may cause drowsiness.

**Stop use**

**Stop use and ask a doctor if** an allergic reaction to this product occurs. Seek medical help right away.

**If pregnant or breast-feeding**

**If pregnant or breast-feeding**, ask a health professional before use.

**Keep out of reach of children**

**Keep out of reach of children.** In case of overdose, get medical help or contact a Poison Control Center right away (1-800-222-1222).

**Directions**

## ***Directions***

---

adults and children 6 years and over	1 tablet daily; not more than 1 tablet in 24 hours
children under 6 years of age	ask a doctor
consumers with liver or kidney disease	ask a doctor

---

## **Other information**

■ store at 20° -25° C (68° -77° F) (see USP Controlled Room Temperature)

***Inactive ingredients*** lactose monohydrate, magnesium stearate, microcrystalline cellulose, sodium starch glycolate

## ***Questions or comments?***

**1-800-CLARITIN (1-800-252-7484) or [www.claritin.com](http://www.claritin.com)**

**Claritin 1 pouch**

1630-01.png

Original prescription Strength  
**Non-Drowsy\***  
**Claritin**<sup>®</sup>  
 loratadine tablets 10 mg/levamisole

**24 Hour** Relief of:  
 • Sneezing  
 • Runny Nose  
 • Itchy, Watery Eyes  
 • Itchy Throat or Nose

**Indoor & Outdoor Allergies**

\* When taken as directed. See Drug Facts Panel.

**1 TABLET SINGLE-PACK**

2411638354

<p><b>Drug Facts</b></p> <p><b>Active ingredient (in each tablet)</b> Purpose          Loratadine 10 mg Antihistamine</p> <p><b>Uses</b>          temporarily relieves these symptoms due to hay fever or other upper respiratory allergies:          • runny nose • itchy, watery eyes          • sneezing • itching of the nose or throat</p> <p><b>Warnings</b>  <b>Do not use</b> if you have ever had an allergic reaction to this product or any of its ingredients.  <b>Ask a doctor before use if you have</b> liver or kidney disease. Your doctor should determine if you need a different dose.  <b>When using this product</b> do not take more than directed. Taking more than directed may cause drowsiness.  <b>Stop use and ask a doctor</b> if an allergic reaction to this product occurs. Seek medical help right away.  <b>If pregnant or breast-feeding</b>, ask a health professional before use.</p>		<p><b>Drug Facts (continued)</b></p> <p><b>Keep out of reach of children.</b> In case of overdose, get medical help or contact a Poison Control Center right away.</p> <p><b>Directions</b>          adults and children 6 years and over 1 tablet daily, not more than 1 tablet in 24 hours          children under 6 years of age ask a doctor          consumers with liver or kidney disease ask a doctor</p> <p><b>Other information</b>          • safety sealed: do not use if the individual pouch imprinted with Claritin<sup>®</sup> is open or torn.          • store between 20° to 25° C (68° to 77° F)          • protect from excessive moisture</p> <p><b>Inactive ingredients</b>          corn starch, lactose monohydrate, magnesium stearate</p> <p><b>Questions or comments?</b>          1-800-CLARITIN (1-800-252-7484) or www.claritin.com</p>
<p><b>Do not use if the sealed child resistant pouch is broken or torn.</b></p>		

Bayer, the Bayer Cross, Claritin and the Claritin Vista are registered trademarks of Bayer. © 2025 Bayer.  
 Distributed by: Bayer HealthCare LLC  
 Whippany, NJ 07981  
 Product of India.

This product repackaged by: Select Corporation  
 1433 Wainwright Way, Carrollton, TX 75007  
 877-244-4400 M - F 9am - 5pm, from a product manufactured by Bayer.

**Bayer**

Select Corporation

6 55708 11630 2



claritin 25



## CLARITIN

loratadine tablet

### Product Information

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:85237-1630(NDC:11523-0800)
<b>Route of Administration</b>	ORAL		

### Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
LORATADINE (UNII: 7AJ03B07QN) (LORATADINE - UNII: 7AJ03B07QN)	LORATADINE	10 mg

### Inactive Ingredients

Ingredient Name	Strength
LACTOSE MONOHYDRATE (UNII: EWQ57Q8I5X)	
MICROCRYSTALLINE CELLULOSE (UNII: OP1R32D61U)	
MAGNESIUM STEARATE (UNII: 70097M6I30)	
SODIUM STARCH GLYCOLATE TYPE A CORN (UNII: AG9B65PV6B)	

**Product Characteristics**

<b>Color</b>	white	<b>Score</b>	no score
<b>Shape</b>	ROUND	<b>Size</b>	10mm
<b>Flavor</b>		<b>Imprint Code</b>	Claritin;10;458
<b>Contains</b>			

**Packaging**

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:85237-1630-1	1 in 1 CARTON	08/18/2025	
1		1 in 1 BLISTER PACK; Type 0: Not a Combination Product		
2	NDC:85237-1630-3	20 in 1 BOX, UNIT-DOSE	12/27/2025	
2		1 in 1 POUCH; Type 0: Not a Combination Product		
3	NDC:85237-1630-4	25 in 1 BOX, UNIT-DOSE	12/27/2025	
3		1 in 1 POUCH; Type 0: Not a Combination Product		

**Marketing Information**

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
ANDA	ANDA075209	12/01/2020	

**Labeler** - Select Consumer Group (119185084)

**Establishment**

Name	Address	ID/FEI	Business Operations
Select Consumer Group		119185084	repack(85237-1630)

Revised: 12/2025

Select Consumer Group