

**CLARITIN- loratadine tablet**  
**Select Consumer Group**

-----

***Drug Facts***

***Active ingredient (in each tablet)***

Loratadine, 10 mg USP

***Purpose***

Antihistamine

**Uses**

Temporarily relieves these symptoms due to hay fever or other upper respiratory allergies:

- runny nose ■ sneezing
- itchy, watery eyes ■ itching of the nose or throat

**Warnings**

**Do not use** if you have ever had an allergic reaction to this product or any of its ingredients.

**Ask a doctor**

**Ask a doctor before use if you have** liver or kidney disease. Your doctor should determine if you need a different dose.

**When using this product**

**When using this product** do not take more than directed. Taking more than directed may cause drowsiness.

**Stop use**

**Stop use and ask a doctor if** an allergic reaction to this product occurs. Seek medical help right away.

**If pregnant or breast-feeding**

**If pregnant or breast-feeding**, ask a health professional before use.

**Keep out of reach of children**

**Keep out of reach of children.** In case of overdose, get medical help or contact a Poison Control Center right away (1-800-222-1222).

**Directions**

## Directions

---

adults and children 6 years and over	1 tablet daily; not more than 1 tablet in 24 hours
children under 6 years of age	ask a doctor
consumers with liver or kidney disease	ask a doctor

---

## Other information

■ store at 20° -25° C (68° -77° F) (see USP Controlled Room Temperature)

**Inactive ingredients** lactose monohydrate, magnesium stearate, microcrystalline cellulose, sodium starch glycolate

## Questions or comments?

**1-800-CLARITIN (1-800-252-7484) or [www.claritin.com](http://www.claritin.com)**

## Carton label 10 count tablets

*Original Prescription Strength*

## Non-Drowsy\*

**Claritin®**

**loratadine tablets 10 mg/antihistamine**

**Indoor & Outdoor**

**Allergies**

**24**


**Hour**

**Relief of:**

- **Sneezing**
- **Runny Nose**
- **Itchy, Watery Eyes**
- **Itchy Throat or Nose**

\*When taken as directed.

See Drug Facts Panel





## CLARITIN

loratadine tablet

### Product Information

Product Type

HUMAN OTC DRUG

Item Code (Source)

NDC:85237-1630(NDC:11523-0800)

<b>Route of Administration</b>		ORAL		
<b>Active Ingredient/Active Moiety</b>				
<b>Ingredient Name</b>		<b>Basis of Strength</b>	<b>Strength</b>	
LORATADINE (UNII: 7AJ03BO7QN) (LORATADINE - UNII:7AJ03BO7QN)		LORATADINE	10 mg	
<b>Inactive Ingredients</b>				
<b>Ingredient Name</b>			<b>Strength</b>	
LACTOSE MONOHYDRATE (UNII: EWQ57Q8I5X)				
MICROCRYSTALLINE CELLULOSE (UNII: OP1R32D61U)				
MAGNESIUM STEARATE (UNII: 70097M6I30)				
SODIUM STARCH GLYCOLATE TYPE A CORN (UNII: AG9B65PV6B)				
<b>Product Characteristics</b>				
<b>Color</b>	white	<b>Score</b>	no score	
<b>Shape</b>	ROUND	<b>Size</b>	10mm	
<b>Flavor</b>		<b>Imprint Code</b>	Claritin;10;458	
<b>Contains</b>				
<b>Packaging</b>				
<b>#</b>	<b>Item Code</b>	<b>Package Description</b>	<b>Marketing Start Date</b>	<b>Marketing End Date</b>
1	NDC:85237-1630-1	1 in 1 CARTON	08/18/2025	
1		1 in 1 BLISTER PACK; Type 0: Not a Combination Product		
<b>Marketing Information</b>				
<b>Marketing Category</b>	<b>Application Number or Monograph Citation</b>	<b>Marketing Start Date</b>	<b>Marketing End Date</b>	
ANDA	ANDA075209	12/01/2020		

**Labeler -** Select Consumer Group (119185084)

<b>Establishment</b>			
<b>Name</b>	<b>Address</b>	<b>ID/FEI</b>	<b>Business Operations</b>
Select Consumer Group		119185084	repack(85237-1630)