

MIDOL COMPLETE- acetaminophen, caffeine, and pyrilamine maleate tablet

Select Consumer Group

Midol [®] Complete

Drug Facts

<i>Active ingredients (in each caplet)</i>	<i>Purpose</i>
Acetaminophen 500 mg	Pain reliever
Caffeine 60 mg	Diuretic
Pyrilamine maleate 15 mg	Antihistamine

Uses

for the temporary relief of these symptoms associated with menstrual periods:

- cramps
- bloating
- water-weight gain
- headache
- backache
- muscle aches
- fatigue

Warnings

Liver warning

This product contains acetaminophen. Severe liver damage may occur if you take

- more than 6 caplets in 24 hours, which is the maximum daily amount for this product
- with other drugs containing acetaminophen
- 3 or more alcoholic drinks every day while using this product

Do not use

- with any other drug containing acetaminophen (prescription or nonprescription). If you are not sure whether a drug contains acetaminophen, ask a doctor or pharmacist.
- if you have ever had an allergic reaction to this product or any of its ingredients

Ask a doctor before use if you have

- liver disease
- glaucoma
- difficulty in urination due to enlargement of the prostate gland
- a breathing problem such as emphysema or chronic bronchitis

Ask a doctor or pharmacist before use if you are

- taking the blood thinning drug warfarin
- taking sedatives or tranquilizers

When using this product

- you may get drowsy
- avoid alcoholic drinks
- excitability may occur, especially in children
- alcohol, sedatives, and tranquilizers may increase drowsiness
- be careful when driving a motor vehicle or operating machinery
- limit the use of caffeine-containing medications, foods, or beverages because too much caffeine may cause nervousness, irritability, sleeplessness, and, occasionally, rapid heartbeat. The recommended dose of this product contains about as much caffeine as a cup of coffee.

Stop use and ask a doctor if

- new symptoms occur
- redness or swelling is present
- pain gets worse or lasts more than 10 days
- fever gets worse or lasts more than 3 days

If pregnant or breast-feeding, ask a health professional before use.

Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center right away. Quick medical attention is critical for adults as well as for children even if you do not notice any signs or symptoms.

Directions

- do not take more than the recommended dose
- adults and children 12 years and older:
 - take 2 caplets with water
 - repeat every 6 hours, as needed
 - do not exceed 6 caplets per day
- children under 12 years: consult a doctor

Other information

store at room temperature

Inactive ingredients

carnauba wax, croscarmellose sodium, FD&C blue #2 aluminum lake, hypromellose, magnesium stearate, microcrystalline cellulose, pregelatinized starch, propylene glycol, shellac, titanium dioxide, triacetin

Questions or comments?

1-800-331-4536(Mon-Fri 9AM - 5PM EST) or www.midol.com

PRINCIPAL DISPLAY PANEL - 30 pouches of 2 caplets

Midol®

Complete

Acetaminophen/Caffeine/Pyrilamine Maleate

Pain Reliever/Diuretic/Antihistamine

MAXIMUM STRENGTH

MULTI-SYMPTOM


RELIEF OF

CRAMPS, BLOATING

FATIGUE, BACKACHE

& HEADACHE

40 CAPLETS



Package / Label Principal Display 2 caplet pack

Midol®

Complete

Acetaminophen/Caffeine/Pyrilamine Maleate

Pain Reliever/Diuretic/Antihistamine

MAXIMUM STRENGTH

MULTI-SYMP TOM

RELIEF OF

CRAMPS, BLOATING

FATIGUE, BACKACHE

& HEADACHE

2 caplet pack



Principal Package / Label display panel 4 caplets Multipack

Midol ®

Complete

Acetaminophen/Caffeine/Pyrilamine Maleate

Pain Reliever/Diuretic/Antihistamine

MAXIMUM STRENGTH

MULTI-SYMP TOM

RELIEF OF

CRAMPS, BLOATING

FATIGUE, BACKACHE

& HEADACHE

4 CAPLETS



Package / Label Principal Display Panel 25 Pouches of 2 caplets

Midol ®

Complete

Acetaminophen/Caffeine/Pyrilamine Maleate

Pain Reliever/Diuretic/Antihistamine

MAXIMUM STRENGTH

MULTI-SYMPOTOM


RELIEF OF

CRAMPS, BLOATING

FATIGUE, BACKACHE

& HEADACHE

25 Pouches of 2 caplets



Package / Label Principal Display Panel 20 pack of 2 caplets

Midol ®

Complete

Acetaminophen/Caffeine/Pyrimamine Maleate

Pain Reliever/Diuretic/Antihistamine

MAXIMUM STRENGTH

MULTI-SYMPATOM


RELIEF OF

CRAMPS, BLOATING

FATIGUE, BACKACHE

& HEADACHE

20 Pouches of 2 caplets



MIDOL COMPLETE

acetaminophen, caffeine, and pyrilamine maleate tablet

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:85237-1841(NDC:0280-8005)
Route of Administration	ORAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
ACETAMINOPHEN (UNII: 362O9ITL9D) (ACETAMINOPHEN - UNII:362O9ITL9D)	ACETAMINOPHEN	500 mg
CAFFEINE (UNII: 3G6A5W338E) (CAFFEINE - UNII:3G6A5W338E)	CAFFEINE	60 mg
PYRILAMINE MALEATE (UNII: R35D29L3ZA) (PYRILAMINE - UNII:HPE317O9TL)	PYRILAMINE MALEATE	15 mg

Inactive Ingredients

Ingredient Name	Strength
CARNAUBA WAX (UNII: R12CBM0EIZ)	
CROSCARMELOSE SODIUM (UNII: M28OL1HH48)	
FD&C BLUE NO. 2 (UNII: L06K8R7DQK)	
HYPROMELLOSES (UNII: 3NXW29V3WO)	
MAGNESIUM STEARATE (UNII: 70097M6130)	
CELLULOSE, MICROCRYSTALLINE (UNII: OP1R32D61U)	
PROPYLENE GLYCOL (UNII: 6DC9Q167V3)	
SHELLAC (UNII: 46N107B71O)	
TITANIUM DIOXIDE (UNII: 15FIX9V2JP)	
TRIACETIN (UNII: XHX3C3X673)	

Product Characteristics

Color	white	Score	no score
Shape	OVAL (oblong)	Size	17mm
Flavor		Imprint Code	MIDOL
Contains			

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:85237-1841-1	1 in 1 BLISTER PACK	02/10/2014	
1		2 in 1 POUCH; Type 0: Not a Combination Product		
2	NDC:85237-1841-2	2 in 1 BLISTER PACK	02/10/2014	
2		2 in 1 POUCH; Type 0: Not a Combination Product		
3	NDC:85237-1841-3	20 in 1 BOX, UNIT-DOSE	02/10/2014	
3		2 in 1 POUCH; Type 0: Not a Combination Product		
4	NDC:85237-1841-4	25 in 1 BOX, UNIT-DOSE	02/10/2014	
4		2 in 1 POUCH; Type 0: Not a Combination Product		
5	NDC:85237-1841-5	30 in 1 BOX, UNIT-DOSE	02/10/2014	
5		2 in 1 POUCH; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M027	02/10/2014	

Labeler - Select Consumer Group (119185084)

Registrant - Select Consumer Group (119185084)

Establishment

Name	Address	ID/FEI	Business Operations
Select Consumer Group		119185084	repack(85237-1841)

Revised: 12/2025

Select Consumer Group