NEOSPORIN PLUS BURN RELIEF- bacitracin zinc, neomycin sulfate, polymyxin b sulfate, and pramoxine hydrochloride ointment Kenvue Brands LLC

NEOSPORIN ® + BURN RELIEF

Drug Facts

| Active ingredients (in each gram) | Purpose |
|------------------------------------|----------------------|
| Bacitracin Zinc (500 units) | First aid antibiotic |
| Neomycin Sulfate (3.5 mg) | First aid antibiotic |
| Polymyxin B Sulfate (10,000 units) | First aid antibiotic |
| Pramoxine HCl (10 mg) | External analgesic |

Uses

first aid to help prevent infection and for the temporary relief of pain in minor:

- cuts
- scrapes
- burns

Warnings

For external use only.

Do not use

- if you are allergic to any of the ingredients
- in the eyes
- over large areas of the body

Ask a doctor before use if you have

- deep or puncture wounds
- animal bites
- serious burns

Stop use and ask a doctor if

- you need to use longer than 1 week
- condition persists or gets worse
- symptoms persist for more than 1 week, or clear up and occur again within a few days
- rash or other allergic reaction develops

Keep out of reach of children.

If swallowed, get medical help or contact a Poison Control Centre right away.

Directions

- adults and children 2 years of age and older:
 - clean the affected area
 - apply a small amount of this product (an amount equal to the surface area of the tip of a finger) on the area 1 to 3 times daily
 - may be covered with a sterile bandage
- children under 2 years of age: ask a doctor

Other information

store at 20° to 25°C (68° to 77°F)

Inactive ingredients

Petrolatum

Questions?

call **800-223-0182** or outside the US **215-273-8755** (collect)

Distributed by:

Kenvue brands LLC

Summit, NJ 07901

PRINCIPAL DISPLAY PANEL - 14.2 g Tube Carton

#1 DOCTOR

RECOMMENDED

BRAND

NEOSPORIN®

+

BURN RELIEF

Maximum Strength

Pain Relief to

Soothe Minor Burns

24-Hour Infection

Protection

Triple Antibiotic

Formula

NO STING

OINTMENT

FIRST AID ANTIBIOTIC/ PAIN RELIEVING OINTMENT

Bacitracin Zinc-Neomycin Sulfate-Polymyxin B Sulfate-

Pramoxine HCI

NET WT. 0.5 OZ (14.2 g)





NEOSPORIN PLUS BURN RELIEF

bacitracin zinc, neomycin sulfate, polymyxin b sulfate, and pramoxine hydrochloride ointment

| Product Information | | | |
|-------------------------|----------------|--------------------|----------------|
| Product Type | HUMAN OTC DRUG | Item Code (Source) | NDC:69968-0518 |
| Route of Administration | TOPICAL | | |

| Active Ingredient/Active Moiety | | | |
|--|----------------------------|----------------------|--|
| Ingredient Name | Basis of Strength | Strength | |
| BACITRACIN ZINC (UNII: 89Y4M234ES) (BACITRACIN - UNII:58H6RW052I) | BACITRACIN | 500 [iU] in 1 g | |
| NEOMYCIN SULFATE (UNII: 057Y626693) (NEOMYCIN - UNII:116QD7X297) | NEOMYCIN SULFATE | 3.5 mg in 1 g | |
| POLYMYXIN B SULFATE (UNII: 19371312D4) (POLYMYXIN B - UNII: J2VZ 07J96K) | POLYMYXIN B | 10000 [iU] in 1 g | |
| PRAMOXINE HYDROCHLORIDE (UNII: 88AYB867L5) (PRAMOXINE - UNII:068X84E056) | PRAMOXINE HYDROCHLORIDE | 10 mg in 1 g | |

| Inactive Ingredients | | | |
|-------------------------------|----------|--|--|
| Ingredient Name | Strength | | |
| PETROLATUM (UNII: 4T6H12BN9U) | | | |

| Packaging | | | | |
|-----------|----------------------|---|-------------------------|-----------------------|
| # | Item Code | Package Description | Marketing Start Date | Marketing End Date |
| 1 | NDC:69968- 0518-1 | 1 in 1 CARTON | 02/01/2019 | |
| 1 | | 14.2 g in 1 TUBE; Type 0: Not a Combination Product | | |
| | | | | |

| Marketing Information | | | |
|-----------------------|---|-------------------------|-----------------------|
| Marketing Category | Application Number or Monograph Citation | Marketing Start Date | Marketing End Date |
| OTC Monograph Drug | M004 | 02/01/2019 | |
| | | | |

Labeler - Kenvue Brands LLC (118772437)

Revised: 11/2024 Kenvue Brands LLC