OCEAN POTION SUNCARE MINERAL 50 ESSENTIAL SCENT OF SUNSHINE ZINC OXIDE CONTINUOUS SUNSCREEN- zinc oxide spray GNL BRANDS INTERNATIONAL, LLC

Ocean Potion Suncare Mineral 50 Essential Scent of Sunshine Zinc Oxide Continuous Spray Sunscreen

Active ingredients

Zinc Oxide 20.6%

Purpose

Sunscreen

Uses

- helps prevent sunburn
- if used as directed with other sun protection measures (see **Directions**), decreases the risk of skin cancer and early skin aging caused by the sun

Warnings

For external use only

FLAMMABLE:

- do not use near heat, flame or while smoking
- avoid long term storage above 104°F (40°C)

Do not use

• on damaged or broken skin

When using this product

- keep out of eyes. Rinse with water to remove.
- keep away from to avoid breathing it.
- do not puncture or incinerate. Contents under pressure.
- do not store at temperatures above 120° F.

Stop use and ask doctor if

rash occurs.

Keep out of reach of children.

If product is swallowed, get medical help or contact a Poison Control Center right away.

Directions

- spray liberally and spread evenly by hand 15 minutes before sun exposure
- hold can 4-6 inches away from skin top apply
- do not spray into face. Spray into hand and apply to face.
- use in a well ventilated areas

reapply:

- after 80 minutes of swimming or sweating
- immediately after towel drying
- at least every 2 hours
- · children under 6 months: Ask a doctor
- **Sun Protection Measures**. Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF Value of 15 or higher and other sun protection measures including:
- limit time in the sun, especially from 10 a.m. 2 p.m.
- wear long-sleeved shirts, pants, hats, and sunglasses

Other Information

- protect the product in the container from excessive heat and direct sun
- may stain or damage some fabrics

Inactive ingredients

aloe barbadensis leaf juice, bisabolol, C12-C15 alkyl benzoate, caprylic/capric triglyceride, cetearyl alcohol, dimethicone, ethyl ferulate, farnesol, fragrance, gluconolactone, glycerin, glyceryl stearate, helianthus annuus (sunflower) seed oil, hydroxyethyl acrylate/sodium acryloyldimethyl taurate copolymer, isohexadecane, olive oil polyglyceryl-6 esters, phenoxyethanol, polysorbate 60, polysorbate 80, sodium benzoate, sodium stearoyl lactylate, sorbitan isostearate, tetrasodium glutamate diacetate, tocopherol, triethoxycaprylylsilane, VP/hexadecene copolymer, water, xanthan gum

Labels

Shield your skin with the gentle power of Ocean Potion® SPF 50 Mineral Zinc Oxide Sunscreen Spray, Designed for effortless application, it delivers lightweight, breathable protection that feels as good as it works. Stay confident under the sun with a formula crafted for both everyday adventures and active moments.

Drug Facts

Active ingredients
Zinc Oxide 20.6% ____

Purpose

Uses • helps prevent sunburn • if used as directed with other sun protection measures (see Directions), decreases the risk of skin cancer and early skin aging caused by the sun

Warnings For external use only

Do not use . on damaged or broken skin,

When using this product • keep out of eyes. Rinse with water to remove.
• keep away from face to avoid breathing it. • do not puncture or incinerate.
Contents under pressure. • do not store at temperatures above 120° F.

Stop use and ask a doctor if • rash occurs.

Keep out of reach of children. If swallowed, get medical help or contact a Poiso Control Center right away.

Directions • Spray liberally and spread evenly by hand 15 minutes before sun exposure • Hold can 4-6 inches away from the skin to apply • Do not spray directly into face. Spray into hands then apply to face • Do not apply in windy conditions • Use in a well-ventilated area • reapply: • after 80 minutes of swimming or sweating • immediately after towed drying • at least every 2 hours • children under 6 months of age. Ask a doctor • Sun Protection Measures. Spending time in the sun increase ways risk of Akib accessor that is risk. the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including:

• limit time in the sun, especially from 10 a.m. - 2 p.m.

• wear long-sleeved shirts, pants, hats, and sunglasses

Other information . protect the product in this container from excessive heat and direct sun • may stain some fabrics

Inactive ingredients: aloe barbadensis leaf juice, bisabolol, C12-C15 alkyl benzoate, caprylio/capric triglyceride, cetearyl alcohol, dimethicone, ethyl ferulate, farmesol, fragrance, gluconolactone, glycerin, glyceryl stearate, helianthus annuus (suriflower) seed oil, hydroxyethyl acrylate/sodium acryloyldimethyl taurate coolymer, isohexadecane, olive oil polyglyceryl-6 esters, phenoxyethanol, polysorbate 60, polysorbate 80, sodium benzoate, sodium stearoyl lactylate, sorbitan isostearate, tetrasodium glutamate diacetate, tocopherol, triglibovusopaldelate, NiPhacedecane procedumer, writer, venthen quip. thoxycaprylylsilane, VP/hexadecene copolymer, water, xantha



GNL BRANDS INTERNATIONAL LLC Fort Lauderdalle, FL 33306, USA

oceanpotion_com





MINERAL

ESSENTIAL

ZINC OXIDE CONTINUOUS SPRAY SUNSCREEN

Sprays on white to ensure coverage. **RUBS IN CLEAR!**

Broad Spectrum SPF 50 UVA/UVB Protection Water/Sweat Resistant (80 Minutes)

NET WT. 5.5 OZ (156 g)

OCEAN POTION SUNCARE MINERAL 50 ESSENTIAL SCENT OF SUNSHINE ZINC OXIDE CONTINUOUS SUNSCREEN

zinc oxide spray

Product Information

HUMAN OTC DRUG Product Type Item Code (Source) NDC:85638-008

TOPICAL Route of Administration

Active Ingredient/Active Moiety

Basis of Strength Ingredient Name Strength

	Inactive Ingredients				
Ingredient Name	Strength				
SODIUM BENZOATE (UNII: OJ245FE5EU)					
CETOSTEARYL ALCOHOL (UNII: 2DMT128M1S)					
HEXAMETHYLDISILOXANE (UNII: D7M4659BPU)					
SUNFLOWER OIL (UNII: 3W1JG795YI)					
HYDROXYETHYL ACRYLATE/SODIUM ACRYLOYLDIMETHYL TAURATE COPOLYMER (100000 MPA.S AT 1.5%) (UNII: $86FQE96TZ4$)					
LEVOMENOL (UNII: 24WE03BX2T)					
POLYSORBATE 60 (UNII: CAL22UVI4M)					
FARNESOL (UNII: EB41QIU6JL)					
PHENOXYETHANOL (UNII: HIE492ZZ3T)					
OLIVE OIL POLYGLYCERYL-6 ESTERS (UNII: 4KDO9AFM9I)					
SODIUM STEAROYL LACTYLATE (UNII: IN99IT31LN)					
TETRASODIUM GLUTAMATE DIACETATE (UNII: 5EHL50I4MY)					
WATER (UNII: 059QF0KO0R)					
ISOHEXADECANE (UNII: 918X1OUF1E)					
ALKYL (C12-15) BENZOATE (UNII: A9EJ3J61HQ)					
MEDIUM-CHAIN TRIGLYCERIDES (UNII: C9H2L21V7U)					
VINYLPYRROLIDONE/HEXADECENE COPOLYMER (UNII: KFR5QEN0N9)					
SORBITAN ISOSTEARATE (UNII: 01S2G2C1E4)					
ETHYL FERULATE (UNII: 5B8915UELW)					
TRIETHOXYCAPRYLYLSILANE (UNII: LDC331P08E)					
GLUCONOLACTONE (UNII: WQ29KQ9POT)					
POLYSORBATE 80 (UNII: 60ZP39ZG8H)					
GLYCERYL MONOSTEARATE (UNII: 2300U9XXE4)					
.ALPHATOCOPHEROL, DL- (UNII: 7QWA1RIO01)					
ALOE VERA LEAF (UNII: ZY81Z83H0X)					
GLYCERIN (UNII: PDC6A3C0OX)					
XANTHAN GUM (UNII: TTV12P4NEE)					

P	Packaging					
#	Item Code	Package Description	Marketing Start Date	Marketing End Date		
1	NDC:85638-008- 37	156 g in 1 CAN; Type 0: Not a Combination Product	02/06/2025			

Marketing Information			
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M020	02/06/2025	