

ERWCNMIE 5% MINOXIDIL HAIR GROWTH SPRAYS SERUM- minoxidil liquid
Guangzhou Borderless Technology Co., Ltd.

85304-014 ERWCNMIE 5% Minoxidil Hair Growth Sprays Serum

Minoxidil 5%

Biotin 0.5%

Hair Regrowth Treatment

Use to regrow hair and beard.

Keep out of reach of children.

For external use only.

Your hair loss is sudden and/or patchy.

Your hair loss is associated with childbirth.

You do not know the reason for your hair loss.

You are under 18 years of age. Do not use on babies and children.

Your scalp is red, inflamed, infected, irritated, or painful.

You use other medicines on the scalp.

Avoid contact with the eyes. In case of accidental contact, rinse eyes with large amounts of cool tap water.

Some people have experienced changes in hair color and/or texture.

It takes time to regrow hair. Results may occur at 3 months with twice a day usage. For some men, you may need to use this product for at least 6 months before you see results. The amount of hair regrowth is different for each person.

Avoid contact with eyes. In case of accidental contact, rinse eyes with a large amount of cool tap water.

Chest pain, rapid heartbeat, faintness, or dizziness occurs.

Sudden, unexplained weight gain occurs.

If unwanted facial hair growth occurs .

If you do not see hair regrowth in 6 months.

Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center

(1-800-222-1222) right away.

1. Make sure your hair and scalp are dry (no need to wash your hair before each use).

2. Apply 3-4 pumps of spray directly to the treated area of the scalp.

3. Gently massage into the scalp or thinning hair areas until absorbed.

4. Continued use is required to increase and maintain hair regrowth. Discontinuation may lead to hair loss

Butylene Glycol

Glycerin

Alcohol

Castor oil

Dexpanthenol
Water

<p>Drug Facts</p> <p>Active Ingredient Minoxidil 5% w/w Biotin 0.5% w/w</p> <p>Use: To regrow hair and beard.</p> <p>Warnings Keep out of reach of children. For external use only.</p> <p>Do not use if • Your hair loss is sudden and/or patchy; • Your hair loss is associated with childbirth; • You do not know the reason for your hair loss; • You are under 18 years of age; Do not use on babies and children, • Your scalp is red, inflamed, infected, irritated, or painful; • You use other medicines on the scalp.</p> <p>When Using • Avoid contact with the eyes. In case of accidental contact, rinse eyes with large amounts of cool tap water. • Some people have experienced changes in hair color and/or texture. • It takes time to regrow hair. Results may occur at 3 months with twice a day usage. For some men, you may need to use this product for at least 6 months before you see results. The amount of hair regrowth is different for each person. • Avoid contact with eyes. In case of accidental contact, rinse eyes with a large amount of cool tap water.</p> <p>Stop use and ask a doctor if • Chest pain, rapid heartbeat, faintness, or dizziness occurs; • Sudden, unexplained weight gain occurs; • If unwanted facial hair growth occurs; • If you do not see hair regrowth in 6 months.</p> <p>Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center (1-800-222-1222) right away.</p> <p>Directions 1. Make sure your hair and scalp are dry/no need to wash your hair before each use. 2. Apply 3-4 pumps of spray directly to the treated area of the scalp. 3. Gently massage into the scalp or thinning hair areas until absorbed. 4. Continued use is required to increase and maintain hair regrowth. Discontinuation may lead to hair loss.</p> <p>Other information Before use, read all information on the carton and the enclosed leaflet. Store at a controlled room temperature of 5°C to 35°C (41°F to 95°F). Do not refrigerate the container. Do not expose it to heat or store it at temperatures above 40°C (104°F).</p> <p>Inactive ingredients Butylene Glycol, Glycerin, Alcohol, Castor oil, Dicapanthene, Water</p> <p>Questions? Cservice@Erwcnmie.com</p>	<p>DIRECTIONS FOR USE See the information leaflet for complete directions on how to use the product and obtain the best results.</p> <p>Step 1 Make sure your hair and scalp are dry(no need to wash your hair before each use).</p> <p>Step 2 Apply 3-4 pumps of spray directly to the treated area of the scalp.</p> <p>Step 3 Gently massage into the scalp or thinning hair areas until absorbed.</p> <p>Step 4 Continued use is required to increase and maintain hair regrowth. Discontinuation may lead to hair loss.</p>	<h1>MINOXIDIL SPRAY</h1> <h2>EXTRA STRENGTH</h2> <h3>5% Minoxidil with BIOTIN</h3> <h1>#1</h1> <p>DERMATOLOGIST RECOMMENDED ACTIVE INGREDIENT</p> <ul style="list-style-type: none"> Reduce hair loss Restore thinning hair Stimulate hair newborn <p>Unscented EASY-TO-USE USE TWICE DAILY</p> <p>MEN & WOMEN</p> <p>11 Month Supply 7 x 100ml (3.38 fl oz) Bottles</p>	<p>Minoxidil Spray 5% Minoxidil with BIOTIN</p> <div style="border: 2px solid black; border-radius: 50%; padding: 10px; width: fit-content; margin: auto;"> <p>FOR BEST RESULTS USE TWICE DAILY TILL COMPLETELY TO SHED</p> </div> <p>7 x 100ml (3.38 fl oz) Bottles TOTAL 700 ml (23.66 fl oz)</p>
--	---	--	---

ERWCNMIE 5% MINOXIDIL HAIR GROWTH SPRAYS SERUM

minoxidil liquid

Product Information			
Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:85304-014
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
MINOXIDIL (UNII: 5965120SH1) (MINOXIDIL - UNII:5965120SH1)	MINOXIDIL	5 g in 100 mL
BIOTIN (UNII: 6SO6U10H04) (BIOTIN - UNII:6SO6U10H04)	BIOTIN	0.5 g in 100 mL

Inactive Ingredients

Ingredient Name	Strength
GLYCERIN (UNII: PDC6A3C0OX)	
CASTOR OIL (UNII: D5340Y2I9G)	
BUTYLENE GLYCOL (UNII: 3XUS85K0RA)	
WATER (UNII: 059QF0KO0R)	
ALCOHOL (UNII: 3K9958V90M)	
DEXPANTHENOL (UNII: 1O6C93RI7Z)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:85304-014-01	7 in 1 PACKAGE	08/19/2025	
1		100 mL in 1 BOTTLE; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	505G(a)(3)	08/19/2025	

Labeler - Guangzhou Borderless Technology Co., Ltd. (452282332)

Establishment

Name	Address	ID/FEI	Business Operations
Guangzhou Borderless Technology Co., Ltd.		452282332	manufacture(85304-014)

Revised: 8/2025

Guangzhou Borderless Technology Co., Ltd.