

COLD AND COUGH CHILDRENS- brompheniramine maleate, dextromethorphan hbr, phenylephrine hcl solution
CVS Pharmacy

CVS Pharmacy, Inc. Children's Cold & Cough Drug Facts

Active ingredients (in each 10 mL)

Brompheniramine maleate, USP 2 mg

Dextromethorphan HBr, USP 10 mg

Phenylephrine HCl, USP 5 mg

Purposes

Antihistamine

Cough suppressant

Nasal decongestant

Uses

- temporarily relieves cough due to minor throat and bronchial irritation occurring with a cold, and nasal congestion due to the common cold, hay fever or other upper respiratory allergies
- temporarily relieves these symptoms due to hay fever (allergic rhinitis):
 - runny nose
 - sneezing
 - itchy, watery eyes
 - itching of the nose or throat
- temporarily restores freer breathing through the nose

Warnings

Do not use

- if you are now taking a prescription monoamine oxidase inhibitor (MAOI) (certain drugs for depression, psychiatric or emotional conditions, or Parkinson's disease), or for 2 weeks after stopping the MAOI drug. If you do not know if your prescription drug contains an MAOI, ask a doctor or pharmacist before taking this product.
- to make a child sleepy

Ask a doctor before use if you have

- heart disease

- high blood pressure
- thyroid disease
- diabetes
- trouble urinating due to an enlarged prostate gland
- glaucoma
- cough that occurs with too much phlegm (mucus)
- a breathing problem such as emphysema or chronic bronchitis
- cough that lasts or is chronic such as occurs with smoking, asthma or emphysema

Ask a doctor or pharmacist before use if you are

taking sedatives or tranquilizers

When using this product

- **do not use more than directed**
- may cause marked drowsiness
- avoid alcoholic beverages
- alcohol, sedatives and tranquilizers may increase drowsiness
- be careful when driving a motor vehicle or operating machinery
- excitability may occur, especially in children

Stop use and ask a doctor if

- you get nervous, dizzy or sleepless
- symptoms do not get better within 7 days or are accompanied by fever
- cough lasts for more than 7 days, comes back, or is accompanied by fever, rash or persistent headache. A persistent cough may be a sign of a serious condition.

If pregnant or breast-feeding,

ask a health professional before use.

Keep out of reach of children.

In case of overdose, get medical help or contact a Poison Control Center right away (1-800-222-1222).

Directions

- do not take more than 6 doses in any 24-hour period
- measure only with dosage cup provided
- keep dosage cup with product
- mL = milliliter

age	dose
adults and children 12 years and over	20 mL every 4 hours
children 6 to under 12 years	10 mL every 4 hours
children under 6 years	do not use

Other information

- **each 10 mL contains:** sodium 4 mg
- store at 20°-25°C (68°-77°F)

Inactive ingredients

anhydrous citric acid, edetate disodium, FD&C blue no. 1, FD&C red no. 40, flavor, glycerin, propylene glycol, purified water, saccharin sodium, sodium benzoate, sorbitol solution

Questions or comments?

1-800-719-9260

Principal Display Panel

CVS Health®

Compare to the active ingredients in Children's Dimetapp® Cold & Cough

Red Grape Flavor

Children's

Cold & Cough

BROMPHENIRAMINE MALEATE

Antihistamine

DEXTROMETHORPHAN HBr

Cough suppressant

PHENYLEPHRINE HCl

Nasal decongestant

DM Liquid

Relieves:

Nasal congestion; Stuffy nose; Runny nose; Sneezes

Soothes cough

Calms allergy symptoms

Alcohol free

Actual Bottle Size on Side Panel

Red Grape Flavor

For Ages 6 Years & Over

Dosage Cup Included

4 FL OZ (118 mL)



Drug Facts

Active ingredients (in each 10 mL) **Purposes**
 Brompheniramine maleate, USP 2 mg.....Antihistamine
 Dextromethorphan HBr, USP 10 mg...Cough suppressant
 Phenylephrine HCl, USP 5 mg.....Nasal decongestant

Uses
 ■ temporarily relieves cough due to minor throat and bronchial irritation occurring with a cold, and nasal congestion due to the common cold, hay fever or other upper respiratory allergies
 ■ temporarily relieves these symptoms due to hay fever (allergic rhinitis):
 ■ runny nose
 ■ sneezing
 ■ itchy, watery eyes
 ■ itching of the nose or throat
 ■ temporarily restores freer breathing through the nose

Warnings
Do not use
 ■ if you are now taking a prescription monoamine oxidase inhibitor (MAOI) (certain drugs for depression, psychiatric, or emotional conditions, or Parkinson's disease), or for 2 weeks after stopping the MAOI drug. If you do not know if your prescription drug contains an MAOI, ask a doctor or pharmacist before taking this product.
 ■ to make a child sleepy

Ask a doctor before use if you have
 ■ heart disease ■ high blood pressure
 ■ thyroid disease ■ diabetes
 ■ trouble urinating due to an enlarged prostate gland
 ■ glaucoma
 ■ cough that occurs with too much phlegm (mucus)
 ■ a breathing problem such as emphysema or chronic bronchitis
 ■ cough that lasts or is chronic such as occurs with smoking, asthma or emphysema

Ask a doctor or pharmacist before use if you are taking sedatives or tranquilizers

When using this product
 ■ do not use more than directed
 ■ may cause marked drowsiness
 ■ avoid alcoholic beverages
 ■ alcohol, sedatives, and tranquilizers may increase drowsiness
 ■ be careful when driving a motor vehicle or operating machinery
 ■ excitability may occur, especially in children ▶

Drug Facts (continued)
Stop use and ask a doctor if
 ■ you get nervous, dizzy, or sleepless
 ■ symptoms do not get better within 7 days or are accompanied by fever
 ■ cough lasts for more than 7 days, comes back, or is accompanied by fever, rash, or persistent headache. A persistent cough may be a sign of a serious condition.

If pregnant or breast-feeding, ask a health professional before use.
Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center right away (1-800-222-1222).

Directions
 ■ do not take more than 6 doses in any 24-hour period
 ■ measure only with dosage cup provided
 ■ keep dosage cup with product
 ■ mL = milliliter

age	dose
adults and children 12 years and over	20 mL every 4 hours
children 6 to under 12 years	10 mL every 4 hours
children under 6 years	do not use

Other information
 ■ each 10 mL contains: sodium 4 mg
 ■ store at 20°-25°C (68°-77°F)

Inactive ingredients anhydrous citric acid, edotate disodium, FD&C blue no. 1, FD&C red no. 40, flavor, glycerin, propylene glycol, purified water, saccharin sodium, sodium benzoate, sorbitol solution

Questions or comments?
 1-800-719-9260

PARENTS:
 Learn about teen medicine abuse
www.StopMedicineAbuse.org

CVS Health. Red Grape Flavor

Children's Cold & Cough

CVS Health. Compare to the active ingredients in Children's Dimetapp® Cold & Cough**
 Red Grape Flavor NDC 59779-363-26

Children's Cold & Cough

BROMPHENIRAMINE MALEATE
 Antihistamine
DEXTROMETHORPHAN HBR
 Cough suppressant
PHENYLEPHRINE HCl
 Nasal decongestant

DM Liquid
Relieves:
 Nasal congestion; Stuffy nose;
 Runny nose; Sneezes
 Soothes cough
 Calms allergy symptoms

Alcohol free
 Actual Bottle Size on Side Panel

Red Grape Flavor
For Ages 6 Years & Over
 Dosage Cup Included

4 FL OZ (118 mL)

CVS Health® Children's Cold & Cough offers relief from nasal congestion, runny nose, coughing, and sneezing to help your child get through the day.

DO NOT USE IF PRINTED NECKBAND IS BROKEN OR MISSING.

Gluten free
Sugar free

Distributed by: CVS Pharmacy, Inc.
 One CVS Drive, Woonsocket, RI 02895
 © 2023 CVS/pharmacy
 CVS.com® 1-800-SHOP CVS
 V-18430

100% money back guaranteed.
 CVS.com/returnpolicy

PAPER BOX **PLASTIC BOTTLE** **PLASTIC CUP**

Package Contains One Bottle

Actual Size

#477080
 0 50428 30748 9

COLD AND COUGH CHILDRENS			
brompheniramine maleate, dextromethorphan hbr, phenylephrine hcl solution			
Product Information			
Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:59779-363

Route of Administration ORAL

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
BROMPHENIRAMINE MALEATE (UNII: IXA7C9ZN03) (BROMPHENIRAMINE - UNII:H57G17P2FN)	BROMPHENIRAMINE MALEATE	2 mg in 10 mL
DEXTROMETHORPHAN HYDROBROMIDE (UNII: 9D2RTI9KYH) (DEXTROMETHORPHAN - UNII:7355X3ROTS)	DEXTROMETHORPHAN HYDROBROMIDE	10 mg in 10 mL
PHENYLEPHRINE HYDROCHLORIDE (UNII: 04JA59TNSJ) (PHENYLEPHRINE - UNII:1WS297W6MV)	PHENYLEPHRINE HYDROCHLORIDE	5 mg in 10 mL

Inactive Ingredients

Ingredient Name	Strength
ANHYDROUS CITRIC ACID (UNII: XF417D3PSL)	
EDETATE DISODIUM (UNII: 7FLD91C86K)	
FD&C BLUE NO. 1 (UNII: H3R47K3TBD)	
FD&C RED NO. 40 (UNII: WZB9127XOA)	
GLYCERIN (UNII: PDC6A3C0OX)	
PROPYLENE GLYCOL (UNII: 6DC9Q167V3)	
WATER (UNII: 059QF0K00R)	
SACCHARIN SODIUM (UNII: SB8ZUX40TY)	
SODIUM BENZOATE (UNII: OJ245FE5EU)	
SORBITOL SOLUTION (UNII: 8KW3E207O2)	

Product Characteristics

Color	PURPLE (Clear bluish-red)	Score	
Shape		Size	
Flavor	GRAPE	Imprint Code	
Contains			

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:59779-363-26	1 in 1 CARTON	08/17/2006	
1		118 mL in 1 BOTTLE; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M012	08/17/2006	

