

DRAMAMINE FOR KIDS- dimenhydrinate tablet, chewable
Medtech Products Inc.

Dramamine Chewable Tablets for Kids- Grape

Drug Facts

Active ingredient (in each tablet)

Dimenhydrinate 25mg

Purpose

Antiemetic

Use

for prevention and treatment of these symptoms associated with motion sickness:

- nausea
- dizziness
- vomiting

Warnings

Do not give to children under 2 years of age unless directed by a doctor.

Ask a doctor before use if the child has

- a breathing problem such as emphysema or chronic bronchitis
- glaucoma

Ask a doctor before use if the child is

taking sedatives or tranquilizers

When using this product

- marked drowsiness may occur
- sedatives, and tranquilizers may increase drowsiness

Keep out of reach of children.

In case of accidental overdose, get medical help or contact a Poison Control Center (1-800-222-1222) immediately.

Directions

- To prevent motion sickness, the first dose should be taken $\frac{1}{2}$ to 1 hour before starting activity

- To prevent or treat motion sickness see below:
- **Children 2 to under 6 years** Give ½ to 1 chewable tablet every 6-8 hours
- Do not give more than 3 chewable tablets in 24 hours or as directed by a doctor

Children 6 to 12 years

- Give 1 to 2 chewable tablets every 6-8 hours
- Do not give more than 6 chewable tablets in 24 hours, or as directed by a doctor

Other information

- **Phenylketonurics:** contains phenylalanine 0.42 mg per tablet
- Store at room temperature 20°-25°C (68°-77°F)
- **Do not use if blister is broken or torn**

Inactive ingredients

aspartame, citric acid, flavors, magnesium stearate, methacrylic acid copolymer, sorbitol

Questions?

1-800-382-7219 Dramamine.com

Dist. by Medtech Products Inc., Tarrytown, NY 10591

A Prestige Consumer Healthcare company.

Made in Italy

©2024 Trade dress is owned by Medtech Products Inc. All rights reserved.

DAUS092101

Principal display panel

Dramamine®

motion sickness

for Kids

CHEWABLE

DYE FREE

8 CHEWABLE TABLETS

GRAPE FLAVOR

#1
Pharmacist
Recommended
BRAND

AGES 2-12
SAFE, PRECISE DOSE

Dramamine[®]

motion sickness
for Kids


DIMENHYDRINATE, 25MG
ANTIEMETIC

Dramamine[®]

motion sickness

CHEWABLE for Kids

Prevents & Relieves Nausea,
Dizziness and Vomiting

 GRAPE FLAVOR

DYE FREE
CHEWABLE TABLETS

TAMPER EVIDENT PACKAGING: Do not use if printed
foil or blister is broken or torn.

8 512248 00053 4



Dist. by: Mediatech Products Inc., Tarrytown, NY 10591.
A Prestige Consumer Healthcare company.
Made in Italy.
©2024 Trade dress is owned by Mediatech Products Inc.
All rights reserved. DAUS092701

Drug Facts Active ingredient (in each tablet) Dimenhydrinate 25 mg.....Antiemetic Use for prevention and treatment of these symptoms associated with motion sickness: ■ nausea ■ dizziness ■ vomiting Warnings Do not give to children under 2 years of age unless directed by a doctor. ■ a breathing problem such as emphysema or chronic bronchitis ■ glaucoma Ask a doctor before use if the child has is taking sedatives or tranquilizers. Ask a doctor or pharmacist before use if the child ■ marked drowsiness may occur ■ sedatives and tranquilizers may increase drowsiness When using this product Keep out of reach of children. In case of accidental overdose, get medical help or contact a Poison Control Center (1-800-222-1222) immediately.	Drug Facts (continued) Directions to prevent motion sickness, the first dose should be taken 15 to 1 hour before starting activity. to prevent or treat motion sickness, see below: Children 2 to 5 years do not give more than 3 chewable tablets in 24 hours, or as directed by a doctor give 1/2 to 1 chewable tablet every 6-8 hours Children 6 to 12 years do not give more than 5 chewable tablets in 24 hours, or as directed by a doctor give 1 to 2 chewable tablets every 6-8 hours Other information ■ Preservatives: contains phenyltolerane 0.42 mg per tablet ■ Store at room temperature 20°-25°C (68°-77°F) ■ do not use if blister is broken or torn Inactive ingredients aspartame, citric acid, flavors, magnesium stearate, methacrylic acid copolymer, sorbitol Questions? 1-800-382-7719 Dramamine.com
--	--

Important - Keep This Carton for Full Product Information.

Dramamine
motion sickness
for Kids
CHEWABLE

LACTOSE FREE

DRAMAMINE FOR KIDS

dimenhydrinate tablet, chewable

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:63029-908
Route of Administration	ORAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
DIMENHYDRINATE (UNII: JB937PER5C) (DIPHENHYDRAMINE - UNII:8GTS82S83M)	DIMENHYDRINATE	25 mg

Inactive Ingredients

Ingredient Name	Strength
ASPARTAME (UNII: Z0H242BBR1)	
ANHYDROUS CITRIC ACID (UNII: XF417D3PSL)	
GRAPE (UNII: 6X543N684K)	
MAGNESIUM STEARATE (UNII: 70097M6I30)	
METHACRYLIC ACID - METHYL METHACRYLATE COPOLYMER (1:1) (UNII: 74G4R6TH13)	
SORBITOL (UNII: 506T60A25R)	

Product Characteristics

Color	white	Score	2 pieces
Shape	ROUND	Size	10mm
Flavor	GRAPE	Imprint Code	DRA
Contains			

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:63029-908-08	1 in 1 BOX	02/17/2025	
1		8 in 1 BLISTER PACK; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M009	02/17/2025	

Labeler - Medtech Products Inc. (122715688)