

SALICYLIC ACID- medicated corn remover patch
FSA Store Inc.

Caring Mill Medicated Corn Removers

Active Ingredient

Salicylic Acid 40%

Purpose

Corn Remover

Uses

- for the removal of corns
- relieves pain by removing corns

Warnings

For external use only

Do not use

- if you are diabetic
- if you have poor blood circulation
- on irritated skin, on any area that is infected or reddened

Stop use and ask a doctor if

discomfort persists

Keep out of reach of children.

If swallowed, get medical help or contact a Poison Control Center right away.

Directions

- wash affected area and dry thoroughly
- if necessary, cut medicated patch to fit corn
- carefully adhere medicated patch directly over corn
- cover medicated patch with pad
- after 48 hours, remove medicated patch
- repeat procedure every 48 hours as needed for up to 14 days (until corn is removed)
- may soak corn in warm water for 5 minutes to assist in removal

Other information

- store between 15° and 30°C (59° and 86°F)

- avoid surrounding skin when applying medicated patch

Inactive ingredients

acrylic adhesive, acrylic polymer, polyethylene, polyvinyl alcohol

Questions?

call 1-866-964-0939

Principal Display Panel

caring mill

Medicated

Corn

Removers

Salicylic Acid 40% / Corn Remover

Maximum Strength

- Effective corn removal treatment
- Cushions against pressure & friction

9 Medicated Patches / 9 Pads

TOP		CLEAR AREA	
		CRIMP SEAL AREA (NO TEXT ONLY COLOR)	
<div> <div> <p>Use for corns on feet & hands</p> </div> <div> <p>Drug Facts</p> <p>Active ingredient Purpose Salicylic acid 40%.....Corn remover</p> <p>Uses</p> <ul style="list-style-type: none"> ■ for the removal of corns ■ relieves pain by removing corns <p>Warnings For external use only.</p> <p>Do not use</p> <ul style="list-style-type: none"> ■ if you are diabetic ■ if you have poor blood circulation ■ on irritated skin, on any area that is infected or reddened <p>Stop use and ask a doctor if discomfort persists</p> <p>Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.</p> <p>Directions</p> <ul style="list-style-type: none"> ■ wash affected area and dry thoroughly ■ if necessary, cut medicated patch to fit corn ■ carefully adhere medicated patch directly over corn ■ cover medicated patch with pad ■ after 48 hours, remove medicated patch ■ repeat procedure every 48 hours as needed for up to 14 days (until corn is removed) ■ may soak corn in warm water for 5 minutes to assist in removal <p>Other information</p> <ul style="list-style-type: none"> ■ store between 15° and 30°C (59° and 86°F) ■ avoid surrounding skin when applying medicated patch <p>Inactive ingredients acrylic adhesive, acrylic polymer, polyethylene, polyvinyl alcohol</p> <p>Questions? Call 1-866-964-0939</p> </div> </div> <div>52-003CM</div>	<div> <p>Compare to the active ingredient in Dr. Scholl's® Corn Removers*</p> <p>caring mill™</p> <p>Medicated Corn Removers</p> <p>Salicylic Acid 40% / Corn Remover</p> <p>Maximum Strength</p> <ul style="list-style-type: none"> • Effective corn removal treatment • Cushions against pressure & friction <p>9 Medicated Patches / 9 Pads</p> </div>	<div> <p>LOT # EXP DATE: (WHITE ONLY)</p> <p>8 10025 1 92891 9</p> <p>Made in USA from globally sourced materials</p> <p>*This product is not manufactured or distributed by Scholl's Wellness Company LLC, owner of the registered trademark Dr. Scholl's®.</p> <p>Manufactured for FSA Store Inc. 5473 Blair Rd, Suite 100, PMB 24308 Dallas, TX 75231 Customer Help Line: 1-866-964-0939</p> <p>Made with 15% or more cotton</p> <p>The Seal of Cotton and enhanced® is a trademark of Cotton Incorporated.</p> <p>cotton enhanced</p> </div>	
BOTTOM		CLEAR AREA	
EYE MARK	CRIMP SEAL AREA (no text but must have color)		EYE MARK

SALICYLIC ACID

medicated corn remover patch

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:81522-910
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
SALICYLIC ACID (UNII: O414PZ4LPZ) (SALICYLIC ACID - UNII:O414PZ4LPZ)	SALICYLIC ACID	400 mg in 1 g

Inactive Ingredients

Ingredient Name	Strength
HIGH DENSITY POLYETHYLENE (UNII: UG00KM4WR7)	
POLYVINYL ALCOHOL, UNSPECIFIED (UNII: 532B59J990)	
VINYL ACETATE (UNII: L9MK238N77)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:81522-910-01	9 in 1 BOX	08/13/2025	
1		1 g in 1 PATCH; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M030	08/12/2025	

Labeler - FSA Store Inc. (049283340)

Revised: 8/2025

FSA Store Inc.