

SALICYLIC ACID- liquid corn and callus remover liquid
FSA Store Inc.

Caring Mill Liquid Corn and Callus Remover

Active ingredient

Salicylic acid 17%w/w

Purpose

Corn and callus remover

Uses

- for the removal of corns and calluses
- relieves pain by removing corns and calluses

Warnings

For external use only.

Flammable

- keep away from fire or flame

Do not use

- on irritated skin
- on any area that is infected or reddened
- if you are a diabetic, or if you have poor blood circulation

When using this product

- if product gets into the eye, flush with water for 15 minutes
- avoid inhaling vapors
- cap bottle tightly and store at room temperature away from heat

Stop use and ask a doctor if

discomfort persists

Keep out of reach of children.

If swallowed, get medical help or contact a Poison Control Center right away.

Directions

- wash the affected area and dry thoroughly

- apply one drop at a time with applicator to sufficiently cover each corn/callus
- let dry
- use cushion with hole centered over corn or callus to relieve pressure (additional cushions may be purchased separately)
- hold cushion down 2-3 seconds to adhere to skin
- repeat this procedure once or twice daily as needed for up to 14 days (until corn/callus is removed)
- may soak corn/callus in warm water for 5 minutes to assist in removal

Other information

- store between 20° - 25°C (68° - to 77°F)
- avoid surrounding skin when applying product
- close tightly to prevent solidification
- wipe top of bottle clean after each use
- do not allow to come into contact with fabrics, floors, countertops or other surfaces- will stain

Inactive ingredients

camphor, castor oil, ethanol, ethyl ether, nitrocellulose

Questions?

Call 1-866-964-0939

Principal Display Panel

caring mill

Liquid Corn &

Callus Remover

Salicylic Acid 17% / Corn & Callus Remover

Safely removes corns & calluses

Soft foam cushions & protects

0.33 FL.OZ. (9.8 mL) 3 Cushions



FRONT

Liquid Corn & Callus Remover

Salicylic Acid 17% / Corn & Callus Remover

Safely removes corns & calluses
Soft foam cushions & protects



0.33 FL. OZ. (9.8 mL)

3 Cushions

*This product is not manufactured or distributed by Scholl's Wellness Company LLC, owner of the registered trademark Dr. Scholl's®.

Manufactured for FSA Store Inc.
5473 Blair Rd, Suite 100, PMB 24308
Dallas, TX 75231
Customer Help Line: 1-866-964-0939




53-030CM

Made in USA from globally sourced materials

NO VARNISH AREA
(WHITE ONLY)

Directions: Apply one drop at a time with applicator and let dry. Cover with cushion and hold cushion down 2-3 seconds to adhere to skin.



For Use On Feet & Hands

Questions? Call 1-866-964-0939

Drug Facts (continued)
Other information
store between 20°-25°C (68°-77°F)
avoid sunburning skin when applying product
close tightly to prevent evaporation
wipe top of bottle clean after each use
do not allow to come into contact with fabrics, floors, countertops or other surfaces - will stain
Inactive ingredients camphor, castor oil, ethanol, ethyl ether, nitrocellulose

Uses
for the removal of corns and calluses
relieves pain by removing corns and calluses
Warnings
For external use only.
Flammable
Keep away from fire or flame
Do not use
on irritated skin
on any area that is infected or reddened
if you are a diabetic, or if you have poor blood circulation
When using this product
if product gets into the eye, flush with water for 15 minutes
avoid inhaling vapors
cap bottle tightly and store at room temperature away from heat
Keep out of reach of children.
If swallowed, get medical help or contact a Poison Control Center right away.
Directions
wash the affected area and dry thoroughly
apply one drop at a time with applicator to sufficiently cover each corn/callus
let dry
use cushion with hole centered over corn or callus to relieve pressure
(additional cushions may be purchased separately)
hold cushion down 2-3 seconds to adhere to skin
repeat this procedure once or twice daily as needed for up to 14 days
(until corn/callus is removed)
may soak corn/callus in warm water for 5 minutes to assist in removal

Drug Facts
Active ingredient Salicylic acid 17% w/w
Purpose Corn and callus remover

BACK

SALICYLIC ACID

liquid corn and callus remover liquid

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:81522-956
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
SALICYLIC ACID (UNII: O414PZ4LPZ) (SALICYLIC ACID - UNII:O414PZ4LPZ)	SALICYLIC ACID	170 mg in 1 mL

Inactive Ingredients

Ingredient Name	Strength
ALCOHOL (UNII: 3K9958V90M)	
ETHYL ETHER (UNII: 0F5N573A2Y)	
CASTOR OIL (UNII: D5340Y2I9G)	
CAMPHOR (NATURAL) (UNII: N20HL7Q941)	
NITROCELLULOSE (UNII: KYR8BR2X6O)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:81522-956-01	1 in 1 CARTON	08/13/2025	
1		9.8 mL in 1 BOTTLE, WTH APPLICATOR; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M030	08/12/2025	

Labeler - FSA Store Inc. (049283340)