

**SALICYLIC ACID- liquid corn and callus remover liquid
FSA Store Inc.**

Caring Mill Liquid Corn and Callus Remover

Active ingredient

Salicylic acid 17%w/w

Purpose

Corn and callus remover

Uses

- for the removal of corns and calluses
- relieves pain by removing corns and calluses

Warnings

For external use only.

Flammable

- keep away from fire or flame

Do not use

- on irritated skin
- on any area that is infected or reddened
- if you are a diabetic, or if you have poor blood circulation

When using this product

- if product gets into the eye, flush with water for 15 minutes
- avoid inhaling vapors
- cap bottle tightly and store at room temperature away from heat

Stop use and ask a doctor if

discomfort persists

Keep out of reach of children.

If swallowed, get medical help or contact a Poison Control Center right away.

Directions

- wash the affected area and dry thoroughly

- apply one drop at a time with applicator to sufficiently cover each corn/callus
- let dry
- use cushion with hole centered over corn or callus to relieve pressure (additional cushions may be purchased separately)
- hold cushion down 2-3 seconds to adhere to skin
- repeat this procedure once or twice daily as needed for up to 14 days (until corn/callus is removed)
- may soak corn/callus in warm water for 5 minutes to assist in removal

Other information

- store between 20° - 25°C (68° - to 77°F)
- avoid surrounding skin when applying product
- close tightly to prevent solidification
- wipe top of bottle clean after each use
- do not allow to come into contact with fabrics, floors, countertops or other surfaces- will stain

Inactive ingredients

camphor, castor oil, ethanol, ethyl ether, nitrocellulose

Questions?

Call 1-866-964-0939

Principal Display Panel

caring mill

Liquid Corn &

Callus Remover

Salicylic Acid 17% / Corn & Callus Remover

Safely removes corns & calluses

Soft foam cushions & protects

0.33 FL.OZ. (9.8 mL) 3 Cushions



FRONT

Liquid Corn & Callus Remover

Salicylic Acid 17% / Corn & Callus Remover

Safely removes corns & calluses
Soft foam cushions & protects



0.33 FL. OZ. (9.8 mL)

3 Cushions

*This product is not manufactured or distributed by Scholl's Wellness Company LLC, owner of the registered trademark Dr. Scholl's®.

Manufactured for **FSA Store Inc.**
5473 Blair Rd, Suite 100, PMB 24308
Dallas, TX 75231
Customer Help Line: 1-866-964-0939


Made in USA from
globally sourced materials



53-030CM

**NO VARNISH
AREA
(WHITE ONLY)**

Directions: Apply one drop at a time with applicator and let dry. Cover with cushion and hold cushion down 2-3 seconds to adhere to skin.



**For Use On
Feet & Hands**

Drug Facts (continued)

Other information

■ store between 20°-25°C (68°-77°F)
■ avoid exposing skin when applying product
■ close tightly to prevent solidification
■ wipe top of bottle clean after each use
■ do not allow to come into contact with fabrics, floors, countertops or other surfaces – will stain

Questions? Call 1-866-964-0939

Inactive ingredients

camphor, castor oil, ethanol, ethyl ether, nitrocellulose

Directions

■ wash the affected area and dry thoroughly
■ apply one drop at a time with applicator to sufficiently cover each corn/callus
■ let dry
■ use cushion with hole centered over corn or callus to relieve pressure (additional cushions may be purchased separately)
■ hold cushion down 2-3 seconds to adhere to skin
■ repeat this procedure once or twice daily as needed for up to 1-4 days (until corn/callus is removed)
■ may soak corn/callus in warm water for 5 minutes to assist in removal

Warnings

■ For external use only.
■ Flammable
■ Keep away from fire or flame
■ Do not use
■ on irritated skin
■ on any area that is infected or reddened
■ if you are a diabetic, or if you have poor blood circulation
■ When using this product
■ if product gets into the eye, flush with water for 15 minutes
■ avoid inhaling vapors
■ cap bottle tightly and store at room temperature away from heat
■ Stop use and ask a doctor if discomfort persists.
■ Keep out of reach of children.
■ If swallowed, get medical help or contact a Poison Control Center right away.

Uses

■ for the removal of corns and calluses
■ relieves pain by removing corns and calluses

Active ingredient

Salicylic acid 17% w/w.....Corn and callus remover

Purpose

BACK

SALICYLIC ACID

liquid corn and callus remover liquid

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:81522-956
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
SALICYLIC ACID (UNII: O414PZ4LPZ) (SALICYLIC ACID - UNII:O414PZ4LPZ)	SALICYLIC ACID	170 mg in 1 mL

Inactive Ingredients

Ingredient Name	Strength
ALCOHOL (UNII: 3K9958V90M)	
ETHYL ETHER (UNII: 0F5N573A2Y)	
CASTOR OIL (UNII: D5340Y2I9G)	
CAMPHOR (NATURAL) (UNII: N20HL7Q941)	
NITROCELLULOSE (UNII: KYR8BR2X6O)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:81522-956-01	1 in 1 CARTON	08/13/2025	
1		9.8 mL in 1 BOTTLE, WTH APPLICATOR; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M030	08/12/2025	

Labeler - FSA Store Inc. (049283340)