

RELEVEA PAIN RELIEF PATCH- lidocaine 4% patch
Links Medical Products

Relevea Pain Relief Patch

ACTIVE INGREDIENT

Lidocaine 4%

PURPOSE

Topical anesthetic

USES

for temporary relief of pain

WARNINGS

For external use only

Do not use

- more than 1 patch at a time
- on wounds or damaged skin
- with a heating pad
- if you are allergic to any ingredients of this product

When using this product

- use only as directed
- avoid contact with the eyes, mucous membranes or rashes
- do not bandage

Stop use and ask a doctor if

localized skin reactions such as rash, itching, redness, irritation, pain, swelling and blistering occur, conditions worsen, symptoms persist for more than 7 days, or symptoms clear up and occur again within a few days.

If pregnant or breast feeding, ask a health professional before use.

Keep out of reach of children

If swallowed, get medical help or contact a Poison Control Center right away.

DIRECTIONS

Adult and children 12 years of age and over:

- clean and dry affected area
- remove film from patch and apply to the skin
- apply 1 patch at a time to affected area, not more than 3 to 4 times daily
- remove patch from the skin after at most 8-hour application

Children under 12 years of age: Consult a doctor

OTHER INFORMATION

avoid storing product in direct sunlight and protect product from excessive moisture.

INACTIVE INGREDIENTS

Dihydroxyaluminum Aminoacetate, Edetate Disodium, Glycerin, Kaolin, Methylparaben, Polysorbate 80, Propylene Glycol, Polyacrylic Acid, Polyvinylpyrrolidone K90, Propylparaben, Sodium Polyacrylate, Tartaric Acid, Titanium Dioxide, Water

Questions or Comments

888.425.1149

Drug Facts	
Active Ingredient	Purpose
Lidocaine 4%.....Typical anesthetic	
Uses ■ for temporary relief of pain	
Warnings	
For external use only	
Do not use ■ more than 1 patch at a time ■ on wounds or damaged skin ■ with a heating pad ■ if you are allergic to any ingredients of this product	
When using this product	
■ use only as directed ■ avoid contact with the eyes, mucous membranes or rashes ■ do not bandage tightly	
Stop use and ask a doctor if localized skin reactions such as rash, itching, redness, irritation, pain, swelling and blistering occur, conditions worsen, symptoms persist for more than 7 days, or symptoms clear up and occur again within a few days.	
If pregnant or breast feeding, ask a health professional before use.	
Drug Facts (continued)	
Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.	
Directions	
Adult and children 12 years of age and over: ■ clean and dry affected area ■ remove film from patch and apply to the skin ■ apply 1 patch at a time to affected area, not more than 3 to 4 times daily ■ remove patch from the skin after at most 8-hour application	
Children under 12 years of age: Consult a doctor.	
Other Information avoid storing product in direct sunlight and protect product from excessive moisture.	
Inactive Ingredients Dihydroxyaluminum Aminoacetate, Edetate Disodium, Glycerin, Kaolin, Methylparaben, Polysorbate 80, Propylene Glycol, Polyacrylic Acid, Polyvinylpyrrolidone K90, Propylparaben, Sodium Polyacrylate, Tartaric Acid, Titanium Dioxide, Water	
Questions or Comments 888.425.1149	

RELEVEA PAIN RELIEF PATCH

lidocaine 4% patch

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:51028-004
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
LIDOCAINE (UNII: 98PI200987) (LIDOCAINE - UNII:98PI200987)	LIDOCAINE	40 mg in 1 g

Inactive Ingredients

Ingredient Name	Strength
SODIUM POLYACRYLATE (250000 MW) (UNII: 05I15JNI2J)	
DIHYDROXYALUMINUM AMINOACETATE (UNII: DO250MG0W6)	
KAOLIN (UNII: 24H4NWX5CO)	
METHYLPARABEN (UNII: A2I8C7HI9T)	
POLYACRYLIC ACID (250000 MW) (UNII: 9G2MAD7J6W)	
WATER (UNII: 059QF0K00R)	
TARTARIC ACID (UNII: W4888I119H)	
PROPYLENE GLYCOL (UNII: 6DC9Q167V3)	
PROPYLPARABEN (UNII: Z8IX2SC1OH)	
EDETATE DISODIUM (UNII: 7FLD91C86K)	
GLYCERIN (UNII: PDC6A3C0OX)	
POVIDONE K90 (UNII: RDH86HJV5Z)	
TITANIUM DIOXIDE (UNII: 15FIX9V2JP)	
POLYSORBATE 80 (UNII: 6OZP39ZG8H)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:51028-004-01	15 in 1 BOX	08/01/2025	
1		1 g in 1 PATCH; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	505G(a)(3)	08/01/2025	

Labeler - Links Medical Products (839081445)