PLAGENTRA BABY- glycerin lotion C.A Pharm Co., Ltd.

Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.

ACTIVE INGREDIENT

Active Ingredient: Glycerin 20%

INACTIVE INGREDIENT

Inactive Ingredients:

Water, Hydrogenated Polydecene, Dipropylene Glycol, Macadamia Integrifolia Seed Oil, Butylene Glycol, Cyclohexasiloxane, Betaine, Limnanthes Alba (Meadowfoam) Seed Oil, Stearic Acid, Glyceryl Stearate SE, Cyclopentasiloxane, Dimethiconol, Aloe Barbadensis Leaf Extract, Althaea Rosea Flower Extract, Arctium Lappa Root Extract, Artemisia Capillaris Leaf Extract, Calendula Officinalis Flower Extract, Lavandula Angustifolia (Lavender) Flower Extract, Lonicera Japonica (Honeysuckle) Flower Extract, Ocimum Basilicum (Basil) Leaf Extract, Oenothera Biennis (Evening Primrose) Seed Extract, Perilla Frutescens Leaf Extract, Prunus Mume Fruit Extract, Thymus Vulgaris (Thyme) Extract, 1,2-Hexanediol, Portulaca Oleracea Extract, Hydrolyzed Collagen, Beta-Glucan, Ceramide 3, Raffinose, Palmitoyl Pentapeptide-4, Glyceryl Stearate, Olivoyl Hydrolyzed Wheat Protein, Cetearyl Alcohol, Glyceryl Oleate, Caprylic/Capric Glycerides, Dimethicone, Citrus Paradisi (Grapefruit) Fruit Extract, Polyglutamic Acid, Leuconostoc/Radish Root Ferment Filtrate, Acrylates/C10-30 Alkyl Acrylate Crosspolymer, Tocopheryl Acetate, Fragrance, Potassium Hydroxide, Disodium EDTA, Xanthan Gum

PURPOSE

Purpose: Skin Portectant

WARNINGS

Warnings:

1. Stop using the product and go to a doctor immediately if one of the following symptoms occurs. If immediate care is not sought, the symptoms may worsen :

1) Itching, redness, swelling, rash, etc. 2) If one of the symptoms above occurs due to direct sunlight.

2. Do not apply the product to wounds or skin with dermatitis such as eczema.

3. Storage and Handling, 1) Keep the lid closed after use. 2) Keep the product out of children's reach. 3) Keep away from direct sunlight, do not store at high or low temperature.

KEEP OUT OF REACH OF CHILDREN

Keep out of reach of babies and children.

INDICATIONS & USAGE

Indication and usage:

1) Tighten the lid after using it.

2) Don't keep it in the place where the temperature is extremely hot or low and exposed to the direct sunlight.

3) Use it in the morning or evening after shower.

DOSAGE & ADMINISTRATION

Dosage and administration: Take appropriate amount to the entire face and body, gently massage and tapping until absorbed.

PACKAGE LABEL.PRINCIPAL DISPLAY PANEL



| glycerin lotion | | | | | | | |
|---|-------------------------|----------|-----------|--------------------------|--------------------|-------------------|--|
| Product Informati | on | | | | | | |
| Product T ype | HUMAN OTC DRUG Ite m Co | | | ode (Source) | | NDC:68988-070 | |
| Route of Administrat | | | | | | | |
| Active Ingredient/ | Active Moiety | | | | | | |
| Ingredient Name | | | | Basis of Strength | | Strength | |
| Glycerin (UNII: PDC6A3C0OX) (GLYCERIN - UNII:PDC6A3C0OX) | | | | Glycerin | | 20 mg in 100 mL | |
| Inactive Ingredients Ingredient Name Water (UNII: 059QF0KO0R) Dipropylene Glycol (UNII: E107L85C40) | | | | | Strength | | |
| Dipropylene Giycol (D) | NII: E107L85C40) | | | | | | |
| Packaging | | | | | | | |
| # Item Code | Package Des | cription | Marketing | g Start Date | Marketing End Date | | |
| 1 NDC:68988-070-01 | 100 mL in 1 CARTO | N | | | | | |
| | | | | | | | |
| Marketing Info | | | | | | | |
| Marketing Category | | | | Marketing Start Date | | Marketing End Dat | |
| OTC monograph final | part347 | | | | | | |

Labeler - C.A Pharm Co., Ltd. (688198385)

Registrant - C.A Pharm Co., Ltd. (688198385)

| Establishment | | | | | | | | | |
|---------------------|---------|-----------|------------------------|--|--|--|--|--|--|
| Name | Address | ID/FEI | Business Operations | | | | | | |
| C.A Pharm Co., Ltd. | | 688198385 | manufacture(68988-070) | | | | | | |

Revised: 12/2014

C.A Pharm Co., Ltd.